№ 64/57.1 94-95
1935-36



GIVEN BY

MASS. SECRETARY OF THE COMMONWEALTH

Public Document No. 1

The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1935

PREPARED BY
FREDERIC W. COOK
THE SECRETARY OF THE COMMONWEALTH

EDITED BY
ARTHUR J. HASSETT
STATE REGISTRAR OF VITAL STATISTICS

PUBLIC LIBRARY
CITY OF BOSTON

PUBLICATION OF THIS DOCUMENT APPROVED BY THE COMMISSION ON ADMINISTRATION AND FINANCE

650—6-36. No. 7615

CONTENTS

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1935.

Part I.

Mortality Statistics.

	PAGE
Introduction	1–15
General mortality	1–4
Death registration	1
Purpose	1
Mortality statistics	2
Source of data	2
Death rates and their comparability	2
Allocation	2, 3
Number of deaths and death rates	3
Sex	3
Age	3
Sex and age	3
Marital condition	3, 4
Centenarians	4
Nativity	4
Seasonable distribution of deaths	4
Infant mortality	4, 5
Cause of death	5–9
Sources of error in mortality statistics	5
Principal causes of death	5–9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	9
Autopsies	10
Cause of death	10
Statistical tables	16–173
General mortality	16–138
Table 1.—Deaths occurring in cities and towns, by sex and nativity, population, and death rates in each county and city: 1935	16–21
Table 2.—Deaths allocated by cities and towns, by sex and nativity, population and death rates in each county and city: 1935	22–26
Table 3.—Deaths, by sex and age, in municipalities having over 10,000 inhabitants in 1935: 1935	28–33
Table 4.—Population, deaths, and death rates per 1,000 population: 1911 to 1935	34
Table 5.—Mortality of males and females: 1911 to 1935	34
Table 6.—Deaths at specified ages: census years 1910 to 1935	35
Table 7.—Per cent of deaths at specified ages—both sexes: 1911 to 1935	35
Table 8.—Male deaths per 1,000 female deaths at specified ages: 1932 to 1935	35
Table 9.—Deaths of males and females at specified ages: 1926 to 1935	36
Table 10.—Deaths of persons 100 years of age and over, by age, sex, place of death, place of birth, marital condition, date of death and name of decedent: 1935	37
Table 11.—Deaths of persons 100 years of age and over, by sex, nativity, marital condition, and age of oldest decedent: 1911 to 1935	37
Table 12.—Deaths by sex, age, and marital condition: 1935	38
Table 13.—Deaths in counties, and in cities having over 50,000 inhabitants, in 1935, by months: 1935	39
Table 14.—Deaths allocated from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1935	40–75
Table 14a.—Deaths of residents out of state dying in Massachusetts from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1935	76–93
Table 14b.—Deaths of residents of Massachusetts dying out of state, from each cause and class of causes, according to the detailed International List by months and sex and by age and sex: 1935	94–103
Table 15.—Deaths from important causes in each municipality: 1935	104–128
Table 16.—Deaths from principal causes: 1911 to 1935	129
Table 16a—Deaths from principal communicable diseases: 1911 to 1935	129
Table 17.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the Abridged International List: 1929 to 1935	130, 131
Table 18.—Death rates per 100,000 population based on annual average number of deaths for the five-year period of which the census year is the median year: census years 1905 to 1930	132
Table 19.—Deaths produced by external causes: 1911 to 1935	132
Table 20.—Deaths from cancer, by sex, age, and marital condition: 1935	133–138
Infant mortality	139–161
Table 21.—Deaths under 1 month of age; also under 1 year of age, by sex, in the State and each municipality: 1935	129–141
Table 22.—Live births, deaths under 1 year, infant mortality rates, and per cent of deaths under 1 year to deaths at all ages: 1911 to 1935	141
Table 23.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1935: 1928 to 1935	142
Table 24.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship in municipalities having over 15,000 inhabitants in 1935: 1935	142, 143
Table 25—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston: 1919 to 1935	143
Table 26.—Survivors at end of first year of life per 1,000 population and per 1,000 live births: 1910 to 1935	144

STATISTICAL TABLES—*Concluded.* PAGE
Infant mortality—*Concluded.*
TABLE 27.—Infant deaths per 1,000 live births, by causes: 1928 to 1935 . . . 144
TABLE 28.—Deaths under 2 years of age from diarrhea and enteritis, by months: 1928 to 1935 . . . 144
TABLE 29.—Deaths from important causes for certain subdivisions of the first year of life for the State and for cities having 50,000 inhabitants or more in 1935: 1935. . . 145–162
Maternal mortality . . . 163, 164
TABLE 30.—Deaths and death rates per 100,000 population, and per 100,000 female population, from diseases caused by pregnancy and confinement: 1911 to 1935 . . . 163
TABLE 31.—Death rates per 10,000 confinements, per 10,000 births, and per 10,000 live births, from diseases caused by pregnancy and confinement: 1911 to 1935 . . . 164
Deaths investigated by medical examiners . . . 165–173
TABLE 32.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners in each county, by causes; and number and per cent of deaths autopsied in each county: 1935 . . . 165
TABLE 33.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners, by causes, sex, and months, and by causes, sex, and age: 1935 . 166–171
TABLE 34.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county: 1926 to 1935 . . . 172–173

PART II A.
BIRTH STATISTICS.

INTRODUCTION . . . 174–177
Birth registration . . . 174, 175
Allocation . . . 175
Live births . . . 175
Birth rate . . . 175
Changes in the birth rate . . . 176
Stillbirths . . . 176
Birth rates of the principal cities . . . 176
Sex proportions at birth . . . 176
Nativity of parents . . . 176
Plural births . . . 176
Natural increase . . . 176, 177
STATISTICAL TABLES . . . 178–190
TABLE 35.—Live births, by sex and parent nativity; and birth rates in each county and municipality: 1935 . . . 178–182
TABLE 35a.—Allocated live births, by sex and parent nativity and birth rates in each county and municipality: 1935 . . . 183–187
TABLE 36.—Live births by month of birth in counties, and in cities having over 50,000 inhabitants in 1935: 1935 . . . 188
TABLE 37.—Plural births, by sex, and stillbirths, in counties and in cities having over 50,000 inhabitants in 1935: 1935 . . . 188
TABLE 38.—Live births and birth rates for the State and cities having over 100,000 inhabitants in 1935: 1911 to 1935 . . . 189
TABLE 39.—Live births, by sex and parent nativity, and sex proportions at birth: 1911 to 1935 . . . 189
TABLE 40.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population, plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births, and sex proportions of stillborn: 1911 to 1935 . . . 190

PART II B.
MARRIAGE STATISTICS.

INTRODUCTION . . . 191–192
Marriage registration . . . 191
Source of data . . . 191
Solemnization . . . 191
Accuracy . . . 191, 192
Purpose, marriage requirements . . . 192
STATISTICAL TABLES . . . 193–203
TABLE 41.—Marriages, classified by nativity and residence of bride and groom, in each county and municipality: 1935 . . . 193–197
TABLE 42.—Marriages by sex, age, and marital condition: 1935 . . . 197
TABLE 43.—Marriages by months, in counties, and in cities having over 100,000 inhabitants in 1935: 1935 . . . 198, 199
TABLE 44.—Marriages in each county, by sex and age: 1935 . . . 198, 199
TABLE 45.—Marriages, by sex and age: 1935 . . . 200
TABLE 46.—First marriages, by sex and age: 1935 . . . 200
TABLE 47.—First marriages of grooms and remarriages of brides, by age: 1935 . . . 200
TABLE 48.—Remarriages of grooms and first marriages of brides, by age: 1935 . . . 201
TABLE 49.—Remarriages of both parties, by age: 1935 . . . 201
TABLE 50.—First marriages and remarriages: 1935 . . . 201
TABLE 51.—Marriages, marriage rates, and nativity of persons married: 1911 to 1935 . 202
TABLE 52.—Proportions of first marriages and remarriages per 1,000 marriages: 1911 to 1935 202
TABLE 53.—Marriages and marriage rates in the State, and in cities having over 100,000 inhabitants in 1935: 1911 to 1935 . . . 203

PART II C.
DIVORCE STATISTICS.

INTRODUCTION . . . 204, 205
Causes for divorce . . . 204
Source of data . . . 204
Applications for divorce . . . 204
Contested cases . . . 204
Number of divorces . . . 204
Divorce rates . . . 204, 205

INTRODUCTION—*Concluded.*
PAGE
Party to which granted 205
Divorces classified by causes 205
Annulled cases 205
Duration of marriages 205
STATISTICAL TABLES 206–224
TABLE 54.—Libels for divorces granted, refused, dismissed, contested, and not contested, and number of years libellants were married, by statutory causes and sex of libellant: The State—1935 206
A. Barnstable County 207
B. Berkshire County 208
C. Bristol County 209
D. Dukes County 210
E. Essex County 211
F. Franklin County 212
G. Hampden County 213
H. Hampshire County 214
I. Middlesex County 215
J. Nantucket County 216
K. Norfolk County 217
L. Plymouth County 218
M. Suffolk County 219
N. Worcester County 220
TABLE 55.—Number and per cent of divorces granted to husbands and to wives: 1911 to 1935 221
TABLE 56.—Divorces granted, number and per cent increase in each five-year period over preceding five-year period, and per cent increase in total population over preceding census: 1910 to 1934 221
TABLE 57.—Comparison of increase in divorces and divorce rates with increase in population: 1910 to 1935 221
TABLE 58.—Divorce rates based on total population and on married population: census years, 1905 to 1930 221
TABLE 59.—Annual average number of divorces in the State and in each county: census years, 1910 to 1930 222
TABLE 60.—Divorces granted for specified causes for 25 years: 1911 to 1935 222
TABLE 61.—Statutory causes of divorce: 1911 to 1935 222
TABLE 62.—Applications for divorce: 1911 to 1935 223
TABLE 63.—Divorces granted, classified by cause and party to which granted: 1935 223
TABLE 64.—Libels for divorce granted and not granted, contested and not contested, classified by party to which granted: 1935 223
TABLE 65.—Number of years libellants were married at time of application for divorce: 1911 to 1935 224

PART II D.

POPULATION STATISTICS.

Introductory 225
Estimated population 225
STATISTICAL TABLE 226
TABLE 66.—Census population of municipalities having over 15,000 inhabitants in 1935: 1910 to 1935 226

APPENDIX.

International classification of causes of death 227–233
1. Detailed International List 227–232
2. Abridged International List 233

1 Vol cont
Oct 23 1937

LETTER OF SUBMITTAL

The Commonwealth of Massachusetts,
Office of the Secretary,
Division of Vital Statistics, Boston, April 1, 1936.

To the Honorable Senate and House of Representatives:

I have the honor to submit herewith, as required by Chapter 46, section 21, and Chapter 208, section 47, of the General Laws, the ninety-fourth annual report on statistics of births, marriages, divorces, and deaths in Massachusetts, for the calendar year 1935 in two parts: Part I, Mortality Statistics; Part II, Statistics of Births, Marriages, and Divorces. The fact that deaths are reported monthly while births, marriages, and statistics of divorce are not required to be reported until March, April and May of the year following that in which the events occur, makes possible the availability of the mortality report earlier than the report of births, marriages, and divorces. Hence the presentation in two parts in one volume.

The editorial review and the method of presentation of the statistical data were prepared by Arthur J. Hassett, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Elizabeth M. Canty, principal statistical clerk of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

Frederic W. Cook,
Secretary of the Commonwealth.

Editorial Review of the Vital Statistics of Massachusetts, 1935

BY ARTHUR J. HASSETT, STATE REGISTRAR OF VITAL STATISTICS.

PART I
MORTALITY STATISTICS

	PAGE
Introduction	1–15
General mortality	1–4
Death registration	1
Purpose	1
Mortality statistics	2
Source of data	2
Death rates and their comparability	2
Allocation	2, 3
Number of deaths and death rates	3
Sex	3
Age	3
Sex and age	3
Marital condition	3, 4
Centenarians	4
Nativity	4
Seasonal distribution of deaths	4
Infant mortality	4, 5
Cause of death	5–9
Sources of error in mortality statistics	5
Principal causes of death	5-9
Deaths investigated by medical examiners	9, 10
Source of data	9
Number of deaths investigated	9
Autopsies	10
Cause of death	10
Statistical tables	18–173

INTRODUCTION.

History.

Death Registration.—Massachusetts was the first colony to recognize the importance of the registration of vital statistics and as early as 1639 the Colony and Province of Massachusetts Bay required the registration of births, marriages and deaths; in 1840 statutes required that copies should be filed with the Secretary of the Commonwealth. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i.e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in non-registration States.

During the period 1841 to 1935, inclusive, 3,598,382 deaths have been reported, filed, and tabulated in the Division of Vital Statistics.

The original records are on file in the cities and towns in which they occurred, and in the city and town given as the residence of the deceased at the time of death, and copies are also on file at the State House.

Purpose. — Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipiency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for all purposes.

Mortality Statistics. — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths, the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health administration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given,while morbidity statistics include all cases, whether fatal or not.

Source of Data.—Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the filing of a blank or schedule known as the standard death certificate.

The responsibility for seeing that a certificate is properly made out and filed with the local board of health rests primarily with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove the body from the city or town in which the death occurred, or to bury the body. The local board of health is required to transmit the death certificate to the city or town clerk, who in turn records the death and is required to transmit a certified copy to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the death occurred. Hospitals and other institutions are required to obtain, when a person is received, the facts which would be required for record in the event of the death of such person.

Death Rates and Their Comparability. — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate, and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic status of the people; (3) employment; (4) migration; and (5) the birth rate.

Allocation. — For the first time in the history of the State, deaths have been allocated to the place of residence of the deceased, having been charged in previous years to the place of death. This should insure as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. These cities and towns have been charged with a high rate and small communities without hospital facilities have shown a low rate. The usual place of residence has been used as a basis for all deaths occurring outside the State as well as for those in the State. In the case of institutions and jails deaths have been allocated to the place of residence before entrance. Such persons are regarded as temporary residents of these places since they did not voluntarily enter with the intention of remaining and without doubt would have returned, if discharged, to their usual residence. Accidental deaths have been treated in the same manner as those caused by sickness. While these deaths are often charged to municipalities in which they do not occur, it is probable that at some future time a plan will be devised whereby these deaths besides being allocated to the place of residence, will also be charged to the place where the accident actually happened. The foregoing outline does not by any means cover all cases that may and will arise but will serve as an explanation of the method used in preparing the allocated tables. It may be that the annual report for 1936 will show some changes in the method.

In addition to the erroneous and unwarranted conclusions sometimes arrived at by attempting to compare data which are not comparable, such as death rates of

different communities of varying sex and age composition, another possible source of error in mortality statistics is the original data, which are sometimes given by persons not fully cognizant of the true facts.

Number of Deaths and Death Rates. — There was a decrease in the mortality of 1935 as compared with that of 1934, the number of deaths occurring during the calendar year 1935 being 50,286, a decrease as compared with 1934, of 474. Based on the State census of 1935 of 4,350,910, these deaths correspond to a rate of 11.6 per 1,000 population. The rate for 1934 was 11.7. Allocated deaths numbered 49,634 in 1935, resulting in a death rate of 11.4 per 1,000 inhabitants.

During the ten-year periods, from 1916 to 1925, inclusive, the average death rate of the Commonwealth was 14.1, and 1926 to 1935, inclusive, 11.9.

This remarkable decrease in mortality has been the rule rather than the exception in the experiences of the other States. Since 1910 the average death rate for Massachusetts has been 13.3 per 1,000 living.

Table 4, on page 34, shows the number of deaths and the death rates per 1,000 population for the census years and per 1,000 estimated population for the intercensal years from 1911 to 1935.

Sex. — Of the 50,286 deaths in 1935, 26,000, or 51.7 per cent, were males, the percentage in 1934 being 52.3. The proportion of males in the living population, as shown by the United States Census of 1930, was 48.7 per cent. Expressed as a ratio there were 1,071 deaths of males per 1,000 deaths of females in 1935, as compared with 1,098 in 1934, 1,058 in 1933, and 1,046 in 1932. Of the 49,634 residents of the State who died in 1935, 25,642, or 51.7 per cent, were males.

Table 5, on page 34, shows that the death rate for males has been consistently greater than the death rate for females. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

Age. — Of the 49,634 deaths in 1935 of residents of the State, 3,014, or 6.1 per cent were of infants under 1 year of age. The rates for infant deaths in previous years, which included non-residents, were 6.2 per cent in 1934, and an average of 7.4 for the five years from 1930 to 1934, 10.7 for the five years from 1925 to 1929, and 14.0 for the five years from 1920 to 1924. A more detailed discussion of infant mortality may be found on pages 4 and 5.

Sex and Age. — The death rate of adult males might be expected to exceed the rate of adult females, on account of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 3,014 decedents under 1 year of age in 1935, 1,760 or 58.4 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 70 to 74 years, with the exception of the 25 to 29 year age period in which the number of female deaths was larger than the number of male deaths. From the age of 75 years and upward the number of deaths of females exceeded the deaths of males. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1932–1935 are shown in Table 8, on page 35.

The excess of females in the population 65 years of age and over is so great that even though their mortality at each age period is below that of males, the absolute number of deaths is greater. Among the 25,642 male decedents in 1935, 1,760 or 6.9 per cent, were under 1 year of age; among the 23,992 female decedents, 1,254 or 5.2 per cent, were under 1 year; and among the decedents of both sexes 6.1 per cent were under 1 year (see Table 9, page 36).

Marital Condition. — Not quite one half (47.0 per cent) of the decedents 15 years of age and over, whose marital condition was reported in 1935 were married, 18.9 per cent were single, 32.5 per cent were widowed, 1.4 per cent were divorced, and .2 per cent were unknown. Among the male decedents 56.1 per cent were married, 19.6 per cent were single, 22.4 per cent were widowed, 1.5 per cent were divorced, and .4 per cent were unknown. Among the female decedents 37.6 per cent were married, 18.2 per cent were single, 42.9 per cent were widowed, 1.2 per cent were divorced, and .1 per cent were unknown. No precise study of the bearing

of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 12, on page 38, shows the number of deaths of males and females 15 years of age and over, by marital condition.

Centenarians. — Among the deaths of residents during 1935, there were 31 of reputed centenarians, 25 of whom were females, 20 were native, and 11 were foreign born, 25 were widowed, 4 single and 2 married. Table 11, on page 37, presents data concerning the deaths of centenarians by sex, nativity, marital condition, and maximum age at death for the twenty-five years 1911 to 1935.

Nativity. — Of the Massachusetts residents whose nativity was reported on the death certificates in 1935 nearly two-thirds (61.4 per cent) were native, and 38.2 per cent were foreign. There were four-tenths of one per cent whose nativity was not reported.

Seasonal Distribution of Deaths.—The largest number of deaths during any month occurred in January (5,130), and the next largest number in March (4,673). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1935 was 136. The months showing the highest average for the year were January (165), February (161), March (151) and April (150). Table 13, on page 39, shows the number of deaths in each month of 1935, in counties, and in cities having over 50,000 inhabitants in 1935.

Infant Mortality.

The infant mortality for residents of the State in 1935 was 48.3 per 1,000 live births. This rate has been moving steadily downward being largely due to the reduction in deaths from gastro-intestinal, respiratory and communicable diseases and is the lowest ever recorded in the Commonwealth. Reference to Table 22, on page 141, shows in striking manner the remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

The greatest infant mortality occurred in 1896 (11,765 deaths); and the next greatest actual number of infant deaths occurred twelve years later, 1908 (11,606).

In the ten years from 1926 to 1935, there has been a decrease of 24.5 per cent in the number of live births registered. In 1935, deaths of Boston residents under 1 year of age numbered 607 or 49.1 per 1,000 live births. In previous years, the deaths under 1, which included non-residents, were 55.0 per cent in 1934, 58.9 in 1933, 59.3 in 1932, and 60.6 in 1931. In the ten years from 1926 to 1935 there has been a decrease of 6,360 in the number of live births registered. For the remainder of the State, the number of births registered decreased 27.2 per cent during this period. The infant mortality rates for the State, exclusive of Boston, decreased from 86.3 per 1,000 live births in 1919 to 48.1 in 1935, as compared with a decrease in Boston from 96.5 in 1919 to 49.1 in 1935. (See Table 25 on page 143.)

Deaths under one month and also under one year of age in each municipality are shown in Table 21 on pages 139 to 141.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1935 are shown for the years 1928 to 1935 in Table 23 on page 142.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1935, 1,500 deaths occurred in the first week, constituting 49.8 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (29.5) was higher than on any other day. In the first month of life there were 1,834 deaths, or 60.8 per cent of all infant deaths.

In the first three months there were 2,214 deaths, or 73.5 per cent of all infant deaths. Over three-fourths (85.6 per cent) of the infant deaths occurred in the first half of the year.

Over three-fourths (84.0 per cent) of the 1,500 babies who died less than one week after birth, died of prematurity, congenital debility, malformations, or in-

juries received at birth. Of the 1,630 babies who died from these causes before reaching the age of 1 year 47.2 per cent died in less than one day, 77.3 per cent died in less than one week, and 88.9 per cent died in less than one month. The second most important cause of infant deaths — gastric and intestinal diseases — claimed 214, or 7.1 per cent of the babies who died before reaching 1 year of age. Twenty-one and five-tenths per cent of the babies who died from this cause died in less than one month after birth, 13.1 per cent within one but less than two months after birth, and 14.0 per cent within two but less than three months after birth.

The largest number of deaths of infants is due to developmental and wasting diseases*, and the figures indicate a reduction in infant mortality due to these causes, — from 26.3 deaths per 1,000 live births in 1928 to 21.7 in 1935. Respiratory diseases also caused a considerable number of deaths. The number of infant deaths from bronchopneumonia has decreased somewhat since 1930 when there were 633 infant deaths from this cause, 536 in 1932, 477 in 1933, 447 in 1934, and 455 in 1935. The principal causes of infant deaths for the years 1928 to 1935 are shown in Table 27, page 144.

Causes of Death.[1]

Sources of Error in Mortality Statistics. — The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. Again, the physician sometimes fails to enter on the death certificate a qualifying term, which if given would modify the classification of the cause of death.

It should also be borne in mind that the process of classifying the thousands of different terms — some of them of a very indefinite or unsatisfactory character — under the 214 titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death out of the 50,286 received during 1935 bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the International Committee, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of a preferred term. This means that when two or more morbid conditions are given on a certificate one of them must be selected as the cause under which the death must be classified. Special weight has usually been given to communicable diseases when combined with other causes, and assignments are made to external causes when serious enough to be a factor in the cause of death.

Principal Causes. — More than one-half of the 50,286 deaths reported in 1935 were caused by diseases of the heart, cancer, cerebral hemorrhage (including embolism and thrombosis) pneumonia and nephritis. These diseases, together with tuberculosis in all forms, external causes, malformations and the diseases of early infancy caused 80.8 per cent of the deaths for the year. There were 49,634 deaths of Massachusetts residents in 1935, the allocated rate and the registered rate being the same. Table 16 on page 129 shows the number of residents of the state who died from these causes.

Heart Disease* as usual, was the leading cause of death in 1935, the total number being 14,980 corresponding to a rate of 344.3 per 100,000 population as compared with 14,543 deaths or 335.2 per 100,000 in 1934. Massachusetts residents who died from heart disease numbered 14,835 or 341.0 per 100,000 population. The great

[1] In this report an asterisk (*) has been used in the text to denote those certified causes of death which the committee, after careful consideration, reported were acceptable statements of causes of death without autopsy.

increase in the last few years was partly due to the fact that under the revised classification of causes of death diseases of the coronary artery, which were formerly classified as arterial diseases, are now classified under diseases of the heart.

Cancer and other Malignant Tumors showed a decrease of 192 and were the cause of 6,483 deaths in 1935, corresponding to a death rate of 149.0 as compared with 153.8 in 1934. Of the deaths from cancer 49.9 per cent resulted from cancers of the digestive tract and peritoneum. Resident deaths from cancer were 6,351, the rate being 146.0 with cancers of the digestive tract and peritoneum claiming 50 per cent of these deaths. The death rate from cancer has steadily risen from 89.9 in 1910, to 153.8 in 1934 and 149.0 in 1935. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

Cerebral Hemorrhage, Cerebral Embolism and Thrombosis* were the causes of 4,195 deaths, or 96.4 per 100,000 population. The death rate from these diseases has fluctuated somewhat, being 102 in 1931, 97 in 1932, 100.9 in 1933 and 98.4 in 1934. These diseases caused 4,167 deaths of residents, corresponding to a rate of 95.8 per 100,000 population.

Pneumonia (including bronchopneumonia) caused 4,020 deaths in 1935, or 92.4 per 100,000 population. It was responsible for 3,631 deaths, or 83.7 per 100,000 population in 1934. It also was responsible for 3,992 deaths of residents with a rate of 91.8 per 100,000 population in 1935.

Nephritis*, both chronic and acute forms, was the cause of 3,251 deaths in 1935, corresponding to a rate of 74.7 per 100,000 population, as compared with 74.8 in 1934, 78.6 in 1933, 83.2 in 1932, 78.9 in 1931, and an average rate of 85.1 for the five years from 1926 to 1930. There were 3,193 deaths caused by chronic nephritis, and 58 by acute nephritis. Of the resident deaths 3,166 were from chronic nephritis* and 56 from acute nephritis resulting in a total of 3,222 and a death rate of 74.1 per 100,000 population.

Tuberculosis in its various forms claimed 2,023 victims in 1935, of whom 1,872 died from tuberculosis of the respiratory system.* Deaths due to the latter cause constituted 3.7 per cent of all deaths during the year, the rate being 43.0 per 100,000 population. In 1910 the death rate from tuberculosis of the respiratory system was 133.2. Since then the decline has been continuous from year to year with the exception of 1918 when the rate was 130. However, an increase of .2 per cent per 100,000 population has been noted in 1933. Tuberculosis (all forms) was responsible for 1,961 deaths of residents including 1,813 deaths from tuberculosis of the respiratory system.* The rates for the latter disease were 3.7 per cent of all deaths during the year and 41.7 per 100,000 population.

Diabetes* was the cause of 1,314 deaths in 1935, a decrease of 13 from those reported in 1934 and was responsible for a rate of 30.2 per 100,000 population. The rate from this disease has shown a steady increase for the four years previous to 1935, being 30.6 in 1934, 28.6 in 1933, 27.8 in 1932 and 24.8 in 1931. Residents of the State who died from diabetes numbered 1,303, or 29.9 per 100,000 population.

Congenital Debility* and Malformations* caused 1,393 deaths in 1935, corresponding to a rate of 32.0 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2). There were 1,374 deaths of residents from these diseases, resulting in a rate of 31.6 per 100,000 population.

Alcoholism and Cirrhosis of the liver* (specified as alcoholic, etc.) were responsible for 569 deaths in 1935, corresponding to a rate of 13.1 per 100,000 population. Of these 210 were due to alcoholism which is a decrease of 56 from those reported in 1934, corresponding to a rate of 4.8 per 100,000 population. These diseases caused 564 deaths of residents with a rate of 13.0 per 100,000 population. Alcoholism claimed 209 of these, or 4.8 per 100,000 population.

Maternal Mortality.* Deaths from puerperal causes of residents of the state in 1935 totalled 325, corresponding to a rate of 51.2 per 10,000 confinements. This rate was a slight increase over 1934, the rate being 48.7 and 59.9 for 1933.

Puerperal septicemia* was responsible for 104 resident deaths including 34 due to abortion with septic conditions, the rates for this cause in 1935 being 16.3 per 10,000 confinements. In 1934 the rate was 14.3 and in 1933, 15.9, non-residents being included in the number of deaths from these causes for these years.

Diarrhea and Enteritis* caused 330 deaths in 1935, or 7.6 per 100,000 population. For the first time in ten years this rate has shown an increase. Sixty-seven per cent of the total number of deaths charged to these causes in 1935 were of infants under 2 years of age. The rates from this cause for all ages were 8.9 in 1931, 7.7 in 1932 and 6.8 in 1933 and 1934. During 1935 deaths of residents totalled 324, from these causes, or 7.4 per 100,000 population. The number of infants under 2 years of age was 219, or 67.6 per cent of the total number claimed by these diseases.

Principal Communicable Causes. (See Table 16a.) The deaths from epidemic and infectious diseases have shown a great decline in the last 25 years. While certain of these diseases have fluctuated considerably during this period they have, on the whole, shown a steady decrease.

Influenza was responsible for 322 deaths (the number of resident deaths was the same), or 7.4 per 100,000 inhabitants, as compared with 10.1 in 1931, 8.4 in 1932. 13.6 in 1933 and 6.2 in 1934. In 1918 there were 13,783 deaths from this cause, corresponding to a rate of 352.7 per 100,000 population. Since 1921 this rate has fluctuated from 3.9 to 27.9 in 1929.

Whooping Cough,* one of the principal epidemic maladies of childhood, was responsible for 68 deaths of both adults and children, or 1.6 per 100,000 population. This is a decrease from 1934 of 1.4 per cent. Residents of the State who died from whooping cough numbered 67, or 1.5 per 100,000 population.

Measles,* another childhood disease, caused 37 deaths in 1935, or .9 per 100,000 population. This rate was 2.1 in 1934, .6 in 1933 and 1.5 in both 1931 and 1932. The total number and death rate for deaths of residents were the same in 1935.

Scarlet Fever,* another epidemic disease of childhood, was the cause of 60 deaths in 1935, corresponding to a rate of 1.4 per 100,000 population. These rates have changed from year to year during the period 1911 to 1935, the highest being 8.2 in 1913 and the lowest, 1.4 in 1935. There were 57 deaths of residents from scarlet fever, or 1.3 per 100,000 population.

Diphtheria and Croup* — which are classed together in the statistics, but practically all of which are of diphtheria — number 26, or .6 per 100,000 population. There has been a decided decrease in this disease since 1900 when the number of deaths was 1,475, with a corresponding rate of 52.6 per 100,000 inhabitants. This rate was 1.2 in 1934, 2.0 in 1933, 2.5 in 1932 and 2.3 in 1931. The total and death rate for deaths of residents were the same in 1935.

Epidemic Cerebrospinal Meningitis claimed 54 victims in 1935, as compared with 28 in 1934, 25 in 1933, 34 in 1932 and 30 in 1931. The rate for this cause was 1.2 per 100,000 population. This disease was responsible for 55 deaths of residents, resulting in a rate of 1.3 per 100,000 population.

Encephalitis Lethargica (commonly known as sleeping sickness) is a comparatively new disease and has varied little in the last five years, the number of deaths in 1935 being 16, 25 in 1934, 16 in 1933, 19 in 1932, and 24 in 1931. The resident deaths had the same total in 1935.

Dysentery shows a decrease from 1934, the number of deaths in 1935 being 8. There were 24 in 1934, 9 in 1933, 11 in 1932 and 15 in 1931. This cause was responsible for 9 deaths of residents.

Typhoid Fever* has shown a steady decline since 1910, having dropped from 12.2 in that year to .2 in 1935. This decline is greater, relatively, than that shown for any other important cause of death. The total number of deaths due to typhoid

fever in 1935 was 10, as compared with 14 in 1934, 24 in 1933, 25 in 1932 and 31 in 1931. The number and death rate for resident deaths were the same during 1935.

Acute Poliomyelitis* has shown a noticeable increase for 1935, the number of deaths being 62, or 1.4 per 100,000 population, as compared with .2 in 1934, .7 in 1933, .3 in 1932 and 2.7 in 1931. Deaths of residents totalled 61, or 1.4 per 100,000 population.

There were no deaths from Smallpox in 1935.

Violent Deaths. Death rates from violence during the past five years per 100,000 population were 83.8 in 1931, 81.1 in 1932, 81.2 in 1933, 88.4 in 1934 and 85.1 in 1935. The death rate from violence was 83.9 per 100,000 population for resident deaths in 1935.

Deaths due to Railroad Accidents and Injuries* totalled 76 in 1935, and corresponded to a rate of 1.7 per 100,000 population. The rates for the previous years were 1.7 in 1934, 1.6 in 1933 and 1.1 in 1932. Resident deaths numbered 71 in 1935 with a rate of 1.6 per 100,000 population.

Deaths resulting from street-car accidents and injuries* numbered 10, or .2 per 100,000 population. The resident deaths had the same total and rate in 1935.

Automobile Accidents and Injuries* caused 850 deaths in 1935, including 13 deaths from automobile and railroad collisions, and 4 deaths from automobile and street-car collisions. The rate was 19.5 per 100,000 population, as compared with 23.4 in 1934, 18.9 in 1933 and 18.7 in 1932. These accidents caused 824 deaths of residents in 1935, or 18.9 per 100,000 population. Of these, 10 deaths were from automobile and railroad collisions, and 4 deaths from automobile and street-car collisions. No accurate data are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year. It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

Effects of Heat. — In 1935 the deaths from this cause numbered 20. In 1934 there were 24 deaths; in 1933, 23; in 1932, 12; and in 1931, 38. The total deaths of residents from this cause were 21 in 1935. The highest temperature recorded in 1935 was 92 degrees on July 12. The highest temperature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The highest temperature recorded in 1925 was 100 degrees on July 6.

The maximum mean temperature for the months of June, July and August was as follows:

	June.	July.	August.
1935	73.3	79.8	78.7
1934	75.7	81.6	75.1
1933	79.5	79.1	79.5
1932	79.7	82.1	82.5
1931	75.4	81.3	79.6
1925	80.7	80.5	80.0
1911	73.2	86.0	76.3

The average monthly humidity was as follows:

	June.	July.	August.
1935	70	70	64
1934	68	64	65
1933	61	67	70
1932	63	59	62
1931	64	69	69
1925	69	68	67
1911	75	65	78

Deaths caused by machinery accidents* in 1935 numbered 40, or .9 per 100,000 population. The corresponding figures for previous years were 1.4 in 1931, .6 in 1932 and .8 in both 1933 and 1934. Deaths of residents totalled 39 in 1935, corresponding to a rate of .9 per 100,000 population.

The number of suicides* reported in 1935 was 575, or 13.2 per 100,000 population. The rates since 1930 have been: 1931, 14.1; 1932, 14.9; 1933 and 1934, 13.8. Resident deaths from suicide in 1935 numbered 570, or 13.1 per 100,000 population.

Deaths caused by firearms numbered 148 in 1935, corresponding to a rate of 3.4 per 100,000 population. Of these deaths 99 were suicides, 24 were homicides, and 25 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt). The total resident deaths caused by firearms in 1935 were 145, or 3.3 per 100,000 population. These deaths included 98 suicides, 23 homicides, and 24 accidents.

Deaths from homicide* numbered 75 in 1935, or 1.7 per 100,000 population. The rates for homicide in recent years are 2.1 in 1931 and 1932, 2.6 in 1933 and 2.1 in 1934. There were 74 resident deaths from homicide in 1935, or 1.7 per 100,000 population.

The causes of deaths of males and females for each month and at seventeen age periods for the Commonwealth for the full International List of Causes of Death with certain subdivisions are shown in Table 14, on pages 40 to 75. The causes denoted by letters, shown separately in indented type, Table 14, are a part of the total cause shown on the International List. For comparative purposes those residents of other states dying in Massachusetts are show in Table 14a by months and age periods according to the International List while those of residents of Massachusetts dying out of the State are shown in Table 14b. In Table 15, on pages 104 to 128, the deaths are shown for 50 causes and groups of causes for each municipality.

For the Commonwealth as a whole the deaths and death rates for the seven years 1929 to 1935 are shown for the 38 causes and groups of causes in the Abridged International List in Table 17, on pages 130 and 131. The relation of this list to the Detailed International List is shown in the Appendix. In addition to the above presentations, certain other tables showing the causes of deaths are presented on pages 132 to 138.

Deaths Investigated by Medical Examiners.

Source of Data. — The statistics of deaths investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associate medical examiners to the Secretary of the Commonwealth of abstracts of the records of deaths supposably due to violence, the cause and manner of which have been investigated during the year. Deaths supposably due to violence include not only deaths caused directly or indirectly by traumatism (including resulting septicemia), and by the action of chemical (drugs and poisons), thermal, or electrical agents, and deaths following abortion, but also deaths from disease resulting from injury or infection related to occupation, the sudden deaths of persons not disabled by recognized disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.), but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Discrepancies will be found in comparing deaths based upon certificates returned to the city and town clerks and those contained in the reports of medical examiners. The former are of residents of the State only while many of the views made by the medical examiners are of persons who reside elsewhere and die suddenly or as a result of accidents while in Massachusetts.

Number of Deaths Investigated. — The number of deaths investigated by the medical examiners in 1935 was 9,089, or 18.1 per cent of the total number of deaths which occurred during the year, as compared with 9,145 deaths in 1934, or 18.0 per cent of the total number of deaths. About two-thirds (63.8 per cent) of these deaths were of males. Of the deaths investigated by medical examiners, 3,389 or 37.3 per cent, were reported as due to violence, while among the deaths returned to the registrars, 3,650 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1935 was in Suffolk County, 2,103 as compared with 2,004 in 1934. Of the deaths investigated in Suffolk County, 870, or 41.3 per cent, were reported as due to violence (see Table 32, page 165).

Autopsies. — Autopsies were made in 797, or 8.8 per cent, of the cases investigated by the medical examiners in 1935, as compared with 8.6 per cent in 1934, 8 per cent in 1933, 7.2 per cent in 1932, and 7.2 per cent in 1931.

The highest proportion of autopsies was in Suffolk County where 21.0 per cent of the views were autopsied, there being 17.8 per cent in 1934. Table 34, on pages 172 and 173, shows the number of views and the number of autopsies in each county in each year from 1926 to 1935, and the number and per cent of views autopsied for the ten-year period, 1926 to 1935.

Cause of Death. — Over one-half (52.4 per cent) of the deaths viewed by medical examiners in 1935 were from causes not due to violence, 37.3 per cent were due to violence, and .6 per cent were stillbirths. Eight hundred and eighty-six, or 9.7 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 4,768, of which 4,532 were from natural causes and 201 were due to alcoholism.

Deaths due to violence numbered 3,389, of which 2,742 were due to accident or negligence, 572 were suicides, and 75 were homicides.

Of the 2,742 deaths due to accident or negligence, 1,042 were due to falls, blows, and falling bodies, 841 were due to automobile accidents, 9 of which were railroad and automobile accidents, and 2 were street car and automobile collisions, 216 resulted from drowning, 79 were due to railroad accidents, and 564 to other causes.

Suicides numbered 572, or 16.9 per cent of the deaths due to violence. Suicides committed by the use of illuminating and other gases, 143, and by hanging or strangulation, 137, constituted about one-half (49.1 per cent) of the total number. The number of suicides by firearms was 101, by poisons, 58, by drowning, 56, and other methods, 77. Three-fourths (75 per cent) of the suicides were males.

Of the 572 persons committing suicide, 120 were 50 to 59 years of age, 136 were 40 to 49 years of age, 90 were 30 to 39 years of age, 69 were 20 to 29 years of age, 147 were over 60 years of age, and 10 were under 20 years of age. Among the male suicides the largest numbers were from 40 to 49 years of age, 106, and from 50 to 59 years, 95, while among the female suicides the largest numbers were from 40 to 49 years of age, and 60 to 69 years of age, 30 in each group. The most common method of committing suicide was by the use of poisonous gas, chiefly carbon monoxide.

Homicide numbered 75, of which 23 were by firearms, 10 were by cutting or piercing instruments, 40 by other means, and 2 were cases of infanticide. Of the 75 homicides, 48, or 64 per cent, were males.

The charts that follow were prepared by Mayo Tolman, Sanitary Engineer, from figures compiled by the Division of Vital Statistics.


MASSACHUSETTS
HEART DISEASE
90–95 ALL FORMS
DEATH RATE PER 100000
MALE
FEMALE
350
300
250
200
150
110
1935 DEATHS AMONG MASS. RESIDENTS ONLY
1910
1915
1920
1925
1930
1935


MASSACHUSETTS
CANCER 45-53
DEATH RATE PER 100000
MALE
FEMALE
160
150
140
130
120
110
100
90
80
70
60
1935 DEATHS AMONG MASS. RESIDENTS ONLY
1910
1915
1920
1925
1930
1935


MASSACHUSETTS
TUBERCULOSIS
23–32 ALL FORMS
DEATH RATE PER 100000
MALE
FEMALE
1935 DEATHS AMONG MASS. RESIDENTS ONLY
200
175
150
125
100
75
50
25
1910
1915
1920
1925
1930
1935


MASSACHUSETTS
DIABETES 59
DEATH RATE PER 100000
MALE
FEMALE
35
30
25
20
15
1935 DEATHS AMONG MASS. RESIDENTS ONLY
1910
1915
1920
1925
1930
1935


MASSACHUSETTS
INFANT MORTALITY
DEATH RATE PER 1000
POPULATION OF AGE GROUP
UNDER 1 YEAR
UNDER 5 YEARS
150
100
50
0
1935 DEATHS AMONG MASS. RESIDENTS ONLY
1910
1915
1920
1925
1930
1935

STATISTICAL TABLES

General Mortality

Table 1

Deaths Occurring in Cities and Towns by Sex and Nativity, and Death Rates in Each County, City and Town Having Over 10,000 Inhabitants: 1935.

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. State Census Jan. 1, 1935.	Death rate per 1,000 population. Including non-residents.	Death rate per 1,000 population. Excluding non-residents.
The State.	**50,286**	**26,000**	**24,286**	**30,958**	**19,145**	**183**	**4,350,910**	**11.6**	–
Counties.									
Barnstable	515	284	231	431	83	1	36,647	14.1	–
Berkshire	1,317	667	650	956	360	1	121,099	10.9	–
Bristol	4,344	2,227	2,117	2,389	1,948	7	366,465	11.9	–
Dukes	93	49	44	73	19	1	5,700	16.3	–
Essex	5,750	2,953	2,797	3,687	2,049	14	504,483	11.4	–
Franklin	592	311	281	467	123	2	51,043	11.6	–
Hampden	3,483	1,832	1,651	2,249	1,218	16	333,495	10.4	–
Hampshire	892	477	415	624	266	2	74,205	12.0	–
Middlesex	9,850	4,890	4,960	5,963	3,865	22	958,855	10.3	–
Nantucket	54	26	28	45	9	–	3,495	15.5	–
Norfolk	3,301	1,654	1,647	2,150	1,143	8	320,826	10.3	–
Plymouth	1,889	991	898	1,325	560	4	166,329	11.4	–
Suffolk	12,306	6,580	5,726	6,884	5,333	89	912,706	13.5	–
Worcester	5,900	3,059	2,841	3,715	2,169	16	495,562	11.9	–
Municipalities.									
Abington	55	26	29	43	11	1	–	–	–
Acton	30	14	16	22	8	–	–	–	–
Acushnet	70	29	41	45	25	–	–	–	–
Adams	102	52	50	58	44	–	12,858	7.9	–
Agawam	38	28	10	26	11	1	–	–	–
Alford	4	2	2	4	–	–	–	–	–
Amesbury	124	52	72	85	39	–	10,514	11.8	–
Amherst	56	22	34	47	9	–	–	–	–
Andover	81	37	44	48	33	–	10,542	7.7	–
Arlington	297	137	160	166	130	1	38,539	7.7	–
Ashburnham	27	16	11	20	7	–	–	–	–
Ashby	18	8	10	13	5	–	–	–	–
Ashfield	16	8	8	13	2	1	–	–	–
Ashland	19	10	9	13	6	–	–	–	–
Athol	102	52	50	82	20	–	10,751	9.5	–
Attleboro	299	161	138	196	101	2	21,835	13.7	–
Auburn	34	13	21	23	11	–	–	–	–
Avon	30	10	20	23	7	–	–	–	–
Ayer	37	19	18	30	7	–	–	–	–
Barnstable	130	75	55	115	15	–	–	–	–
Barre	26	15	11	11	15	–	–	–	–
Becket	3	2	1	1	2	–	–	–	–
Bedford	41	28	13	31	9	1	–	–	–
Belchertown	39	19	20	33	6	–	–	–	–
Bellingham	19	14	5	7	12	–	–	–	–
Belmont	145	59	86	93	52	–	24,831	5.8	–
Berkley	12	6	6	10	2	–	–	–	–
Berlin	10	5	5	8	2	–	–	–	–
Bernardston	8	6	2	7	1	–	–	–	–
Beverly	342	184	158	249	93	–	25,871	13.2	–
Billerica	58	27	31	38	20	–	–	–	–
Blackstone	39	13	26	22	17	–	–	–	–
Blandford	3	1	2	3	–	–	–	–	–
Bolton	8	5	3	8	–	–	–	–	–
Boston	11,469	6,069	5,400	6,450	4,933	86	817,713	14.0	–
Bourne	64	35	29	52	12	–	–	–	–
Boxborough	4	2	2	2	2	–	–	–	–
Boxford	10	2	8	8	2	–	–	–	–
Boylston	30	19	11	24	6	–	–	–	–
Braintree	167	105	62	108	59	–	17,122	9.8	–
Brewster	9	5	4	7	2	–	–	–	–
Bridgewater	97	69	28	67	30	–	–	–	–
Brimfield	10	6	4	8	1	1	–	–	–
Brockton	733	389	344	475	257	1	62,407	11.7	–
Brookfield	26	8	18	21	5	–	–	–	–
Brookline	513	210	303	327	186	–	50,319	10.2	–
Buckland	11	4	7	9	2	–	–	–	–
Burlington	17	12	5	9	8	–	–	–	–
Cambridge	1,426	709	717	831	594	1	118,075	12.1	–

[1] Cities are printed in small capitals.

Table 1

DEATHS OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN HAVING OVER 10,000 INHABITANTS: 1935.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. State Census Jan. 1, 1935.	DEATH RATE PER 1,000 POPULATION. Including non-residents.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
Canton	64	32	32	44	19	1	–	–	–
Carlisle	6	3	3	5	1	–	–	–	–
Carver	11	9	2	8	3	–	–	–	–
Charlemont	4	3	1	3	1	–	–	–	–
Charlton	37	19	18	28	9	–	–	–	–
Chatham	28	17	11	27	1	–	–	–	–
Chelmsford	77	40	37	44	33	–	–	–	–
CHELSEA	467	333	134	243	222	2	42,673	10.9	–
Cheshire	10	7	3	8	2	–	–	–	–
Chester	10	5	5	8	2	–	–	–	–
Chesterfield	2	–	2	2	–	–	–	–	–
CHICOPEE	280	151	129	135	143	2	41,952	6.7	–
Chilmark	3	2	1	3	–	–	–	–	–
Clarksburg	14	8	6	11	3	–	–	–	–
Clinton	153	70	83	88	65	–	12,373	12.4	–
Cohasset	58	21	37	41	17	–	–	–	–
Colrain	18	10	8	13	5	–	–	–	–
Concord	81	40	41	63	18	–	–	–	–
Conway	11	7	4	11	–	–	–	–	–
Cummington	4	3	1	4	–	–	–	–	–
Dalton	23	12	11	19	4	–	–	–	–
Dana	5	2	3	4	1	–	–	–	–
Danvers	427	206	221	273	149	5	13,884	30.8	–
Dartmouth	79	43	36	47	31	1	–	–	–
Dedham	107	58	49	54	53	–	15,371	7.0	–
Deerfield	11	6	5	9	2	–	–	–	–
Dennis	39	25	14	38	1	–	–	–	–
Dighton	35	19	16	26	9	–	–	–	–
Douglas	20	10	10	13	7	–	–	–	–
Dover	10	8	2	5	5	–	–	–	–
Dracut	41	21	20	16	24	1	–	–	–
Dudley	17	9	8	9	8	–	–	–	–
Dunstable	7	5	2	6	1	–	–	–	–
Duxbury	26	14	12	25	1	–	–	–	–
East Bridgewater	37	16	21	24	13	–	–	–	–
East Brookfield	11	8	3	7	4	–	–	–	–
East Longmeadow	19	8	11	15	4	–	–	–	–
Eastham	6	2	4	4	2	–	–	–	–
Easthampton	66	29	37	34	32	–	10,486	6.3	–
Easton	59	26	33	36	23	–	–	–	–
Edgartown	14	6	8	10	4	–	–	–	–
Egremont	5	2	3	4	1	–	–	–	–
Enfield	3	3	–	3	–	–	–	–	–
Erving	15	10	5	14	1	–	–	–	–
Essex	13	6	7	8	5	–	–	–	–
EVERETT	420	205	215	218	201	1	47,228	8.9	–
Fairhaven	73	41	32	41	32	–	11,005	6.6	–
FALL RIVER	1,462	760	702	728	732	2	117,414	12.5	–
Falmouth	59	33	26	43	15	1	–	–	–
FITCHBURG	431	214	217	251	178	2	41,700	10.3	–
Florida	4	4	–	1	3	–	–	–	–
Foxborough	123	69	54	88	35	–	–	–	–
Framingham	222	124	98	160	62	–	22,651	9.8	–
Franklin	67	34	33	45	22	–	–	–	–
Freetown	14	9	5	14	–	–	–	–	–
GARDNER	270	124	146	179	89	2	20,397	13.2	–
Gay Head	1	–	1	1	–	–	–	–	–
Georgetown	22	10	12	19	3	–	–	–	–
Gill	6	1	5	6	–	–	–	–	–
GLOUCESTER	284	156	128	183	101	–	24,164	11.8	–
Goshen	1	–	1	1	–	–	–	–	–
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	111	51	60	63	48	–	–	–	–
Granby	8	5	3	5	3	–	–	–	–
Granville	6	4	2	4	2	–	–	–	–
Great Barrington	86	41	45	71	15	–	–	–	–
Greenfield	225	110	115	176	49	–	15,903	14.1	–
Greenwich	–	–	–	–	–	–	–	–	–
Groton	38	16	22	32	6	–	–	–	–
Groveland	25	13	12	21	4	–	–	–	–
Hadley	17	9	8	11	6	–	–	–	–
Halifax	8	3	5	5	3	–	–	–	–

[1] Cities are printed in small capitals.

Table 1

DEATHS OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN HAVING OVER 10,000 INHABITANTS: 1935.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. State Census Jan. 1, 1935.	DEATH RATE PER 1,000 POPULATION. Including non-residents.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
Hamilton	17	7	10	12	4	1	–	–	–
Hampden	4	4	–	2	2	–	–	–	–
Hancock	5	2	3	4	1	–	–	–	–
Hanover	26	10	16	21	5	–	–	–	–
Hanson	67	41	26	47	20	–	–	–	–
Hardwick	21	12	9	9	12	–	–	–	–
Harvard	16	8	8	15	1	–	–	–	–
Harwich	25	9	16	23	2	–	–	–	–
Hatfield	14	9	5	8	5	1	–	–	–
HAVERHILL	560	277	283	395	163	2	49,516	11.3	–
Hawley	2	–	2	2	–	–	–	–	–
Heath	5	1	4	5	–	–	–	–	–
Hingham	79	37	42	57	22	–	–	–	–
Hinsdale	11	8	3	9	2	–	–	–	–
Holbrook	36	18	18	29	6	1	–	–	–
Holden	58	36	22	40	18	–	–	–	–
Holland	1	1	–	–	–	1	–	–	–
Holliston	30	10	20	17	13	–	–	–	–
HOLYOKE	692	365	327	346	346	–	56,139	12.3	–
Hopedale	22	12	10	16	6	–	–	–	–
Hopkinton	28	14	14	24	4	–	–	–	–
Hubbardston	6	4	2	4	2	–	–	–	–
Hudson	54	26	28	31	23	–	–	–	–
Hull	43	28	15	30	13	–	–	–	–
Huntington	9	6	3	7	2	–	–	–	–
Ipswich	57	31	26	45	11	1	–	–	–
Kingston	31	21	10	20	11	–	–	–	–
Lakeville	35	22	13	28	7	–	–	–	–
Lancaster	23	16	7	19	4	–	–	–	–
Lanesborough	8	3	5	7	1	–	–	–	–
LAWRENCE	949	491	458	474	474	1	86,785	10.9	–
Lee	28	16	12	24	4	–	–	–	–
Leicester	30	15	15	23	7	–	–	–	–
Lenox	20	10	10	13	7	–	–	–	–
LEOMINSTER	203	89	114	148	55	–	21,894	9.3	–
Leverett	9	3	6	8	1	–	–	–	–
Lexington	89	48	41	60	28	1	10,813	8.2	–
Leyden	1	1	–	1	–	–	–	–	–
Lincoln	12	8	4	7	5	–	–	–	–
Littleton	15	8	7	11	4	–	–	–	–
Longmeadow	26	11	15	25	1	–	–	–	–
LOWELL	1,321	650	671	729	587	5	100,114	13.2	–
Ludlow	58	28	30	36	22	–	–	–	–
Lunenburg	21	13	8	13	7	1	–	–	–
LYNN	1,013	516	497	653	359	1	100,909	10.0	–
Lynnfield	18	10	8	14	4	–	–	–	–
MALDEN	512	231	281	282	229	1	57,277	8.9	–
Manchester	28	15	13	15	13	–	–	–	–
Mansfield	64	30	34	44	20	–	–	–	–
Marblehead	122	63	59	106	15	1	10,173	12.0	–
Marion	24	7	17	22	2	–	–	–	–
MARLBOROUGH	160	71	89	106	54	–	15,781	10.1	–
Marshfield	22	7	15	19	3	–	–	–	–
Mashpee	3	1	2	2	1	–	–	–	–
Mattapoisett	16	8	8	12	4	–	–	–	–
Maynard	47	26	21	20	27	–	–	–	–
Medfield	147	73	74	81	64	2	–	–	–
MEDFORD	475	228	247	290	184	1	61,444	7.7	–
Medway	34	18	16	25	9	–	–	–	–
MELROSE	269	125	144	187	81	1	24,256	11.1	–
Mendon	9	2	7	9	–	–	–	–	–
Merrimac	15	9	6	10	5	–	–	–	–
Methuen	188	93	95	72	116	–	21,073	8.9	–
Middleborough	111	58	53	82	29	–	–	–	–
Middlefield	1	1	–	1	–	–	–	–	–
Middleton	95	52	43	62	33	–	–	–	–
Milford	178	94	84	118	59	1	15,008	11.9	–
Millbury	52	23	29	39	13	–	–	–	–
Millis	15	9	6	11	4	–	–	–	–
Millville	17	6	11	8	9	–	–	–	–
Milton	163	75	88	115	48	–	18,147	9.0	–
Monroe	2	1	1	2	–	–	–	–	–
Monson	144	80	64	131	12	1	–	–	–

[1] Cities are printed in small capitals.

Table 1

Deaths Occurring in Cities and Towns by Sex and Nativity, and Death Rates in Each County, City and Town Having Over 10,000 Inhabitants: 1935.

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. State Census Jan. 1, 1935.	Death rate per 1,000 population. Including non-residents.	Death rate per 1,000 population. Excluding non-residents.
Montague	102	57	45	71	30	1	–	–	–
Monterey	5	4	1	4	1	–	–	–	–
Montgomery	2	1	1	1	1	–	–	–	–
Mount Washington	1	–	1	1	–	–	–	–	–
Nahant	17	10	7	12	5	–	–	–	–
Nantucket	54	26	28	45	9	–	–	–	–
Natick	156	79	77	117	39	–	14,394	10.8	–
Needham	90	35	55	55	35	–	11,828	7.6	–
New Ashford	1	1	–	1	–	–	–	–	–
New Bedford	1,268	649	619	621	646	1	110,022	11.5	–
New Braintree	5	4	1	4	1	–	–	–	–
New Marlborough	11	4	7	8	3	–	–	–	–
New Salem	4	3	1	4	–	–	–	–	–
Newbury	18	10	8	13	5	–	–	–	–
Newburyport	213	96	117	171	42	–	14,815	14.4	–
Newton	620	278	342	428	191	1	66,144	9.4	–
Norfolk	218	143	75	125	92	1	–	–	–
North Adams	259	126	133	164	95	–	22,085	11.7	–
North Andover	44	21	23	26	18	–	–	–	–
North Attleborough	78	40	38	53	25	–	10,202	7.6	–
North Brookfield	27	13	14	19	8	–	–	–	–
North Reading	32	13	19	23	9	–	–	–	–
Northampton	472	261	211	325	147	–	24,525	19.2	–
Northborough	33	12	21	24	9	–	–	–	–
Northbridge	89	52	37	42	47	–	10,577	8.4	–
Northfield	22	13	9	22	–	–	–	–	–
Norton	25	14	11	15	10	–	–	–	–
Norwell	15	7	8	13	2	–	–	–	–
Norwood	170	90	80	106	64	–	15,574	10.9	–
Oak Bluffs	48	28	20	41	7	–	–	–	–
Oakham	5	4	1	4	1	–	–	–	–
Orange	67	34	33	55	12	–	–	–	–
Orleans	22	12	10	20	2	–	–	–	–
Otis	5	3	2	4	1	–	–	–	–
Oxford	52	25	27	36	16	–	–	–	–
Palmer	95	55	40	48	47	–	–	–	–
Paxton	6	2	4	4	2	–	–	–	–
Peabody	223	130	93	137	85	1	22,082	10.1	–
Pelham	9	4	5	8	1	–	–	–	–
Pembroke	14	8	6	9	5	–	–	–	–
Pepperell	34	23	11	27	7	–	–	–	–
Peru	2	2	–	2	–	–	–	–	–
Petersham	10	5	5	7	3	–	–	–	–
Phillipston	5	4	1	3	2	–	–	–	–
Pittsfield	598	305	293	443	154	1	47,516	12.6	–
Plainfield	5	2	3	4	1	–	–	–	–
Plainville	9	5	4	8	1	–	–	–	–
Plymouth	145	73	72	100	45	–	13,183	11.0	–
Plympton	5	1	4	3	2	–	–	–	–
Prescott	–	–	–	–	–	–	–	–	–
Princeton	6	2	4	6	–	–	–	–	–
Provincetown	51	25	26	33	18	–	–	–	–
Quincy	646	344	302	391	254	1	76,909	8.4	–
Randolph	48	19	29	34	14	–	–	–	–
Raynham	13	8	5	11	2	–	–	–	–
Reading	93	47	46	60	32	1	10,703	8.7	–
Rehoboth	22	12	10	14	8	–	–	–	–
Revere	179	87	92	71	108	–	35,319	5.1	–
Richmond	4	3	1	3	1	–	–	–	–
Rochester	5	1	4	4	1	–	–	–	–
Rockland	74	32	42	60	14	–	–	–	–
Rockport	58	30	28	38	20	–	–	–	–
Rowe	5	4	1	5	–	–	–	–	–
Rowley	10	4	6	9	1	–	–	–	–
Royalston	9	6	3	7	2	–	–	–	–
Russell	12	7	5	9	3	–	–	–	–
Rutland	203	173	30	150	53	–	–	–	–
Salem	516	283	233	352	163	1	43,472	11.9	–
Salisbury	29	18	11	20	9	–	–	–	–
Sandisfield	2	1	1	1	1	–	–	–	–
Sandwich	16	13	3	14	2	–	–	–	–
Saugus	118	63	55	83	35	–	15,076	7.8	–
Savoy	1	1	–	1	–	–	–	–	–
Scituate	41	20	21	31	9	1	–	–	–
Seekonk	42	27	15	27	15	–	–	–	–

[1] Cities are printed in small capitals.

Table 1

DEATHS OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN HAVING OVER 10,000 INHABITANTS: 1935.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. State Census Jan. 1, 1935.	DEATH RATE PER 1,000 POPULATION. Including non-residents.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
Sharon	43	21	22	29	14	–	–	–	–
Sheffield	14	5	9	10	4	–	–	–	–
Shelburne	16	12	4	12	4	–	–	–	–
Sherborn	7	1	6	6	1	–	–	–	–
Shirley	24	15	9	14	10	–	–	–	–
Shrewsbury	64	37	27	48	16	–	–	–	–
Shutesbury	4	1	3	3	1	–	–	–	–
Somerset	48	24	24	28	20	–	–	–	–
SOMERVILLE	862	397	465	495	364	3	100,773	8.6	–
South Hadley	38	17	21	22	16	–	–	–	–
Southampton	4	4	–	3	1	–	–	–	–
Southborough	19	10	9	15	4	–	–	–	–
Southbridge	144	78	66	78	66	–	15,786	9.1	–
Southwick	14	6	8	11	3	–	–	–	–
Spencer	68	32	36	51	17	–	–	–	–
SPRINGFIELD	1,748	906	842	1,195	544	9	149,642	11.7	–
Sterling	14	11	3	10	4	–	–	–	–
Stockbridge	28	12	16	26	2	–	–	–	–
Stoneham	153	69	84	103	50	–	10,841	14.1	–
Stoughton	75	31	44	48	27	–	–	–	–
Stow	12	8	4	7	5	–	–	–	–
Sturbridge	20	10	10	14	5	1	–	–	–
Sudbury	14	4	10	11	3	–	–	–	–
Sunderland	10	3	7	5	5	–	–	–	–
Sutton	17	8	9	10	7	–	–	–	–
Swampscott	79	40	39	53	26	–	10,480	7.5	–
Swansea	54	25	29	32	22	–	–	–	–
TAUNTON	590	284	306	372	217	1	37,431	15.8	–
Templeton	48	24	24	35	12	1	–	–	–
Tewksbury	22	13	9	15	7	–	–	–	–
State Infirmary	571	423	148	286	284	1	–	–	–
Tisbury	25	11	14	17	7	1	–	–	–
Tolland	1	1	–	–	–	1	–	–	–
Topsfield	9	4	5	5	4	–	–	–	–
Townsend	19	8	11	16	3	–	–	–	–
Truro	8	6	2	7	1	–	–	–	–
Tyngsborough	13	8	5	9	4	–	–	–	–
Tyringham	3	2	1	3	–	–	–	–	–
Upton	21	7	14	17	4	–	–	–	–
Uxbridge	49	24	25	28	21	–	–	–	–
Wakefield	120	50	70	83	37	–	16,494	7.3	–
Wales	3	3	–	2	1	–	–	–	–
Walpole	43	19	24	30	13	–	–	–	–
WALTHAM	466	217	249	310	154	2	40,557	11.5	–
Ware	123	74	49	86	36	1	–	–	–
Wareham	70	35	35	49	20	1	–	–	–
Warren	23	10	13	18	5	–	–	–	–
Warwick	5	2	3	5	–	–	–	–	–
Washington	4	3	1	4	–	–	–	–	–
Watertown	215	97	118	113	102	–	35,827	6.0	–
Wayland	35	20	15	23	12	–	–	–	–
Webster	121	69	52	70	51	–	13,837	8.7	–
Wellesley	64	25	39	52	11	1	13,376	4.8	–
Wellfleet	25	11	14	22	3	–	–	–	–
Wendell	6	6	–	2	4	–	–	–	–
Wenham	8	5	3	4	4	–	–	–	–
West Boylston	14	10	4	10	4	–	–	–	–
West Bridgewater	19	8	11	15	4	–	–	–	–
West Brookfield	14	9	5	13	1	–	–	–	–
West Newbury	18	9	9	12	6	–	–	–	–
West Springfield	112	56	56	86	26	–	17,118	6.5	–
West Stockbridge	14	5	9	12	2	–	–	–	–
West Tisbury	2	2	–	1	1	–	–	–	–
Westborough	207	84	123	132	73	2	–	–	–
WESTFIELD	185	96	89	143	42	–	18,788	9.8	–
Westford	29	15	14	20	9	–	–	–	–
Westhampton	2	2	–	2	–	–	–	–	–
Westminster	14	5	9	10	4	–	–	–	–
Weston	25	10	15	17	8	–	–	–	–
Westport	37	20	17	29	8	–	–	–	–
Westwood	23	10	13	13	10	–	–	–	–
Weymouth	260	128	132	203	56	1	21,748	12.0	–

[1] Cities are printed in small capitals.

Table 1

DEATHS OCCURRING IN CITIES AND TOWNS BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN HAVING OVER 10,000 INHABITANTS: 1935.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE PER 1,000 POPULATION. State Census Jan. 1, 1935.	DEATH RATE PER 1,000 POPULATION. Including non-residents.	DEATH RATE PER 1,000 POPULATION. Excluding non-residents.
Whately	7	5	2	4	3	–	–	–	–
Whitman	80	41	39	56	24	–	–	–	–
Wilbraham	20	9	11	15	5	–	–	–	–
Williamsburg	16	7	9	15	1	–	–	–	–
Williamstown	42	21	21	35	7	–	–	–	–
Wilmington	30	19	11	20	10	–	–	–	–
Winchendon	77	40	37	53	24	–	–	–	–
Winchester	131	62	69	99	32	–	13,371	9.8	–
Windsor	–	–	–	–	–	–	–	–	–
Winthrop	191	91	100	120	70	1	17,001	11.2	–
WOBURN	171	90	81	105	66	–	19,695	8.7	–
WORCESTER	2,503	1,306	1,197	1,475	1,022	6	190,471	13.1	–
Worthington	3	–	3	3	–	–	–	–	–
Wrentham	59	30	29	53	6	–	–	–	–
Yarmouth	30	15	15	24	6	–	–	–	–

[1] Cities are printed in small capitals.

Table 2

ALLOCATED DEATHS, BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN HAVING OVER 10,000 INHABITANTS: **1935.**

COUNTIES AND MUNICIPALITIES.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. State Census, Jan. 1, 1935.	Death rate per 1,000 population. Excluding non-residents.
The State.	**49,634**	**25,642**	**23,992**	–	**30,471**	**18,976**	**187**	**4,350,910**	**11.4**
COUNTIES.									
Barnstable	511	277	234	–	423	86	2	36,647	13.9
Berkshire	1,339	690	649	–	965	373	1	121,099	11.1
Bristol	4,246	2,185	2,061	–	2,329	1,910	7	366,465	11.6
Dukes	88	43	45	–	71	17	–	5,700	15.4
Essex	5,899	3,079	2,820	–	3,774	2,110	15	504,483	11.7
Franklin	619	323	296	–	487	130	2	51,043	12.1
Hampden	3,436	1,829	1,607	–	2,185	1,237	14	333,495	10.3
Hampshire	807	410	397	–	561	239	7	74,205	10.9
Middlesex	10,494	5,179	5,315	–	6,445	4,027	22	958,855	10.9
Nantucket	61	31	30	–	48	13	–	3,495	17.5
Norfolk	3,340	1,695	1,645	–	2,211	1,121	8	320,826	10.4
Plymouth	2,100	1,093	1,007	–	1,509	586	5	166,329	12.6
Suffolk	11,179	5,947	5,232	–	6,009	5,081	89	912,706	12.2
Worcester	5,515	2,861	2,654	–	3,454	2,046	15	495,562	11.1
MUNICIPALITIES.									
Abington	88	51	37	–	73	14	1	–	–
Acton	49	24	25	–	37	12	–	–	–
Acushnet	49	25	24	–	24	25	–	–	–
Adams	110	60	50	–	58	52	–	12,858	8.6
Agawam	55	33	22	–	38	15	2	–	–
Alford	4	2	2	–	4	–	–	–	–
Amesbury	144	64	80	–	105	39	–	10,514	13.7
Amherst	84	45	39	–	65	19	–	–	–
Andover	122	58	64	–	80	42	–	10,542	11.6
Arlington	371	172	199	–	216	154	1	38,539	9.6
Ashburnham	35	18	17	–	25	10	–	–	–
Ashby	22	8	14	–	17	5	–	–	–
Ashfield	19	10	9	–	16	2	1	–	–
Ashland	29	19	10	–	23	6	–	–	–
Athol	115	59	56	–	88	27	–	10,751	10.7
ATTLEBORO	272	148	124	–	174	97	1	21,835	12.5
Auburn	52	23	29	–	38	14	–	–	–
Avon	35	16	20	–	27	8	–	–	–
Ayer	33	17	16	–	26	7	–	–	–
Barnstable	105	58	47	–	90	15	–	–	–
Barre	34	20	14	–	17	17	–	–	–
Becket	6	4	2	–	4	2	–	–	–
Bedford	32	18	14	–	20	11	1	–	–
Belchertown	45	22	23	–	38	7	–	–	–
Bellingham	23	16	7	–	12	11	–	–	–
Belmont	199	94	105	–	133	66	–	24,831	8.0
Berkley	15	8	7	–	12	3	–	–	–
Berlin	17	7	10	–	15	2	–	–	–
Bernardston	15	12	3	–	14	1	–	–	–
BEVERLY	340	183	157	–	247	93	–	25,871	13.1
Billerica	86	45	41	–	56	30	–	–	–
Blackstone	43	17	26	–	25	18	–	–	–
Blanford	4	3	1	–	4	–	–	–	–
Bolton	14	11	3	–	12	2	–	–	–
BOSTON	10,227	5,425	4,802	–	5,535	4,607	85	817,713	12.5
Bourne	44	22	22	–	35	8	1	–	–
Boxborough	6	3	3	–	5	1	–	–	–
Boxford	13	5	8	–	11	2	–	–	–
Boylston	9	6	3	–	6	3	–	–	–
Braintree	166	95	71	–	118	48	–	17,122	9.7
Brewster	10	7	3	–	8	2	–	–	–
Bridgewater	115	77	38	–	80	35	–	–	–
Brimfield	16	8	8	–	12	3	1	–	–
BROCKTON	733	389	344	–	483	249	1	62,407	11.7
Brookfield	33	11	22	–	26	7	–	–	–
Brookline	569	259	310	–	365	204	–	50,319	11.3
Buckland	13	5	8	–	10	3	–	–	–
Burlington	20	13	7	–	13	7	–	–	–
CAMBRIDGE	1,378	693	685	–	813	562	3	118,075	11.7
Canton	74	35	39	–	47	26	1	–	–
Carlisle	5	3	2	–	4	1	–	–	–
Carver	19	14	5	–	14	5	–	–	–
Charlemont	6	3	3	–	6	–	–	–	–
Charlton	27	13	14	–	21	6	–	–	–
Chatham	26	16	10	–	25	1	–	–	–
Chelmsford	101	56	45	–	63	38	–	–	–
CHELSEA	426	243	183	–	184	240	2	42,673	10.0
Cheshire	14	8	6	–	12	2	–	–	–
Chester	15	8	7	–	12	3	–	–	–
Chesterfield	4	2	2	–	4	–	–	–	–

[1] Cities are printed in small capitals.

Table 2

Allocated Deaths, by Cities and Towns, by Sex and Nativity, and Death Rates in Each County, City and Town Having Over 10,000 Inhabitants: 1935.

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. State Census, Jan. 1, 1935.	Death rate per 1,000 population. Excluding non-residents.
Chicopee	381	213	168	–	203	176	2	41,952	9.1
Chilmark	4	3	1	–	4	–	–	–	–
Clarksburg	18	9	9	–	12	6	–	–	–
Clinton	149	67	82	–	85	64	–	12,373	12.0
Cohasset	49	18	31	–	32	17	–	–	–
Colrain	23	13	10	–	18	5	–	–	–
Concord	73	35	38	–	51	22	–	–	–
Conway	12	9	3	–	12	–	–	–	–
Cummington	4	3	1	–	4	–	–	–	–
Dalton	43	24	19	–	34	9	–	–	–
Dana	7	4	3	–	6	1	–	–	–
Danvers	143	69	74	–	107	34	2	13,884	10.3
Dartmouth	107	60	47	–	62	44	1	–	–
Dedham	174	95	79	–	97	77	–	15,371	11.3
Deerfield	23	14	9	–	19	4	–	–	–
Dennis	44	28	16	–	42	2	–	–	–
Dighton	47	27	20	–	35	12	–	–	–
Douglas	27	15	12	–	17	9	1	–	–
Dover	14	11	3	–	7	7	–	–	–
Dracut	61	32	29	–	26	33	2	–	–
Dudley	24	16	8	–	14	10	–	–	–
Dunstable	9	6	3	–	8	1	–	–	–
Duxbury	36	21	15	–	32	4	–	–	–
East Bridgewater	56	24	32	–	37	19	–	–	–
East Brookfield	14	11	3	–	10	4	–	–	–
East Longmeadow	35	20	15	–	27	8	–	–	–
Eastham	6	3	3	–	5	1	–	–	–
Easthampton	104	48	56	–	62	42	–	10,486	9.9
Easton	76	35	41	–	50	26	–	–	–
Edgartown	22	8	14	–	17	5	–	–	–
Egremont	5	2	3	–	4	1	–	–	–
Enfield	9	7	2	–	9	–	–	–	–
Erving	20	13	7	–	17	3	–	–	–
Essex	18	9	9	–	14	4	–	–	–
Everett	513	263	250	–	265	248	–	47,228	10.9
Fairhaven	104	61	43	–	63	41	–	11,005	9.5
Fall River	1,338	688	650	–	651	686	1	117,414	11.4
Falmouth	73	41	32	–	53	19	1	–	–
Fitchburg	443	218	225	–	259	183	1	41,700	10.6
Florida	5	4	1	–	1	4	–	–	–
Foxborough	63	31	32	–	52	11	–	–	–
Framingham	223	116	107	–	154	69	–	22,651	9.8
Franklin	84	43	41	–	61	23	–	–	–
Freetown	25	15	10	–	23	2	–	–	–
Gardner	201	99	102	–	122	77	2	20,397	9.9
Gay Head	2	1	1	–	2	–	–	–	–
Georgetown	32	15	17	–	27	4	1	–	–
Gill	8	1	7	–	8	–	–	–	–
Gloucester	300	162	138	–	189	110	1	24,164	12.4
Goshen	2	2	–	–	2	–	–	–	–
Gosnold	3	2	1	–	3	–	–	–	–
Grafton	72	32	40	–	44	28	–	–	–
Granby	12	7	5	–	6	6	–	–	–
Granville	11	8	3	–	7	4	–	–	–
Great Barrington	68	37	31	–	56	12	–	–	–
Greenfield	198	95	103	–	153	45	–	15,903	12.5
Greenwich	–	–	–	–	–	–	–	–	–
Groton	42	18	24	–	36	6	–	–	–
Groveland	31	17	14	–	25	6	–	–	–
Hadley	23	12	11	–	15	8	–	–	–
Halifax	12	5	7	–	7	5	–	–	–
Hamilton	28	12	16	–	20	7	1	–	–
Hampden	11	8	3	–	5	4	2	–	–
Hancock	5	2	3	–	4	1	–	–	–
Hanover	36	17	19	–	29	7	–	–	–
Hanson	39	18	21	–	30	9	–	–	–
Hardwick	31	18	13	–	15	16	–	–	–
Harvard	19	10	9	–	18	1	–	–	–
Harwich	31	13	18	–	29	2	–	–	–
Hatfield	22	12	10	–	13	8	1	–	–
Haverhill	568	278	290	–	393	174	1	49,516	11.5
Hawley	1	–	1	–	1	–	–	–	–
Heath	6	1	5	–	6	–	–	–	–
Hingham	88	40	48	–	64	24	–	–	–
Hinsdale	16	11	5	–	13	3	–	–	–
Holbrook	45	23	22	–	36	8	1	–	–
Holden	46	25	21	–	34	12	–	–	–

[1] Cities are printed in small capitals.

Table 2

Allocated Deaths, by Cities and Towns, by Sex and Nativity, and Death Rates in Each County, City and Town Having Over 10,000 Inhabitants: 1935.

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. State Census, Jan. 1, 1935.	Death rate per 1,000 population. Excluding non-residents.
Holland	4	3	1	–	1	2	1	–	–
Holliston	45	19	26	–	28	17	–	–	–
Holyoke	650	353	297	–	327	323	–	56,139	11.6
Hopedale	28	15	13	–	21	6	1	–	–
Hopkinton	36	19	17	–	32	4	–	–	–
Hubbardston	11	8	3	–	6	5	–	–	–
Hudson	82	41	41	–	56	26	–	–	–
Hull	36	21	15	–	27	9	–	–	–
Huntington	12	7	5	–	10	2	–	–	–
Ipswich	58	33	25	–	44	13	1	–	–
Kingston	42	26	16	–	27	15	–	–	–
Lakeville	17	10	7	–	14	3	–	–	–
Lancaster	28	20	8	–	21	7	–	–	–
Lanesborough	13	6	7	–	12	1	–	–	–
Lawrence	976	509	467	–	457	518	1	86,785	11.2
Lee	46	24	22	–	39	7	–	–	–
Leicester	48	27	21	–	38	10	–	–	–
Lenox	34	19	15	–	23	11	–	–	–
Leominster	228	112	116	–	166	62	–	21,894	10.4
Leverett	11	4	7	–	9	2	–	–	–
Lexington	106	57	49	–	77	29	–	10,813	9.8
Leydon	1	1	–	–	1	–	–	–	–
Lincoln	21	13	8	–	13	8	–	–	–
Littleton	19	10	9	–	16	3	–	–	–
Longmeadow	33	16	17	–	31	2	–	–	–
Lowell	1,302	635	667	–	703	596	3	100,114	13.0
Ludlow	66	34	32	–	39	27	–	–	–
Lunenburg	23	12	11	–	15	8	–	–	–
Lynn	1,141	588	553	–	722	417	2	100,909	11.3
Lynnfield	20	10	10	–	18	2	–	–	–
Malden	614	294	320	–	348	265	1	57,277	10.7
Manchester	44	22	22	–	25	19	–	–	–
Mansfield	88	40	48	–	60	28	–	–	–
Marblehead	139	68	71	–	123	15	1	10,173	13.7
Marion	37	14	23	–	34	3	–	–	–
Marlborough	158	74	84	–	104	54	–	15,781	10.0
Marshfield	28	8	20	–	23	5	–	–	–
Mashpee	5	3	2	–	4	1	–	–	–
Mattapoisett	14	9	5	–	12	2	–	–	–
Maynard	76	44	32	–	35	41	–	–	–
Medfield	35	15	20	–	25	10	–	–	–
Medford	595	294	301	–	365	228	2	61,444	9.7
Medway	56	33	23	–	41	15	–	–	–
Melrose	273	121	152	–	189	83	1	24,256	11.3
Mendon	14	5	9	–	12	2	–	–	–
Merrimac	26	12	14	–	17	9	–	–	–
Methuen	240	128	112	–	104	136	–	21,073	11.4
Middleborough	132	72	60	–	98	34	–	–	–
Middlefield	4	3	1	–	3	1	–	–	–
Middleton	14	10	4	–	13	1	–	–	–
Milford	163	84	79	–	100	62	1	15,008	10.9
Millbury	75	40	35	–	56	19	–	–	–
Millis	20	11	9	–	15	5	–	–	–
Millville	22	10	12	–	11	11	–	–	–
Milton	198	97	101	–	139	59	–	18,147	10.9
Monroe	3	2	1	–	2	1	–	–	–
Monson	53	32	21	–	41	12	–	–	–
Montague	81	46	35	–	53	27	1	–	–
Monterey	5	4	1	–	5	–	–	–	–
Montgomery	2	1	1	–	1	1	–	–	–
Mount Washington	1	–	1	–	1	–	–	–	–
Nahant	23	12	11	–	17	6	–	–	–
Nantucket	61	31	30	–	48	13	–	–	–
Natick	162	85	77	–	125	37	–	14,394	11.3
Needham	104	44	60	–	64	40	–	11,828	8.8
New Ashford	1	1	–	–	1	–	–	–	–
New Bedford	1,267	651	616	–	612	653	2	110,022	11.5
New Braintree	7	6	1	–	6	1	–	–	–
New Marlborough	17	9	8	–	13	4	–	–	–
New Salem	7	5	2	–	7	–	–	–	–
Newbury	22	14	8	–	18	4	–	–	–
Newburyport	186	83	103	–	144	42	–	14,815	12.6
Newton	675	321	354	–	464	210	1	66,144	10.2
Norfolk	14	8	6	–	12	2	–	–	–
North Adams	260	128	132	–	165	95	–	22,085	11.8
North Andover	68	36	32	–	45	23	–	–	–
North Attleborough	109	54	55	–	74	35	–	10,202	10.7

[1] Cities are printed in small capitals.

Table 2

ALLOCATED DEATHS, BY CITIES AND TOWNS, BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY, CITY AND TOWN HAVING OVER 10,000 INHABITANTS: 1935.

MUNICIPALITIES.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. State Census, Jan. 1, 1935.	Death rate per 1,000 population. Excluding non-residents.
North Brookfield	40	22	18	–	30	10	–	–	–
North Reading	32	17	15	–	21	10	1	–	–
NORTHAMPTON	255	118	137	–	179	76	–	24,525	10.4
Northborough	40	16	24	–	28	12	–	–	–
Northbridge	112	69	43	–	55	57	–	10,577	10.6
Northfield	23	12	11	–	21	2	–	–	–
Norton	38	22	16	–	22	15	1	–	–
Norwell	21	11	10	–	16	5	–	–	–
Norwood	134	72	62	–	75	59	–	15,574	8.6
Oak Bluffs	29	17	12	–	22	7	–	–	–
Oakham	12	8	4	–	7	5	–	–	–
Orange	92	45	47	–	76	16	–	–	–
Orleans	23	12	11	–	21	2	–	–	–
Otis	5	3	2	–	5	–	–	–	–
Oxford	62	30	32	–	45	17	–	–	–
Palmer	88	51	37	–	44	44	–	–	–
Paxton	11	6	5	–	7	4	–	–	–
PEABODY	257	148	109	–	155	101	1	22,082	11.6
Pelham	9	4	5	–	9	–	–	–	–
Pembroke	13	6	7	–	8	5	–	–	–
Pepperell	38	28	10	–	29	9	–	–	–
Peru	3	2	1	–	3	–	–	–	–
Petersham	14	7	7	–	11	3	–	–	–
Phillipston	8	6	2	–	5	3	–	–	–
PITTSFIELD	507	258	249	–	371	135	1	47,516	10.7
Plainfield	7	2	5	–	6	1	–	–	–
Plainville	15	8	7	–	13	2	–	–	–
Plymouth	141	69	72	–	99	42	–	13,183	10.7
Plympton	9	4	5	–	4	5	–	–	–
Prescott	–	–	–	–	–	–	–	–	–
Princeton	7	4	3	–	7	–	–	–	–
Provincetown	59	27	32	–	38	21	–	–	–
QUINCY	738	408	330	–	451	283	4	76,909	9.6
Randolph	66	32	34	–	45	21	–	–	–
Raynham	15	9	6	–	12	3	–	–	–
Reading	120	58	62	–	79	41	–	10,703	11.2
Rehoboth	31	16	15	–	20	11	–	–	–
REVERE	319	173	146	–	154	164	1	35,319	9.0
Richmond	6	5	1	–	4	2	–	–	–
Rochester	8	1	7	–	6	2	–	–	–
Rockland	104	46	58	–	86	18	–	–	–
Rockport	64	35	29	–	44	20	–	–	–
Rowe	6	5	1	–	6	–	–	–	–
Rowley	17	8	9	–	16	1	–	–	–
Royalston	12	8	4	–	9	3	–	–	–
Russell	16	10	6	–	13	3	–	–	–
Rutland	15	11	4	–	8	7	–	–	–
SALEM	500	286	214	–	335	163	2	43,472	11.5
Salisbury	34	21	13	–	27	7	–	–	–
Sandisfield	7	2	5	–	5	2	–	–	–
Sandwich	20	15	5	–	18	2	–	–	–
Saugus	176	97	79	–	124	51	1	15,076	11.7
Savoy	3	2	1	–	1	2	–	–	–
Scituate	60	31	29	–	45	13	2	–	–
Seekonk	52	35	17	–	36	16	–	–	–
Sharon	49	25	24	–	36	13	–	–	–
Sheffield	16	4	12	–	12	4	–	–	–
Shelburne	19	12	7	–	14	5	–	–	–
Sherborn	10	4	6	–	10	–	–	–	–
Shirley	29	18	11	–	18	11	–	–	–
Shrewsbury	87	52	35	–	66	21	–	–	–
Shutesbury	2	1	1	–	1	1	–	–	–
Somerset	56	27	29	–	34	22	–	–	–
SOMERVILLE	1,083	515	568	–	627	452	4	100,773	10.7
South Hadley	62	30	32	–	37	25	–	–	–
Southampton	8	6	2	–	5	3	–	–	–
Southborough	29	17	12	–	22	7	–	–	–
Southbridge	167	93	74	–	92	75	–	15,786	10.6
Southwick	20	11	9	–	16	4	–	–	–
Spencer	97	46	51	–	75	22	–	–	–
SPRINGFIELD	1,581	810	771	–	1,067	509	5	149,642	10.6
Sterling	24	17	7	–	18	6	–	–	–
Stockbridge	36	16	20	–	30	6	–	–	–
Stoneham	135	71	64	–	97	38	–	10,841	12.5
Stoughton	107	50	57	–	66	41	–	–	–
Stow	15	10	5	–	10	5	–	–	–
Sturbridge	25	11	14	–	16	8	1	–	–

[1] Cities are printed in small capitals.

Table 2

Allocated Deaths, by Cities and Towns, by Sex and Nativity, and Death Rates in Each County, City and Town Having Over 10,000 Inhabitants: **1935.**

Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate per 1,000 population. State Census, Jan. 1, 1935.	Death rate per 1,000 population. Excluding non-residents.
Sudbury	17	7	10	–	12	5	–	–	–
Sunderland	11	3	8	–	5	6	–	–	–
Sutton	28	18	10	–	19	9	–	–	–
Swampscott	112	67	45	–	78	34	–	10,480	10.7
Swansea	67	34	33	–	38	29	–	–	–
TAUNTON	439	202	237	–	285	153	1	37,431	11.7
Templeton	58	27	31	–	41	16	1	–	–
Tewksbury	43	30	13	–	28	15	–	–	–
State Infirmary	65	36	29	–	25	39	1	–	–
Tisbury	26	10	16	–	22	4	–	–	–
Tolland	1	1	–	–	–	–	1	–	–
Topsfield	16	7	9	–	12	4	–	–	–
Townsend	26	12	14	–	21	5	–	–	–
Truro	5	5	–	–	4	1	–	–	–
Tyngsborough	21	13	8	–	12	9	–	–	–
Tyringham	5	4	1	–	5	–	–	–	–
Upton	31	12	19	–	26	5	–	–	–
Uxbridge	68	33	35	–	43	25	–	–	–
Wakefield	171	83	88	–	119	52	–	16,494	10.4
Wales	6	5	1	–	4	2	–	–	–
Walpole	71	39	32	–	50	21	–	–	–
WALTHAM	425	193	232	–	277	147	1	40,557	10.5
Ware	107	61	46	–	64	37	6	–	–
Wareham	95	45	50	–	70	24	1	–	–
Warren	32	13	19	–	25	7	–	–	–
Warwick	4	1	3	–	4	–	–	–	–
Washington	7	4	3	–	6	1	–	–	–
Watertown	332	156	176	–	189	143	–	35,827	9.3
Wayland	45	24	21	–	31	14	–	–	–
Webster	145	84	61	–	84	60	1	13,837	10.5
Wellesley	110	50	60	–	83	25	2	13,376	8.2
Wellfleet	26	11	15	–	23	3	–	–	–
Wendell	7	7	–	–	3	4	–	–	–
Wenham	6	2	4	–	3	3	–	–	–
West Boylston	21	16	5	–	16	5	–	–	–
West Bridgewater	24	12	12	–	21	3	–	–	–
West Brookfield	17	12	5	–	16	1	–	–	–
West Newbury	21	11	10	–	15	6	–	–	–
West Springfield	180	100	80	–	136	44	–	17,118	10.5
West Stockbridge	17	7	10	–	14	3	–	–	–
West Tisbury	2	2	–	–	1	1	–	–	–
Westborough	71	29	42	–	52	19	–	–	–
WESTFIELD	178	87	91	–	135	43	–	18,788	9.5
Westford	40	19	21	–	26	14	–	–	–
Westhampton	4	4	–	–	4	–	–	–	–
Westminster	23	9	14	–	18	5	–	–	–
Weston	40	20	20	–	30	10	–	–	–
Westport	51	28	23	–	42	9	–	–	–
Westwood	36	17	19	–	23	13	–	–	–
Weymouth	251	127	124	–	185	66	–	21,748	11.5
Whately	8	3	5	–	5	3	–	–	–
Whitman	97	52	45	–	70	27	–	–	–
Wilbraham	30	14	16	–	22	8	–	–	–
Williamsburg	23	12	11	–	20	3	–	–	–
Williamstown	53	29	24	–	46	7	–	–	–
Wilmington	47	27	20	–	35	12	–	–	–
Winchendon	71	37	34	–	50	21	–	–	–
Winchester	134	61	73	–	103	31	–	13,371	10.0
Windsor	3	–	3	–	2	1	–	–	–
Winthrop	207	106	101	–	136	70	1	17,001	12.2
WOBURN	210	115	95	–	125	85	–	19,695	10.7
WORCESTER	2,129	1,109	1,020	–	1,214	909	6	190,471	11.2
Worthington	7	3	4	–	6	1	–	–	–
Wrentham	40	18	22	–	34	6	–	–	–
Yarmouth	34	16	18	–	28	6	–	–	–

[1] Cities are printed in small capitals.


MASSACHUSETTS
AUTOMOBILE ACCIDENTS
206, 208, 210
DEATH RATE PER 100000 TOTAL POPULATION
1935 DEATHS AMONG MASS. RESIDENTS ONLY
0
5
10
15
20
25
1910
1915
1920
1925
1930
1935

Line No.	Table 3 — State, Municipalities and Sex.	Allocated deaths,[1] by Sex and Age,[2] in the State and — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	**The State.**	**49,634**	**3,809**	**3,014**	**357**	**179**	**140**	**119**	**513**	**461**	**616**	**748**	**879**
2	Males	25,642	2,216	1,760	202	102	81	71	303	270	348	380	428
3	Females	23,992	1,593	1,254	155	77	59	48	210	191	268	368	451
4	Adams (town).	110											
5	Males	60	8	6	1	1	–	–	–	–	2	1	–
6	Females	50	3	3	–	–	–	–	–	–	–	2	–
7	Amesbury (town).	144											
8	Males	64	3	3	–	–	–	–	1	–	–	2	–
9	Females	80	4	4	–	–	–	–	2	2	–	1	1
10	Andover (town).	122											
11	Males	58	5	4	–	1	–	–	1	1	–	3	–
12	Females	64	3	3	–	–	–	–	2	–	–	–	–
13	Arlington (town).	371											
14	Males	172	15	12	–	–	1	2	2	2	4	1	1
15	Females	199	16	13	1	–	1	1	–	–	1	1	3
16	Athol (town).	115											
17	Males	59	4	2	1	–	1	–	2	–	3	1	2
18	Females	56	2	2	–	–	–	–	1	–	1	1	–
19	Attleboro.	272											
20	Males	148	8	8	–	–	–	–	3	1	1	–	–
21	Females	124	11	9	1	–	–	1	–	–	2	1	4
22	Belmont (town).	199											
23	Males	94	5	3	2	–	–	–	3	–	1	1	2
24	Females	105	2	1	–	1	–	–	1	–	1	1	2
25	Beverly.	340											
26	Males	183	14	12	1	1	–	–	2	1	1	–	2
27	Females	157	12	7	1	1	3	–	4	2	2	2	6
28	Boston.	10,227											
29	Males	5,425	450	345	50	23	19	13	57	42	69	84	102
30	Females	4,802	341	262	39	16	12	12	42	29	61	76	101
31	Braintree (town).	166											
32	Males	95	6	5	–	1	–	–	2	4	1	1	5
33	Females	71	7	3	2	–	–	2	–	2	–	–	1
34	Brockton.	733											
35	Males	389	16	14	2	–	–	–	6	1	5	5	5
36	Females	344	15	14	–	–	1	–	4	2	2	5	2
37	Brookline (town).	569											
38	Males	259	4	1	1	–	1	1	3	–	1	2	7
39	Females	310	9	5	2	–	1	1	2	–	–	2	1
40	Cambridge.	1,378											
41	Males	693	94	79	9	2	1	3	9	7	8	11	16
42	Females	685	65	56	8	1	–	–	6	5	8	10	24
43	Chelsea.	426											
44	Males	243	30	20	5	1	4	–	4	2	3	4	4
45	Females	183	22	14	4	2	1	1	1	4	–	2	9
46	Chicopee.	381											
47	Males	213	29	23	–	1	3	2	4	4	7	4	5
48	Females	168	20	15	–	1	3	1	3	1	5	3	3
49	Clinton (town).	149											
50	Males	67	6	6	–	–	–	–	2	1	–	1	3
51	Females	82	3	2	–	1	–	–	1	1	1	1	–
52	Danvers (town).	143											
53	Males	69	2	1	1	–	–	–	1	2	–	1	1
54	Females	74	3	2	1	–	–	–	–	1	2	3	2
55	Dedham (town).	174											
56	Males	95	12	10	1	1	–	–	–	1	1	2	1
57	Females	79	5	5	–	–	–	–	–	–	–	2	–
58	Easthampton (town).	104											
59	Males	48	5	4	1	–	–	–	2	2	2	–	2
60	Females	56	1	1	–	–	–	–	1	–	2	2	1
61	Everett.	513											
62	Males	263	26	20	3	1	2	–	4	1	2	5	4
63	Females	250	13	8	2	3	–	–	3	3	6	7	9
64	Fairhaven (town).	104											
65	Males	61	5	5	–	–	–	–	–	–	–	4	–
66	Females	43	6	4	–	1	–	1	–	1	1	1	–
67	Fall River.	1,338											
68	Males	688	73	61	6	4	1	1	10	12	8	12	6
69	Females	650	56	42	7	2	1	4	5	5	8	9	10
70	Fitchburg.	443											
71	Males	218	28	24	3	–	–	1	3	1	6	4	3
72	Females	225	19	18	–	1	–	–	1	2	3	4	2
73	Framingham (town).	223											
74	Males	116	10	8	1	–	–	1	1	2	3	1	–
75	Females	107	8	7	1	–	–	–	–	–	1	4	1
76	Gardner.	201											
77	Males	99	15	7	5	1	1	1	2	2	3	–	4
78	Females	102	10	9	1	–	–	–	2	–	1	–	3
79	Gloucester.	300											
80	Males	162	11	8	–	–	3	–	–	1	2	1	–
81	Females	138	9	8	1	–	–	–	1	–	2	2	–

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1935.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1	986	1,419	1,899	2,589	3,078	3,923	5,145	5,938	5,787	5,177	3,654	2,065	742	175	31	–
2	520	744	1,053	1,481	1,794	2,213	2,867	3,088	2,915	2,393	1,569	767	241	46	6	–
3	466	675	846	1,108	1,284	1,710	2,278	2,850	2,872	2,784	2,085	1,298	501	129	25	–
4																
5	2	2	–	2	7	5	5	7	4	7	6	–	–	2	–	–
6	1	–	2	2	3	3	6	6	9	7	2	3	1	–	–	–
7																
8	2	3	3	5	5	4	4	9	5	6	5	4	3	–	–	–
9	1	2	1	3	2	6	4	8	15	12	7	5	4	–	–	–
10																
11	–	2	3	5	1	4	9	6	6	3	6	3	–	–	–	–
12	2	2	4	2	5	2	3	11	10	4	4	6	1	3	–	–
13																
14	3	6	6	11	7	12	26	26	15	20	13	2	–	–	–	–
15	8	2	12	11	9	14	25	22	19	22	11	14	4	3	2	–
16																
17	4	2	2	4	5	6	3	4	7	3	3	3	1	–	–	–
18	2	–	2	4	2	5	7	4	6	5	4	8	1	1	–	–
19																
20	4	3	2	6	10	12	19	16	23	18	13	5	3	1	–	–
21	1	4	1	2	10	3	14	16	14	15	9	10	6	1	–	–
22																
23	1	4	6	5	5	10	14	9	13	9	4	2	–	–	–	–
24	4	3	1	3	10	6	10	18	16	12	6	5	3	1	–	–
25																
26	1	2	4	12	14	21	23	21	22	16	16	9	1	1	–	–
27	3	6	5	3	5	7	14	23	17	21	8	9	8	–	–	–
28																
29	136	198	266	356	431	523	658	698	591	405	214	113	25	3	4	–
30	111	153	206	240	301	370	479	614	553	482	365	187	76	13	2	–
31																
32	1	2	3	4	5	5	10	10	12	13	7	1	2	1	–	–
33	1	2	3	4	6	5	6	5	6	11	6	4	2	–	–	–
34																
35	5	5	13	25	30	32	47	53	41	52	31	15	2	–	–	–
36	5	10	13	18	12	30	37	42	44	40	37	16	6	4	–	–
37																
38	7	8	11	7	26	17	32	41	34	30	13	11	4	1	–	–
39	8	8	8	11	17	25	31	44	33	47	35	18	9	2	–	–
40																
41	17	26	36	36	48	57	70	63	80	64	36	12	2	1	–	–
42	16	19	23	28	42	42	70	85	70	63	61	33	12	2	1	–
43																
44	4	11	20	28	22	30	26	25	13	8	6	2	1	–	–	–
45	5	11	4	12	10	15	19	16	29	11	5	5	1	1	1	–
46																
47	9	15	10	9	14	19	28	16	17	15	5	3	–	–	–	–
48	2	8	2	14	13	12	11	14	25	10	13	8	1	–	–	–
49																
50	1	3	2	4	7	6	5	6	8	5	7	–	–	–	–	–
51	1	3	4	3	4	6	9	15	11	6	8	5	–	–	–	–
52																
53	2	2	2	3	5	6	5	8	13	6	5	3	2	–	–	–
54	–	1	3	3	2	5	6	8	10	13	6	6	–	–	–	–
55																
56	1	4	2	5	7	6	12	15	11	3	6	5	1	–	–	–
57	1	5	–	4	4	9	7	10	13	8	7	4	–	–	–	–
58																
59	–	1	2	2	3	1	8	4	6	5	3	–	–	–	–	–
60	2	1	4	1	3	3	5	7	6	10	4	1	2	–	–	–
61																
62	7	11	25	9	18	22	32	24	28	22	11	8	4	–	–	–
63	4	8	11	17	11	23	23	26	24	24	24	12	2	–	–	–
64																
65	2	2	1	7	5	5	3	8	9	5	2	2	1	–	–	–
66	–	3	–	2	3	6	7	4	2	3	1	3	–	–	–	–
67																
68	16	17	28	43	45	62	81	90	73	60	32	11	–	9	–	–
69	17	19	20	34	37	54	72	81	87	63	45	19	6	2	1	–
70																
71	2	10	4	16	15	13	21	19	25	31	9	5	2	1	–	–
72	3	7	5	13	11	20	22	23	23	30	15	17	3	2	–	–
73																
74	1	5	7	8	8	5	23	11	9	12	6	4	–	–	–	–
75	1	2	5	3	10	4	8	6	12	19	13	6	4	–	–	–
76																
77	2	3	1	4	11	12	5	11	11	2	9	2	–	–	–	–
78	3	3	2	5	5	7	10	7	10	11	14	6	3	–	–	–
79																
80	3	4	6	8	12	9	27	17	18	24	9	9	1	–	–	–
81	3	2	7	11	4	6	18	15	17	17	13	5	5	1	–	–

[2] Age at last birthday.

Line No.	Table 3 — Municipalities and Sex.	Allocated deaths,[1] by Sex and Age,[2] in the State and — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years
1	Greenfield (town).	198											
2	Males . . .	95	6	4	2	–	–	–	1	–	–	4	2
3	Females . . .	103	8	7	1	–	–	–	2	–	–	2	1
4	Haverhill.	568											
5	Males . . .	278	15	10	3	1	–	1	4	1	3	3	2
6	Females . . .	290	12	12	–	–	–	–	3	4	3	3	11
7	Holyoke.	650											
8	Males . . .	353	26	18	2	2	2	2	3	8	10	2	8
9	Females . . .	297	20	16	–	4	–	–	1	2	3	4	7
10	Lawrence.	976											
11	Males . . .	509	48	40	4	3	–	1	6	6	6	9	6
12	Females . . .	467	39	33	3	1	1	1	1	6	4	10	10
13	Leominster.	228											
14	Males . . .	112	19	17	–	–	1	1	–	2	–	2	1
15	Females . . .	116	11	10	–	1	–	–	1	1	2	1	2
16	Lexington (town).	106											
17	Males . . .	57	4	4	–	–	–	–	–	3	1	–	2
18	Females . . .	49	2	–	1	1	–	–	–	1	2	–	1
19	Lowell.	1,302											
20	Males . . .	635	78	59	9	4	4	2	6	6	10	7	6
21	Females . . .	667	49	41	5	2	1	–	8	7	5	8	6
22	Lynn.	1,141											
23	Males . . .	588	67	56	2	6	2	1	6	5	6	10	8
24	Females . . .	553	40	37	2	–	1	–	4	4	6	8	14
25	Malden.	614											
26	Males . . .	294	24	20	3	–	–	1	6	3	7	7	7
27	Females . .	320	15	12	3	–	–	–	5	2	2	6	5
28	Marblehead (town).	139											
29	Males . . .	68	2	2	–	–	–	–	–	1	–	1	–
30	Females . . .	71	4	4	–	–	–	–	1	–	–	1	–
31	Marlborough.	158											
32	Males . . .	74	5	4	1	–	–	–	1	–	–	–	1
33	Females . . .	84	7	6	1	–	–	–	–	–	1	–	1
34	Medford.	595											
35	Males . . .	294	29	21	2	5	1	–	6	1	4	2	4
36	Females . . .	301	12	8	1	1	–	2	1	1	2	4	11
37	Melrose.	273											
38	Males . . .	121	11	9	–	1	–	1	2	1	4	1	4
39	Females . . .	152	7	5	–	–	2	–	–	1	–	2	1
40	Methuen (town).	240											
41	Males . . .	128	10	8	1	–	1	–	3	1	1	4	3
42	Females . . .	112	5	4	–	–	–	1	1	2	1	1	1
43	Milford (town).	163											
44	Males . . .	84	5	4	1	–	–	–	2	1	–	–	2
45	Females . . .	79	4	2	–	1	1	–	–	2	4	–	1
46	Milton (town).	198											
47	Males . . .	97	4	4	–	–	–	–	–	3	1	1	2
48	Females . . .	101	5	4	–	–	–	1	1	–	2	1	1
49	Natick (town).	162											
50	Males . . .	85	10	10	–	–	–	–	–	2	–	–	1
51	Females . . .	77	2	2	–	–	–	–	1	1	–	1	2
52	Needham (town).	104											
53	Males . . .	44	3	2	–	–	–	1	–	1	–	–	–
54	Females . . .	60	1	1	–	–	–	–	–	1	–	1	–
55	New Bedford.	1,267											
56	Males . . .	651	59	48	7	3	1	–	9	13	12	9	17
57	Females . . .	616	51	39	6	3	3	–	7	7	9	8	11
58	Newburyport.	186											
59	Males . . .	83	3	3	–	–	–	–	–	1	1	–	–
60	Females . . .	103	6	5	1	–	–	–	–	1	1	2	–
61	Newton.	675											
62	Males . . .	321	27	21	3	2	1	–	3	2	4	3	4
63	Females . . .	354	18	15	1	1	1	–	1	4	1	7	4
64	North Adams.	260											
65	Males . . .	128	14	11	1	1	–	1	2	1	2	1	1
66	Females . . .	132	11	8	1	2	–	–	–	–	–	1	–
67	North Attleborough (town).	109											
68	Males . . .	54	7	5	–	1	1	–	–	1	1	2	–
69	Females . .	55	1	1	–	–	–	–	–	–	–	1	1
70	Northampton.	255											
71	Males . . .	118	3	3	–	–	–	–	–	1	1	–	4
72	Females . . .	137	6	4	1	–	–	1	–	1	1	1	3
73	Northbridge (town)	112											
74	Males . . .	69	5	4	–	–	–	1	–	–	1	1	1
75	Females . . .	43	2	1	–	1	–	–	–	2	–	–	–
76	Norwood (town).	134											
77	Males . . .	72	5	4	–	1	–	–	–	1	1	4	2
78	Females . . .	62	4	3	1	–	–	–	1	–	–	1	1
79	Peabody.	257											
80	Males . . .	148	18	15	–	2	–	1	–	3	3	3	2
81	Females . . .	109	11	9	2	–	–	–	3	3	4	1	4

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1935—Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years	100 years and over.	Age unknown.
1																
2	1	2	5	6	9	7	9	10	6	13	9	4	1	–	–	–
3	1	2	3	1	6	7	13	6	11	20	6	10	3	–	1	–
4																
5	2	8	11	10	18	26	27	39	42	33	17	12	4	1	–	–
6	2	13	7	11	14	19	24	32	37	38	35	15	6	–	1	–
7																
8	12	10	19	26	21	38	36	32	38	31	20	7	5	1	–	–
9	1	8	10	9	19	22	36	38	38	37	21	16	3	1	1	–
10																
11	11	12	29	25	37	58	69	67	50	36	21	11	2	–	–	–
12	10	23	15	23	16	40	61	64	46	39	31	19	10	–	–	–
13																
14	2	4	3	4	3	6	9	19	15	13	5	3	–	2	–	–
15	5	4	1	2	6	10	10	8	16	10	16	8	2	–	–	–
16																
17	–	1	2	3	2	4	5	6	9	3	6	4	2	–	–	–
18	–	1	3	2	2	3	1	7	9	10	3	2	–	–	–	–
19																
20	12	20	19	30	44	57	70	89	74	60	29	14	4	–	–	–
21	7	25	21	29	43	45	67	103	90	80	41	21	8	3	1	–
22																
23	9	11	27	28	49	44	65	74	64	54	28	22	9	2	–	–
24	12	14	15	30	30	33	59	62	67	56	47	37	11	4	–	–
25																
26	6	8	4	14	18	18	35	36	36	28	20	14	3	–	–	–
27	10	2	7	16	16	24	33	30	45	49	22	16	11	4	–	–
28																
29	–	2	2	3	2	2	6	7	10	14	9	4	3	–	–	–
30	–	2	–	2	3	2	10	16	4	9	8	6	2	–	1	–
31																
32	1	2	2	4	8	6	12	4	5	11	7	5	–	–	–	–
33	1	3	3	3	4	3	12	10	9	9	12	3	1	2	–	–
34																
35	5	9	15	18	19	28	23	42	42	24	15	7	1	–	–	–
36	5	8	11	18	19	32	28	48	38	25	22	10	5	1	–	–
37																
38	2	1	1	4	6	12	12	17	11	13	12	7	–	–	–	–
39	3	1	4	3	2	10	16	17	17	21	21	16	7	2	1	–
40																
41	1	4	6	5	6	14	18	8	17	10	14	3	–	–	–	–
42	1	7	2	8	3	5	8	18	15	16	7	7	2	2	–	–
43																–
44	1	–	6	4	4	7	16	11	13	4	4	3	1	–	–	–
45	1	3	3	5	2	5	6	15	4	8	7	5	4	–	–	–
46																
47	2	3	4	10	4	10	15	7	11	6	8	4	1	1	–	–
48	–	3	8	8	4	13	9	13	14	8	6	4	1	–	–	–
49																–
50	2	2	4	7	5	3	8	12	9	8	4	6	1	1	–	–
51	1	1	3	2	3	3	13	11	12	5	6	9	1	–	–	–
52																
53	–	1	1	2	4	3	5	8	5	6	5	–	–	–	–	–
54	–	–	–	3	–	7	5	10	11	8	6	3	2	2	–	–
55																
56	14	21	27	40	60	52	61	84	59	55	41	12	5	1	–	–
57	19	19	29	39	23	33	71	67	73	68	52	16	12	2	–	–
58																
59	1	2	4	4	2	6	12	9	14	10	11	2	1	–	–	–
50	–	2	4	4	5	6	11	15	7	10	18	6	2	3	–	–
61																
62	7	10	16	15	24	24	29	39	35	40	24	8	4	3	–	–
63	6	7	14	15	23	27	24	33	41	50	38	28	10	2	1	–
64																
65	3	2	4	9	7	10	11	17	20	13	5	3	3	–	–	–
66	7	5	5	3	8	10	15	11	19	19	11	4	2	1	–	–
67																
68	–	–	–	1	4	5	5	7	8	6	3	1	3	–	–	–
69	–	1	1	6	4	5	3	11	8	8	5	–	–	–	–	–
70																
71	2	3	7	8	7	11	20	13	10	15	7	4	1	–	1	–
72	1	4	4	8	2	12	14	16	21	19	11	10	3	–	–	–
73																
74	1	2	2	3	8	11	7	6	9	6	3	2	–	1	–	–
75	1	2	1	2	1	4	8	1	7	5	6	1	–	–	–	–
76																
77	2	4	3	7	3	10	9	7	8	3	–	2	–	1	–	–
78	1	1	3	4	2	5	5	4	8	7	5	6	4	–	–	–
79																
80	2	3	12	11	13	11	10	11	21	9	14	2	–	–	–	–
81	3	2	2	8	6	5	8	8	17	9	5	4	6	–	–	–

[1] Age at last birthday.

Line No.	Table 3 — Municipalities and Sex.	Allocated deaths,[1] by Sex and Age,[2] in the State and											
		All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Pittsfield.	507											
2	Males	258	20	14	3	1	–	2	4	3	4	2	4
3	Females	249	13	10	2	1	–	–	2	3	2	3	6
4	Plymouth (town).	141											
5	Males	69	2	1	–	–	–	1	–	–	–	1	–
6	Females	72	5	5	–	–	–	–	–	1	–	1	–
7	Quincy.	738											
8	Males	408	30	22	1	3	1	3	7	10	9	9	8
9	Females	330	20	20	–	–	–	–	2	1	6	4	8
10	Reading (town)	120											
11	Males	58	–	–	–	–	–	–	–	–	–	–	–
12	Females	62	2	1	1	–	–	–	–	–	1	1	–
13	Revere.	319											
14	Males	173	13	11	–	1	1	–	2	5	3	3	5
15	Females	146	9	4	2	1	–	2	1	–	3	3	2
16	Salem.	500											
17	Males	286	35	31	–	1	2	1	2	7	1	6	3
18	Females	214	25	22	2	–	1	–	3	–	2	1	4
19	Saugus (town).	176											
20	Males	97	12	11	1	–	–	–	2	2	1	2	–
21	Females	79	12	10	–	1	1	–	–	2	–	–	2
22	Somerville.	1,083											
23	Males	515	55	41	6	3	5	–	4	6	6	11	9
24	Females	568	46	31	6	5	3	1	4	5	6	10	14
25	Southbridge (town).	167											
26	Males	93	7	6	–	–	1	–	1	–	–	1	3
27	Females	74	2	1	–	1	–	–	–	1	1	1	2
28	Springfield.	1,581											
29	Males	810	62	51	3	2	1	5	11	8	12	13	13
30	Females	771	50	42	4	–	3	1	18	6	10	12	10
31	Stoneham (town).	135											
32	Males	71	7	5	–	1	–	1	1	–	–	–	2
33	Females	64	3	2	1	–	–	–	–	–	–	2	–
34	Swampscott (town).	112											
35	Males	67	7	6	1	–	–	–	–	–	–	1	–
36	Females	45	2	2	–	–	–	–	1	–	–	–	–
37	Taunton.	439											
38	Males	202	23	17	6	–	–	–	1	1	3	2	4
39	Females	237	19	15	4	–	–	–	4	2	2	5	6
40	Wakefield (town).	171											
41	Males	83	10	7	1	1	1	–	–	3	1	–	–
42	Females	88	4	3	–	1	–	–	2	1	–	2	2
43	Waltham.	425											
44	Males	193	14	12	1	1	–	–	7	3	1	5	6
45	Females	232	13	12	–	–	–	1	1	4	2	3	6
46	Watertown (town).	332											
47	Males	156	15	11	1	1	1	1	1	2	2	1	3
48	Females	176	11	7	3	1	–	–	2	1	3	2	3
49	Webster (town).	145											
50	Males	84	9	9	–	–	–	–	3	–	2	4	3
51	Females	61	3	3	–	–	–	–	1	1	2	4	–
52	Wellesley (town).	110											
53	Males	50	6	5	1	–	–	–	1	1	3	1	2
54	Females	60	5	5	–	–	–	–	–	–	1	–	1
55	W.Springfield(town)	180											
56	Males	100	10	7	2	–	–	1	2	–	2	2	2
57	Females	80	7	7	–	–	–	–	–	–	1	1	4
58	Westfield.	178											
59	Males	87	2	1	1	–	–	–	–	2	3	–	5
60	Females	91	3	3	–	–	–	–	–	1	2	5	2
61	Weymouth (town).	251											
62	Males	127	7	7	–	–	–	–	–	2	2	2	2
63	Females	124	4	2	–	–	1	1	1	2	–	–	2
64	Winchester (town).	134											
65	Males	61	7	6	–	1	–	–	–	1	–	1	–
66	Females	73	2	2	–	–	–	–	1	–	1	2	1
67	Winthrop (town).	207											
68	Males	106	8	7	–	1	–	–	1	1	2	1	3
69	Females	101	2	1	1	–	–	–	–	2	1	1	1
70	Woburn.	210											
71	Males	115	13	12	1	–	–	–	2	2	2	1	3
72	Females	95	5	5	–	–	–	–	2	1	2	2	1
73	Worcester.	2,129											
74	Males	1,109	83	72	6	2	2	1	16	6	13	21	14
75	Females	1,020	67	44	9	5	4	5	9	9	17	13	21

[1] Exclusive of stillbirths.

MUNICIPALITIES HAVING OVER 10,000 INHABITANTS: 1935 — Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	10	8	13	16	24	20	27	25	28	29	17	3	1	–	–	–
3	6	–	8	8	15	25	22	32	27	30	19	18	8	1	1	–
4																
5	1	–	2	3	5	7	8	10	12	8	7	2	1	–	–	–
6	–	1	2	4	1	4	6	11	11	10	9	5	1	–	–	–
7																
8	13	15	21	26	27	30	54	57	35	27	21	6	3	–	–	–
9	6	14	8	14	21	25	42	39	38	34	24	17	5	2	–	–
10																
11	1	–	2	3	4	4	5	11	6	4	13	4	–	1	–	–
12	1	–	4	4	2	4	4	2	6	14	10	6	–	–	1	–
13																
14	4	3	4	13	10	16	27	27	14	13	7	2	2	–	–	–
15	3	3	10	12	13	12	10	23	11	13	9	5	4	–	–	–
16																
17	5	12	10	11	18	25	33	36	22	32	16	7	5	–	–	–
18	5	5	6	4	10	15	21	25	21	23	23	15	5	1	–	–
19																
20	3	2	1	6	5	8	7	9	14	4	8	9	1	1	–	–
21	2	2	–	2	6	4	6	10	13	5	6	5	1	–	1	–
22																
23	13	18	18	31	32	38	64	48	49	38	43	23	5	4	–	–
24	6	14	24	31	29	52	50	66	62	73	42	22	12	–	–	–
25																
26	2	3	4	10	8	10	14	6	14	5	4	1	–	–	–	–
27	1	4	4	2	5	7	8	8	10	12	4	2	–	–	–	–
28																
29	20	22	45	45	59	85	95	83	90	71	39	26	11	–	–	–
30	16	26	31	38	46	63	70	85	90	63	74	43	14	6	–	–
31																
32	1	2	1	4	6	6	9	16	7	3	4	1	1	–	–	–
33	1	4	4	2	4	2	4	7	5	9	7	8	1	1	–	–
34																
35	–	2	3	5	3	8	9	10	7	4	7	1	–	–	–	–
36	–	–	–	–	5	–	6	5	8	8	6	2	2	–	–	–
37																
38	4	4	9	12	19	16	23	19	17	23	14	6	2	–	–	–
39	3	6	6	11	10	21	19	21	26	34	18	15	9	–	–	–
40																
41	–	1	2	5	10	5	5	12	8	7	9	5	–	–	–	–
42	2	4	1	6	4	8	7	13	6	14	6	6	–	–	–	–
43																
44	4	4	3	10	13	9	18	25	26	23	14	5	3	–	–	–
45	5	6	7	11	12	8	12	21	41	28	22	23	6	1	–	–
46																
47	2	5	7	8	5	16	16	23	18	14	11	5	2	–	–	–
48	4	9	6	8	9	12	10	20	25	19	9	17	2	4	–	–
49																
50	3	3	3	4	5	5	6	6	7	15	4	1	1	–	–	–
51	1	3	2	1	1	2	5	8	4	6	9	5	3	–	–	–
52																
53	1	–	2	2	2	1	6	5	5	6	3	1	2	–	–	–
54	1	1	2	3	3	1	6	9	10	3	8	3	1	2	–	–
55																
56	1	3	2	7	5	10	15	11	12	8	2	4	2	–	–	–
57	2	4	2	6	7	1	10	5	6	8	9	5	2	–	–	–
58																
59	2	–	1	1	4	7	11	11	13	8	13	2	1	1	–	–
60	–	1	2	1	4	6	6	10	9	17	9	11	2	–	–	–
61																
62	3	6	2	11	9	9	13	20	13	14	6	5	1	–	–	–
63	1	–	6	7	6	8	15	14	20	18	14	2	3	1	–	–
64																
65	2	1	1	6	4	3	9	7	9	3	5	2	–	–	–	–
66	3	1	1	4	1	4	6	11	7	6	9	10	3	–	–	–
67																
68	1	8	3	5	5	10	5	18	11	10	10	3	1	–	–	–
69	4	1	2	3	10	13	7	13	15	8	10	4	1	3	–	–
70																
71	4	2	4	9	6	11	11	12	13	10	7	3	–	–	–	–
72	2	3	4	4	7	5	7	11	16	10	4	5	4	–	–	–
73																
74	16	32	52	68	89	112	122	132	140	99	59	26	7	1	1	–
75	24	29	46	43	53	75	98	122	114	113	91	54	19	3	–	–

[2] Age at last birthday.

Table 4

Years.	Population, Deaths,[1] and Death Rates, per 1,000 Population: 1911 to 1935.		
	Population.	Deaths.[3]	Death rates.
1911	3,446,079	53,062	15.4
1912	3,512,007	52,400	14.9
1913	3,577,935	53,402	14.9
1914	3,643,863	52,978	14.5
1915	3,693,310	53,131	14.4
1916	3,775,720	56,366	14.9
1917	3,841,648	56,628	14.7
1918	3,907,576	78,842	20.2
1919	3,835,614	52,345	13.6
1920	3,852,356	53,632	13.9
1921	3,885,836	47,780	12.3
1922	3,936,056	51,115	13.0
1923	3,969,536	52,380	13.2
1924	4,003,016	49,466	12.4
1925	4,144,205	51,890	12.5
1926	4,170,560[2]	52,888	12.7[2]
1927	4,191,644[2]	49,324	11.8[2]
1928	4,212,728[2]	51,442	12.2[2]
1929	4,233,812[2]	52,171	12.3[2]
1930	4,249,614	49,503	11.6
1931	4,275,969	48,743	11.4
1932	4,297,053	49,531	11.5
1933	4,318,137	50,832	11.8
1934	4,339,221	50,760	11.7
1935	4,350,910	50,286	11.6

[1] Exclusive of stillbirths.
[2] Revised.
[3] Including nonresidents.

Table 5

Years.	Mortality[1] of Males and Females: 1911 to 1935.					
	Deaths.[3]		Deaths of males to 1,000 deaths of females.	Death rates[2] per 1,000 population.		
	Males.	Females.		Males.	Females.	Excess of male rate.
1911	27,526	25,536	1,078	–	–	–
1912	27,027	25,373	1,065	–	–	–
1913	28,039	25,363	1,106	–	–	–
1914	27,569	25,409	1,085	–	–	–
1915	*27,335*	*25,792*	*1,060*	*15.1*	*13.7*	*1.4*
1916	29,536	26,823	1,101	–	–	–
1917	29,622	27,005	1,097	–	–	–
1918	41,670	37,163	1,121	–	–	–
1919	26,407	25,930	1,018	–	–	–
1920	*26,625*	*27,004*	*986*	*14.1*	*13.8*	*.3*
1921	23,944	23,836	1,005	12.6	12.0	.6
1922	25,679	25,433	1,010	13.3	12.7	.6
1923	26,268	26,111	1,006	13.5	12.9	.6
1924	25,392	24,074	1,055	12.9	11.8	1.1
1925	*26,457*	*25,433*	*1,040*	–	–	–
1926	26,943	25,945	1,038	–	–	–
1927	25,233	24,091	1,047	–	–	–
1928	26,082	25,360	1,028	–	–	–
1929	26,461	25,710	1,029	–	–	–
1930	*25,242*	*24,261*	*1,041*	*12.2*	*11.1*	*1.1*
1931	25,021	23,722	1,055	–	–	–
1932	25,321	24,210	1,046	–	–	–
1933	26,131	24,701	1,058	–	–	–
1934	26,569	24,191	1,098	–	–	–
1935	*26,000*	*24,286*	*1,071*	–	–	–

Exclusive of stillbirths.
[2] Rates are calculated on census population except for the years 1921, 1922, 1923 and 1924, for which the estimated population is used. Male and female population not enumerated in State census of 1925 and 1935.
[3] Including nonresidents.

Table 6

Age Periods.	Deaths[1] at Specified Ages: Census Years 1910 to 1935.					
	1935.	1930.	1925.	1920.	1915.	1910.
All Ages.	49,634[4]	49,503	51,890	53,632	53,131	54,407
Under 5 years	3,809	5,873	8,623	11,739	12,891	15,433
Under 1 year	3,014	4,440	6,294	8,382	9,490	11,499
5 to 9 years	513	742	922	1,129	1,026	1,091
10 to 14 years	461	479	678	689	648	678
15 to 19 years	616	705	891	957	984	1,002
20 to 29 years	1,627	1,956	2,498	3,282	3,234	3,329
30 to 39 years	2,405	2,959	3,161	3,916	3,823	4,102
40 to 49 years	4,488	4,278	4,521	4,554	4,825	4,615
50 to 59 years	7,001	6,989	6,838	6,154	6,058	5,501
60 to 69 years	11,083	9,881	9,186	7,784	7,323	7,168
70 to 79 years	10,964	9,637	8,882	8,049	7,613	6,977
80 years and over	6,667	6,003	5,685	5,370	4,667	4,471
Age unknown	–	1	5	9	39	40
	Death Rates per 1,000 Population[2] at Specified Ages.					
All Ages.	11.4	11.6	12.5	13.9	14.4	16.2
Under 5 years	–	16.8	–	30.4	35.5	46.9
Under 1 year	–	68.3	–	111.9	126.1	162.6
5 to 9 years	–	1.9	–	3.1	3.1	3.7
10 to 14 years	–	1.2	–	2.1	2.1	2.4
15 to 19 years	–	1.9	–	3.2	3.1	3.4
20 to 29 years	–	2.9	–	4.9	4.6	5.2
30 to 39 years	–	–[3]	–	6.4	6.5	7.4
40 to 49 years	–	–[3]	–	9.1	10.3	11.0
50 to 59 years	–	–[3]	–	17.2	19.1	19.9
60 to 69 years	–	–[3]	–	37.5	40.5	43.1
70 to 79 years	–	–[3]	–	85.5	87.1	79.2
80 years and over	–	–[3]	–	193.0	177.5	191.3

[1] Exclusive of stillbirths.
[2] Population by age groups not enumerated for 1925 and 1935.
[3] U. S. Census figures for 1930 not available.
[4] Allocated.

Table 7

Years.	Per Cent of Deaths[1] at Specified Ages—Both Sexes.			
	Under 1 year.	Under 5 years.	20 to 29 years.	All others.
1911	19.9	26.4	6.1	67.5
1912	20.0	26.3	6.0	67.6
1913	18.9	25.8	6.0	68.2
1914	18.7	24.6	6.0	69.4
1915	17.9	24.3	6.1	69.7
1916	16.6	23.2	5.8	71.0
1917	16.5	22.5	5.9	71.6
1918	13.7	21.0	13.7	65.3
1919	14.8	20.7	7.3	72.0
1920	15.6	21.9	6.1	72.0
1921	14.7	19.7	5.3	75.0
1922	13.9	19.2	4.9	75.9
1923	13.3	18.4	4.9	76.7
1924	12.5	16.9	4.9	78.2
1925	12.1	16.6	4.8	78.6
1926	11.6	16.1	4.4	79.5
1927	10.8	14.3	4.6	81.1
1928	10.0	13.6	4.3	82.1
1929	8.8	12.0	4.4	83.6
1930	9.0	11.9	3.9	84.2
1931	7.8	10.2	3.9	85.9
1932	7.3	9.7	3.7	86.6
1933	6.5	8.5	3.6	87.9
1934	6.2	8.0	3.5	88.5
1935	6.1[2]	7.7[2]	3.3[2]	89.0[2]

[1] Exclusive of stillbirths. [2] Allocated.

Table 8

Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.				Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.			
	1935.	1934.	1933.	1932.		1935.	1934.	1933.	1932.
All Ages.	1,069[1]	1,098	1,058	1,046	40 to 44 years	1,245	1,326	1,299	1,219
Under 1 year	1,404	1,320	1,353	1,320	45 to 49 years	1,337	1,382	1,341	1,318
1 year	1,303	1,179	1,241	1,106	50 to 54 years	1,397	1,369	1,353	1,239
2years	1,325	1,278	1,276	1,265	55 to 59 years	1,294	1,345	1,205	1,292
3 years	1,373	1,845	1,493	1,172	60 to 64 years	1,259	1,238	1,148	1,168
4 years	1,479	1,262	1,253	1,375	65 to 69 years	1,084	1,138	1,101	1,041
5 to 9 years	1,443	1,422	1,387	1,187	70 to 74 years	1,015	1,035	1,026	995
10 to 14 years	1,414	1,568	1,290	1,410	75 to 79 years	860	893	885	860
15 to 19 years	1,299	1,433	1,141	1,299	80 to 84 years	753	768	754	780
20 to 24 years	1,033	978	958	956	85 to 89 years	591	645	643	596
25 to 29 years	949	1,029	951	885	90 to 94 years	481	436	520	540
30 to 34 years	1,116	1,142	970	1,037	95 to 99 years	357	320	319	370
35 to 39 years	1,102	1,261	1,080	1,122	100 years and over	240	286	357	333

[1] Allocated.

Table 9

Age Periods and Years.	Deaths[1] of Males and Females at Specified Ages: 1926 to 1935.						
	Both sexes.		Males.		Females.		Female deaths per 1,000 male deaths.
	Number.	Per Cent distribution.	Number.	Per Cent distribution.	Number.	Per Cent distribution.	
All Ages.							
1926	52,888[2]	100.0	26,943	100.0	25,945	100.0	963
1927	49,324[3]	100.0	25,233	100.0	24,091	100.0	955
1928	51,442	100.0	26,082	100.0	25,360	100.0	972
1929	52,171	100.0	26,461	100.0	25,710	100.0	971
1930	49,503[4]	100.0	25,242	100.0	24,261	100.0	961
1931	48,743	100.0	25,021	100.0	23,722	100.0	948
1932	49,531	100.0	25,321	100.0	24,210	100.0	956
1933	50,832	100.0	26,131	100.0	24,701	100.0	945
1934	50,760	100.0	26,569	100.0	24,191	100.0	910
1935	49,634[5]	100.0	25,642	100.0	23,992	100.0	936
Under 1 Year.							
1926	6,130	11.6	3,375	12.5	2,755	10.6	816
1927	5,320	10.8	3,072	12.2	2,248	9.3	732
1928	5,117	10.0	2,886	11.1	2,231	8.8	773
1929	4,592	8.8	2,634	10.0	1,958	7.6	743
1930	4,440	9.0	2,482	9.8	1,958	8.1	789
1931	3,803	7.8	2,174	8.7	1,629	6.9	749
1932	3,635	7.3	2,068	8.2	1,567	6.5	758
1933	3,294	6.5	1,894	7.2	1,400	5.7	739
1934	3,136	6.2	1,784	6.7	1,352	5.6	758
1935	3,014	6.1	1,760	6.9	1,254	5.2	713
Under 5 Years.							
1926	8,503	16.1	4,669	17.3	3,834	14.8	821
1927	7,035	14.3	3,999	15.9	3,036	12.6	759
1928	6,994	13.6	3,869	14.8	3,125	12.3	808
1929	6,279	12.0	3,563	13.5	2,716	10.6	762
1930	5,873	11.9	3,271	13.0	2,602	10.7	795
1931	4,969	10.2	2,810	11.2	2,159	9.1	768
1932	4,787	9.7	2,695	10.6	2,092	8.6	776
1933	4,341	8.5	2,484	9.5	1,857	7.5	748
1934	4,074	8.0	2,316	8.7	1,758	7.3	759
1935	3,809	7.7	2,216	8.6	1,593	6.6	719
20 to 29 Years.							
1926	2,330	4.4	1,070	4.0	1,260	4.8	1,178
1927	2,264	4.6	1,063	4.2	1,201	5.0	1,129
1928	2,190	4.3	1,003	3.9	1,187	4.7	1,183
1929	2,266	4.4	1,117	4.2	1,149	4.5	1,029
1930	1,956	3.9	968	3.8	988	4.1	1,019
1931	1,920	3.9	908	3.6	1,012	4.3	1,115
1932	1,850	3.7	885	3.5	965	4.0	1,090
1933	1,829	3.6	894	3.4	935	3.8	1,046
1934	1,777	3.5	891	3.4	886	3.7	994
1935	1,627	3.3	808	3.2	819	3.4	1,014
All Other Ages.							
1926	42,055[2]	79.5	21,204	78.7	20,851	80.4	983
1927	40,025[3]	81.1	20,171	79.9	19,854	82.4	984
1928	42,258	82.1	21,210	81.3	21,048	83.0	992
1929	43,626	83.6	21,781	82.3	21,845	84.9	1,003
1930	41,674[4]	84.2	21,003	83.2	20,671	85.2	984
1931	41,854	85.9	21,303	85.2	20,551	86.6	965
1932	42,894	86.6	21,741	85.9	21,153	87.4	973
1933	44,662	87.9	22,753	87.1	21,909	88.7	963
1934	44,909	88.5	23,362	87.9	21,547	89.0	922
1935	44,198	89.0	22,618	88.2	21,580	90.0	954

[1] Exclusive of stillbirths.
[2] Includes 11 deaths, age not reported.
[3] Includes 2 deaths, age not reported.
[4] Includes 1 death, age not reported.
[5] Allocated.

Table 10 — Allocated deaths of Persons 100 Years of Age and Over: 1935.

Age at Death. Yrs.	Mos.	Sex.	Place of residence.	Place of birth.	Marital condition.	Date of death.	Name (and maiden name of married and widowed women).
108	–	F.	Fall River	Azores Islands	Widowed	Oct. 17	Maria Joaquin, m.n. Ferreira.
105	–	M.	Boston	Greece	Widowed	Oct. 19	Demetris Marinakis.
105	–	M.	Worcester	Armenia	Married	Oct. 9	Adam Moosjian.
104	7	F.	Holyoke	Deerfield	Single	May 29	Mary E. Nutting.
104	5	F.	Holbrook	Portland, Me.	Widowed	Apr. 15	Mary E. Newton, m.n. Roundy.
104	1	F.	Saugus	Pike, N. Y.	Widowed	Oct. 1	Lucinda M. Hills, m.n. Winslow.
103	4	F.	Hopedale	Salem	Single	Feb. 11	Harriet A. Austin.
103	4	F.	Arlington	Arlington	Widowed	July 29	Abbie E. Dupee, m.n. Teel.
103	1	F.	Nantucket	Nantucket	Widowed	May 24	Lydia C. Cushman, m.n. Morris.
103	–	F.	Boston	Boston	Widowed	Oct. 31	Charlotte White, m.n. Crombie.
103	–	F.	Ludlow	Russia	Widowed	Jan. 20	Mary B. Bezweschin m.n. Barabaez.
102	10	F.	Cambridge	Boston	Single	Oct. 11	Eleanor P. Bigelow.
102	6	F.	Newton	Limington, Me.	Widowed	Mar. 5	Abbie M. Wedger, m.n. Libby.
102	–	F.	Chelsea	Russia	Widowed	Dec. 15	Eva Winer, m.n. Dobroinka.
101	10	F.	North Brookfield	Boylston	Widowed	Apr. 14	Myria B. Bucklin, m.n. Farwell.
101	8	F.	Arlington	Boston	Widowed	Apr. 11	Marianna W. Treadwell, m.n. Weston.
101	5	F.	Greenfield	Greenfield	Widowed	Mar. 17	Eliza Morgan, m.n. Adams.
101	2	F.	Melrose	Chester, N. H.	Widowed	Feb. 25	Rosetta W. Rogers, m.n. Wason.
101	1	M.	Malden	New Brunswick	Widowed	Sept. 24	William L. Macdonald.
101	–	M.	Northampton	Lithuania	Widowed	Aug. 6	Frank Burkowski.
100	10	F.	Great Barrington	Adams	Single	June 29	Jane Perry.
100	9	F.	Lowell	Ireland	Widowed	June 17	Margaret Corbett, m.n. Healey.
100	8	F.	Pittsfield	Buckland	Widowed	Nov. 25	Angeline Cooley, m.n. Pratt.
100	8	M.	Boston	Pennsylvania	Widowed	May 11	James N. Rogers.
100	5	F.	Uxbridge	Nova Scotia	Widowed	Apr. 9	Joanna Bent, m.n. Taylor.
100	2	F.	Marblehead	England	Widowed	Aug. 27	Mary J. Craigie, m.n. Carey.
100	2	F.	Williamsburg	Williamsburg	Widowed	Oct. 23	Jane Richardson, m.n. Hemenway.
100	2	F.	Reading	Kittery, Me.	Widowed	Jan. 28	Mary E. Ayres, m.n. Pierce.
100	1	F.	Haverhill	Lynn	Widowed	Feb. 21	Sarah M. Bachelder, m.n. Shaw.
100	–	F.	Boston	New Bedford	Widowed	Jan. 19	Sarah B. Ross, m.n. Crapo.
100	–	M.	Boston	Russia	Married	Mar. 23	Israel Levitan.

Table 11 — Deaths of Persons 100 Years of Age and Over: 1911 to 1935.

Years.	Total.	Sex. Males.	Sex. Females.	Nativity. Native.	Nativity. Foreign.	Nativity. Unknown.	Marital condition. Single.	Marital condition. Married.	Marital condition. Widowed.	Marital condition. Divorced.	Age of oldest decedent.
1911	17	8	9	8	9	–	1	2	14	–	108
1912	21	6	15	12	9	–	–	–	21	–	112
1913	18	4	14	10	8	–	2	–	16	–	104
1914	20	4	16	7	13	–	–	–	20	–	113
1915	25	10	15	15	10	–	–	3	22	–	105
1916	21	9	12	10	11	–	–	1	20	–	111
1917	29	10	19	15	14	–	4	2	23	–	108
1918	21	7	14	9	12	–	3	–	18	–	112
1919	21	5	16	11	10	–	3	3	15	–	113
1920	16	3	13	8	8	–	–	1	15	–	104
1921	19	4	15	9	10	–	1	1	17	–	107
1922	25	5	20	13	12	–	2	–	23	–	108
1923	23	10	13	9	14	–	–	1	21	1	115
1924	18	3	15	12	6	–	1	–	17	–	109
1925	22	6	16	11	10	1	1	1	20	–	118
1926	27	8	19	18	9	–	4	2	21	–	105
1927	20	4	16	10	10	–	2	2	16	–	105
1928	22	8	14	13	9	–	3	–	19	–	109
1929	28	7	21	14	14	–	4	–	24	–	108
1930	25	3	22	14	11	–	3	–	22	–	107
1931	23	5	18	15	8	–	3	1	19	–	106
1932	20	5	15	10	10	–	2	–	18	–	116
1933	19	5	14	11	8	–	3	–	16	–	105
1934	18	4	14	8	10	–	–	–	18	–	117
1935[1]	31	6	25	20	11	–	4	2	25	–	108

[1] Allocated.

Table 12

Age at Death.	Allocated deaths by Sex, Age, and Marital Condition: 1935.												
		Males.						Females.					
	Both Sexes.	Total.	Single.	Married.	Widowed.	Divorced.	Unknown.	Total.	Single.	Married.	Widowed.	Divorced.	Unknown.
The State.													
15 Years and Over.	**44,851**	**22,853**	**4,476**	**12,823**	**5,112**	**351**	**91**	**21,998**	**4,001**	**8,272**	**9,447**	**268**	**10**
15 to 19 years .	616	348	347	1	–	–	–	268	241	27	–	–	–
20 to 29 years .	1,627	808	601	197	3	5	2	819	390	410	7	11	1
30 to 39 years .	2,405	1,264	442	761	32	21	8	1,141	215	856	38	31	1
40 to 49 years .	4,488	2,534	579	1,757	131	55	12	1,954	325	1,364	216	48	1
50 to 59 years .	7,001	4,007	734	2,749	415	86	23	2,994	449	1,831	668	46	–
60 to 69 years .	11,083	5,955	883	3,766	1,190	98	18	5,128	832	2,183	2,049	60	4
70 to 79 years .	10,964	5,308	649	2,741	1,830	66	22	5,656	917	1,329	3,361	47	2
80 years and over	6,667	2,629	241	851	1,511	20	6	4,038	632	272	3,108	25	1
Boston.													
15 Years and Over.	**9,266**	**4,876**	**1,258**	**2,511**	**972**	**92**	**43**	**4,390**	**958**	**1,569**	**1,801**	**54**	**8**
15 to 19 years .	130	69	69	–	–	–	–	61	52	9	–	–	–
20 to 29 years .	363	186	141	42	–	3	–	177	89	82	2	3	1
30 to 39 years .	598	334	132	181	13	3	5	264	63	187	10	3	1
40 to 49 years .	1,068	622	169	390	44	11	8	446	79	282	73	11	1
50 to 59 years .	1,625	954	232	589	94	28	11	671	103	373	183	12	–
60 to 69 years .	2,449	1,356	294	744	278	29	11	1,093	213	379	486	11	4
70 to 79 years .	2,031	996	174	447	355	14	6	1,035	230	210	584	10	1
80 years and over	1,002	359	47	118	188	4	2	643	129	47	463	4	–

Table 13

Counties and Cities having over 50,000 Inhabitants in 1935 (Grouped in order of population).	Allocated deaths,[1] in Counties and in Cities having over 50,000 Inhabitants, by Months: 1935.												
	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**49,634**	**5,130**	**4,508**	**4,673**	**4,512**	**4,270**	**3,808**	**3,642**	**3,394**	**3,571**	**3,925**	**3,741**	**4,460**
Average daily number of deaths.	136	165	161	151	150	138	127	117	109	119	127	125	144
Counties.													
Middlesex	10,494	1,074	975	956	910	892	818	744	727	760	888	800	950
Suffolk	11,179	1,153	969	1,066	1,039	952	859	799	805	767	851	869	1,050
Essex	5,899	645	579	538	526	534	419	440	410	405	452	447	504
Worcester	5,515	610	465	533	515	476	423	409	363	418	410	431	462
Bristol	4,246	430	391	419	376	374	340	314	287	315	349	259	392
Hampden	3,436	345	277	314	357	280	259	268	226	234	296	265	315
Norfolk	3,340	325	328	292	282	301	256	230	234	255	256	273	308
Plymouth	2,100	200	190	222	182	181	165	171	133	163	159	146	188
Berkshire	1,339	130	130	129	129	98	97	108	68	116	115	105	114
Hampshire	807	74	64	82	76	74	76	61	54	58	59	67	62
Franklin	619	78	74	55	50	46	45	53	48	42	47	27	54
Barnstable	511	52	56	46	51	46	42	33	35	33	32	38	47
Dukes	88	12	5	11	13	6	4	9	3	3	5	8	9
Nantucket	61	2	5	10	6	10	5	3	1	2	6	6	5
Cities over 100,000.													
Boston	10,227	1,052	880	969	954	874	791	743	739	703	774	797	951
Worcester	2,129	242	171	220	216	183	152	128	141	164	159	174	179
Springfield	1,581	159	114	142	169	128	134	122	98	101	133	132	149
Cambridge	1,378	143	111	119	106	123	115	86	108	115	113	110	129
Fall River	1,338	125	122	144	114	108	112	107	90	90	125	79	122
New Bedford	1,267	150	105	120	111	114	99	100	92	85	104	81	106
Lynn	1,141	122	109	101	101	104	74	96	71	83	100	80	100
Somerville	1,083	115	95	108	100	102	72	69	76	68	96	92	90
Lowell	1,302	143	115	123	105	117	104	74	91	102	99	103	126
Cities 50,000 to 100,000.													
Lawrence	976	103	97	112	81	84	66	66	63	71	73	79	81
Quincy	738	68	64	65	53	66	58	59	60	46	58	81	60
Newton	675	71	56	67	60	41	46	42	50	46	79	62	55
Brockton	733	66	75	76	66	51	56	67	45	64	51	48	68
Medford	595	57	66	49	41	38	72	47	34	50	50	43	48
Malden	614	62	59	46	61	53	47	59	34	41	57	39	56
Holyoke	650	65	58	62	67	45	43	52	42	46	64	50	56

[1] Exclusive of stillbirths.

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	49,634	5,130	4,508	4,673	4,512	4,270	3,808	3,642	3,394	3,571	3,925	3,741	4,460
		M	25,642	2,657	2,257	2,379	2,309	2,203	1,962	1,903	1,812	1,921	2,045	1,963	2,231
		F	23,992	2,473	2,251	2,294	2,203	2,067	1,846	1,739	1,582	1,650	1,880	1,778	2,229
I.	Infectious and Parasitic Diseases	T	2,954	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,706	177	170	177	154	144	133	128	126	122	114	104	157
		F	1,248	131	119	111	123	107	105	101	91	67	95	88	110
1	Typhoid fever	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	–	1	–	1	1	2	–	–	–
		F	4	–	–	–	–	1	1	1	–	–	–	1	–
2	Paratyphoid fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Typhus fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Relapsing fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Undulant fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Smallpox	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Measles	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	–	1	7	1	2	4	–	–	–	–	–	1
		F	21	2	3	1	6	5	3	–	–	–	–	–	1
8	Scarlet fever	T	57	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	2	4	3	2	2	5	1	–	1	1	–	3
		F	33	5	3	6	4	2	4	3	–	1	1	2	2
9	Whooping cough	T	67	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	5	6	4	3	4	2	2	3	–	–	3	2
		F	33	3	3	3	7	3	3	3	2	2	1	1	2
10	Diphtheria	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	3	–	–	2	2	–	–	2	–	–	2	–
		F	15	3	–	–	–	1	1	1	1	–	–	3	5
11	Influenza	T	322	–	–	–	–	–	–	–	–	–	–	–	–
		M	161	42	32	19	24	10	4	5	1	2	7	6	9
		F	161	42	30	19	14	16	10	4	3	1	4	6	12
11a	With respiratory complications specified	T	241	–	–	–	–	–	–	–	–	–	–	–	–
		M	113	32	21	14	19	9	1	2	1	–	6	3	5
		F	128	37	23	15	11	15	8	3	1	1	3	3	8
11b	Without respiratory complications specified	T	81	–	–	–	–	–	–	–	–	–	–	–	–
		M	48	10	11	5	5	1	3	3	–	2	1	3	4
		F	33	5	7	4	3	1	2	1	2	–	1	3	4
12	Cholera	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	1	–	1	–	–	–	1	2	–	–
		F	3	–	–	–	–	–	1	1	–	1	–	–	–
13a	Amebic	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
13b	Bacillary	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	1	–	1	–	–	–	1	1	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
13c	Unspecified or due to other causes	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	1	1	–	–	–	–	–
14	Plague	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	T	77	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	3	4	4	4	4	4	2	1	–	–	5	7
		F	39	4	4	5	3	4	5	1	3	5	–	2	3
16	Acute poliomyelitis	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	–	–	–	–	2	–	–	11	12	4	2	3
		F	27	–	–	1	–	–	1	1	9	6	3	4	2
17	Lethargic or epidemic encephalitis	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	–	–	2	–	1	1	1	1	–	–	2
		F	7	–	1	–	1	–	2	–	1	–	–	1	1
18	Epidemic cerebrospinal meningitis	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	4	4	2	1	3	3	1	4	2	2	1	3
		F	25	1	2	–	3	2	–	–	1	3	3	2	8
19	Glanders	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	3,014	357	179	140	119	513	461	616	1,627	2,405	4,488	7,001	11,083	10,964	5,719	917	31	-
	1,760	202	102	81	71	303	270	348	808	1,264	2,534	4,007	5,955	5,308	2,336	287	6	-
	1,254	155	77	59	48	210	191	268	819	1,141	1,954	2,994	5,128	5,656	3,383	630	25	-
1.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	77	44	21	22	12	40	37	51	181	265	323	289	218	98	24	4	-	-
	67	34	14	21	12	48	34	81	239	186	172	111	92	96	33	8	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	-	2	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	5	3	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	3	5	1	3	1	6	1	-	-	-	-	-	1	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	1	2	2	9	4	1	-	-	1	1	-	-	-	-	-	-
	1	3	2	3	5	9	3	3	2	2	-	-	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	20	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	1	2	1	5	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	1	3	-	5	-	-	1	-	2	1	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	15	11	4	4	1	2	5	4	5	6	17	27	22	24	11	3	-	-
	9	9	3	1	1	2	3	-	10	10	12	13	15	44	24	5	-	-
11a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	3	2	4	-	1	3	3	5	3	16	20	17	20	5	3	-	-
	8	5	2	-	1	2	3	-	7	8	11	13	14	31	19	4	-	-
11b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	8	2	-	1	1	2	1	-	3	1	7	5	4	6	-	-	-
	1	4	1	1	-	-	-	-	3	2	1	-	1	13	5	1	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
13a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
13c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	4	-	1	-	-	1	1	1	2	2	2	7	6	5	-	-	-
	11	-	-	1	-	-	1	1	3	2	1	5	5	6	2	1	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	-	3	-	12	9	4	2	1	-	-	-	-	-	-	-	-
	2	-	-	2	1	7	8	-	4	3	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	-	1	3	1	1	1	-	-	-	-	-
	1	-	-	-	-	1	-	1	-	1	1	2	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	3	2	2	1	1	-	2	5	4	1	-	1	-	-	-	-	-
	5	1	2	-	-	2	5	2	1	1	2	3	1	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
20	Anthrax	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Rabies	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	3	–	–	–	1	2	3	1	1	1	1	–
		F	7	–	–	–	1	–	–	1	–	–	2	3	–
23–32	Tuberculosis (total)	T	1,961	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,175	100	106	120	104	100	93	102	88	93	87	75	107
		F	786	62	66	71	74	62	70	77	64	44	72	59	65
23	Tuberculosis of the respiratory system	T	1,813	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,103	96	99	110	100	93	88	96	82	86	81	70	102
		F	710	58	61	62	66	58	57	71	54	39	67	55	62
24	Tuberculosis of the meninges and central nervous system	T	51	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	2	3	5	1	5	1	4	1	4	3	–	1
		F	21	2	1	1	2	3	5	1	3	2	–	1	–
25	Tuberculosis of the intestines and peritoneum	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	–	3	–	–	2	1	1	2	1	1	1
		F	21	–	1	1	3	–	4	2	5	1	1	3	–
26	Tuberculosis of the vertebral column	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	2	2	–	2	–	–	1	1	–	–	1
		F	11	1	1	–	1	–	2	2	–	1	3	–	–
27	Tuberculosis of the bones and joints (vertebral column excepted)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	6	–	–	2	1	–	1	–	–	1	–	–	1
27a	Bones	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	1	1	–	1	–	–	–	–	–	1
27b	Joints	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	1	–	–	–	–	–	1	–	–	–
28	Tuberculosis of the skin and subcutaneous cellular tissue	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
29	Tuberculosis of the lymphatic system (bronchial, mesenteric and retroperitoneal glands excepted)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	1	–	–	–	–	–	–	–	–
		F	5	–	–	2	–	–	–	–	1	–	1	–	1
30	Tuberculosis of the genitourinary system	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	1	–	2	–	2	1	3	–	–	4	–
		F	7	–	1	3	1	–	1	1	–	–	–	–	–
31	Tuberculosis of other organs	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	–	–	1
32	Disseminated tuberculosis	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–	2	–	2
		F	2	–	1	–	–	1	–	–	–	–	–	–	–
32a	Acute	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	–	1	–	2
		F	2	–	1	–	–	1	–	–	–	–	–	–	–
32b	Chronic	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
32c	Unspecified	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Leprosy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	T	177	–	–	–	–	–	–	–	–	–	–	–	–
		M	118	11	10	12	8	10	11	7	12	6	6	9	16
		F	59	7	6	3	8	8	2	3	6	2	5	3	6
34a	Congenital	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	3	1	–	2	1	1	–	–	1	–	1
		F	8	1	2	–	–	1	–	–	2	–	1	–	1
34b	Acquired	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	3	1	–	–	1	1	–	–	–	–	–	–	–
34c	Unspecified	T	155	–	–	–	–	–	–	–	–	–	–	–	–
		M	107	11	7	11	8	7	10	6	12	6	5	9	15
		F	48	5	4	3	7	6	2	3	4	2	4	3	5
35	Gonococcus infection and other venereal diseases	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	1	–	–
		F	5	–	–	–	1	–	–	1	–	–	1	–	2
36	Purulent infection, septicemia, nonpuerperal	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	1	1	1	–	2	–	2
		F	10	1	1	2	–	2	1	2	–	1	–	–	–

EACH CAUSE AND CLASS OF CAUSES, according to the DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	4	1	–	–	3	1	1	1	–	–	–	–
	1	–	–	1	–	3	–	–	1	–	–	1	–	–	–	–	–	–
23-32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	7	8	2	5	5	9	34	161	239	270	222	145	57	7	–	–	–
	3	5	2	3	1	8	13	72	212	156	135	70	57	42	6	1	–	–
23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	4	3	1	1	1	5	26	155	230	262	215	140	52	7	–	–	–
	–	5	1	1	–	4	12	63	200	144	122	65	51	37	4	1	–	–
24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	3	4	–	3	2	1	2	–	4	2	1	4	1	–	–	–	–
	2	–	1	2	1	2	–	5	3	3	1	–	1	–	–	–	–	–
25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	2	–	3	2	–	3	–	–	–	–	–	–
	–	–	–	–	–	2	–	2	3	5	7	–	1	1	–	–	–	–
26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	4	1	2	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	2	1	3	2	1	–	1	–	–	–
27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	2	–	1	1	–	–	–	–
27a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–
27b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	1	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–
30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	2	1	5	1	1	2	–	–	–	–
	–	–	–	–	–	–	–	1	–	1	–	1	1	3	–	–	–	–
31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
32a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
32b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	1	–	–	–	–	–	–	4	6	24	30	35	8	1	–	–	–
	7	1	–	–	–	–	–	–	4	7	12	11	13	3	1	–	–	–
34a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
34c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	4	6	24	29	35	8	1	–	–	–
	–	–	–	–	–	–	–	–	3	6	11	11	13	3	1	–	–	–
35	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	1	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–
36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	1	–	2	1	1	–	–	–	–
	–	–	–	–	1	1	–	1	–	2	2	3	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
37	Yellow fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Malaria	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
39	Other diseases due to protozoal parasites	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
40	Ankylostomiasis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Hydatid cysts	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
41a	Of the liver	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
41b	Of other organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
42	Other diseases caused by Helminths	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	1	–	1	1	–	–
43	Mycoses	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	1	1	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
44	Other infectious and parasitic diseases	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	–	3	3	–	2	1	–	–	–	–	1
		F	9	1	–	–	1	1	1	1	1	–	2	–	1
44a	Chicken-pox	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	–	–	1	–	–	–	–	–	1
		F	5	1	–	–	–	1	–	1	–	–	1	–	1
44b	German measles	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	2	2	–	1	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
44c	Others under this title	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	4	–	–	–	1	–	1	–	1	–	1	–	–
II.	Cancers and Other Tumors	T	6,590	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,850	252	220	250	247	260	214	226	251	232	239	223	236
		F	3,740	299	279	351	306	294	311	339	295	294	350	310	312
45–53	Cancer and other malignant tumors (total)	T	6,351	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,771	245	210	246	241	252	208	222	241	228	233	219	226
		F	3,580	287	267	338	291	284	297	330	276	286	336	291	297
45	Cancer and other malignant tumors of the buccal cavity and pharynx	T	236	–	–	–	–	–	–	–	–	–	–	–	–
		M	199	14	21	20	24	18	16	12	16	14	11	18	15
		F	37	2	6	3	2	2	3	2	1	5	3	3	5
45a	Lip	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	2	2	4	2	1	5	2	1	2	3	4	2
		F	3	–	1	–	–	–	–	–	–	–	1	–	1
45b	Tongue	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	51	3	1	6	6	8	3	2	5	5	1	7	4
		F	9	–	2	–	–	1	1	1	–	2	–	1	1
45c	Mouth	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	–	4	3	3	1	1	2	3	2	1	1	–
		F	6	–	1	2	–	–	1	1	–	–	1	–	–
45d	Jaw	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	1	2	3	6	2	3	2	4	–	2	1	3
		F	6	1	–	1	1	1	–	–	1	–	–	–	1
45e	Other and unspecified parts of buccal cavity	T	56	–	–	–	–	–	–	–	–	–	–	–	–
		M	48	4	8	3	4	5	4	4	3	4	4	4	1
		F	8	1	1	–	–	–	–	–	–	3	1	1	1
45f	Pharynx	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	4	4	1	3	1	–	–	–	1	–	1	5
		F	5	–	1	–	1	–	1	–	–	–	–	1	1
46	Cancer and other malignant tumors of the digestive tract and peritoneum	T	3,174	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,604	134	120	127	150	142	124	140	137	138	137	126	129
		F	1,570	119	116	153	139	131	124	147	125	124	149	128	115
46a	Esophagus	T	134	–	–	–	–	–	–	–	–	–	–	–	–
		M	109	10	6	4	12	8	4	10	7	16	13	11	8
		F	25	1	–	5	3	2	–	–	1	2	4	4	3
46b	Stomach and duodenum	T	1,138	–	–	–	–	–	–	–	–	–	–	–	–
		M	660	53	49	62	56	67	57	60	52	51	56	54	43
		F	478	35	41	53	37	39	27	44	36	42	48	45	31
46c	Intestine (except rectum and anus)	T	883	–	–	–	–	–	–	–	–	–	–	–	–
		M	361	32	32	30	32	25	23	40	31	34	28	23	31
		F	522	43	43	42	47	38	49	43	39	40	53	46	39

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	-	1	1	2	1	1	-	-	1	-	-	-	-	1	-	-
	3	-	-	2	-	3	-	-	-	-	-	-	-	-	-	1	-	-
44a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	-
II.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	2	3	1	8	6	10	26	62	269	570	915	777	191	7	-	-
	3	2	2	2	3	8	7	4	42	157	492	773	1,082	843	290	30	-	-
45–53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	1	2	1	3	3	6	19	56	252	554	902	772	190	7	-	-
	2	1	1	2	2	5	5	3	35	136	441	739	1,061	833	284	30	-	-
45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	1	1	2	8	43	65	60	17	1	-	-
	-	-	-	-	-	-	-	-	-	-	2	6	14	11	4	-	-	-
45a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	4	10	14	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
45b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	13	19	11	5	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	-	-	-
45c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	6	4	8	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-
45d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	5	8	13	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	-	-	-
45e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	1	8	22	10	6	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	-	-	-
45f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	1	7	2	4	2	1	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-
46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	1	-	1	3	32	149	327	531	449	106	3	-	-
	-	-	-	-	-	-	1	-	8	31	133	273	488	462	163	11	-	-
46a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	6	22	50	26	4	1	-	-
	-	-	-	-	-	-	-	-	-	-	5	5	7	5	3	-	-	-
46b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	9	68	141	217	178	45	1	-	-
	-	-	-	-	-	-	-	-	2	8	46	75	156	139	49	3	-	-
46c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	15	27	70	108	115	25	1	-	-
	-	-	-	-	-	-	-	-	5	12	38	90	153	153	63	8	-	-

Detailed Int. List No.	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total	January	February	March	April	May	June	July	August	September	October	November	December
46d	Rectum and anus	T	371	–	–	–	–	–	–	–	–	–	–	–	–
		M	203	19	13	16	22	17	19	12	18	17	15	16	19
		F	168	12	8	18	17	21	13	15	16	12	15	10	11
46e	Liver and biliary passages	T	393	–	–	–	–	–	–	–	–	–	–	–	–
		M	138	11	10	7	16	10	10	13	16	10	15	10	10
		F	255	16	18	22	23	22	20	32	22	16	23	18	23
46f	Pancreas	T	238	–	–	–	–	–	–	–	–	–	–	–	–
		M	127	8	10	8	11	14	11	4	13	10	10	12	16
		F	111	10	5	11	11	9	14	12	10	11	6	5	7
46g	Peritoneum	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	–	1	–	1	–	–	–	–	2
		F	10	1	1	2	1	–	1	1	1	1	–	–	1
46h	Others	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
47	Cancer and other malignant tumors of the respiratory system	T	294	–	–	–	–	–	–	–	–	–	–	–	–
		M	209	17	16	18	15	21	21	16	12	12	23	16	22
		F	85	5	9	9	7	7	8	6	10	5	8	7	4
47a	Larynx	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	3	6	5	4	7	2	4	2	4	6	3	–
		F	14	2	3	–	–	1	–	2	1	2	1	1	1
47b	Lungs and pleura	T	212	–	–	–	–	–	–	–	–	–	–	–	–
		M	150	13	10	11	10	14	17	9	8	7	17	13	21
		F	62	–	4	8	6	4	8	4	9	3	7	6	3
47c	Others	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	–	2	1	–	2	3	2	1	–	–	1
		F	9	3	2	1	1	2	–	–	–	–	–	–	–
48	Cancer and other malignant tumors of the uterus	T	650	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	650	52	50	66	47	46	55	62	52	48	57	56	59
49	Cancer and other malignant tumors of other female genital organs	T	191	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	191	17	18	14	14	11	22	23	12	22	19	8	11
49a	Ovary and Fallopian tube	T	169	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	169	15	17	11	12	11	20	19	8	21	18	7	10
49b	Vagina and vulva	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	21	2	1	3	2	–	2	4	4	1	1	–	1
49c	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
50	Cancer and other malignant tumors of the breast	T	674	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	2	1	–	–	–	2	2	2	–	–	–
		F	665	62	43	64	51	58	46	55	46	58	63	54	65
51	Cancer and other malignant tumors of the male genito-urinary organs	T	496	–	–	–	–	–	–	–	–	–	–	–	–
		M	496	57	27	52	34	45	33	31	53	38	44	38	44
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51a	Kidneys and suprarenals (male)	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	6	3	7	2	4	–	4	3	1	5	4	5
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51b	Bladder (male)	T	133	–	–	–	–	–	–	–	–	–	–	–	–
		M	133	17	10	11	10	12	9	7	12	15	8	9	13
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51c	Prostate	T	290	–	–	–	–	–	–	–	–	–	–	–	–
		M	290	33	12	29	20	25	19	18	37	20	29	23	25
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	Testes	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	1	2	–	3	2	2	1	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51e	Scrotum	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51f	Others	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	1	2	2	1	3	–	–	2	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Cancer and other malignant tumors of the skin	T	88	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	5	6	6	1	7	1	6	1	3	4	1	3
		F	44	3	4	2	–	3	1	5	5	2	6	7	6
53	Cancer and other malignant tumors of other or unspecified organs	T	548	–	–	–	–	–	–	–	–	–	–	–	–
		M	210	18	18	22	17	19	13	15	20	21	14	20	13
		F	338	27	21	27	31	26	38	30	25	22	31	28	32
53a	Kidneys and suprarenals (female)	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	42	4	2	–	4	7	4	3	–	3	5	3	7
53b	Bladder (female)	T	73	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	73	4	8	8	4	8	6	3	5	7	5	9	6

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
46d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	3	17	32	72	64	13	-	-	-
	-	-	-	-	-	-	1	-	-	6	20	36	43	48	14	-	-	-
46e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	1	-	-	1	1	15	32	37	37	13	-	-	-
	-	-	-	-	-	-	-	-	-	4	18	45	85	79	24	-	-	-
46f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	2	15	30	44	29	6	-	-	-
	-	-	-	-	-	-	-	-	1	1	4	16	42	37	10	-	-	-
46g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	5	2	1	-	-	-	-
46h	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	4	3	31	56	78	35	2	-	-	-
	-	-	-	-	-	-	2	-	1	4	14	19	25	15	4	1	-	-
47a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	4	9	17	15	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	5	6	-	-	-	-
47b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	4	3	24	41	60	17	1	-	-	-
	-	-	-	-	-	-	1	-	1	3	14	15	19	5	3	1	-	-
47c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	6	1	3	-	-	-	-
	-	-	-	-	-	-	1	-	-	1	-	1	1	4	1	-	-	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	8	42	113	155	177	124	29	2	-	-
49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	2	-	-	3	16	37	52	49	20	10	1	-	-
49a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	2	-	-	3	16	35	49	43	15	5	-	-	-
49b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	3	5	5	5	1	-	-
49c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	3	2	-	3	-	-	-
	-	-	-	-	-	-	-	-	4	25	100	172	197	126	34	7	-	-
51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	1	-	1	-	6	7	22	81	155	178	40	3	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	1	-	-	-	-	2	7	13	11	8	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	8	34	36	40	12	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	2	31	101	126	27	2	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	6	2	4	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	2	5	4	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	3	12	18	9	-	-	-
	-	-	-	-	-	-	-	-	-	1	3	1	10	13	11	5	-	-
53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	2	2	4	5	12	39	41	59	32	13	-	-	-
	2	1	1	1	2	3	2	3	11	17	39	61	101	62	29	3	-	-
53a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	-	1	-	-	-	-	1	-	5	10	15	5	2	-	-	-
53b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	13	25	22	10	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total	January	February	March	April	May	June	July	August	September	October	November	December
				Months.											
53c	Brain	T	69	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	3	3	2	2	2	2	2	1	5	4	6	4
		F	33	5	2	3	2	3	4	2	4	–	3	3	2
53d	Bones (except jaw)	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	3	1	2	–	1	–	–	5	3	2	3	–
		F	23	2	–	3	2	1	2	2	4	2	2	2	1
53e	Others	T	321	–	–	–	–	–	–	–	–	–	–	–	–
		M	154	12	14	18	15	16	11	13	14	13	8	11	9
		F	167	12	9	13	19	7	22	20	12	10	16	11	16
54	Nonmalignant tumors	T	160	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	5	7	1	2	6	3	1	6	1	3	2	7
		F	116	11	10	9	12	7	7	4	12	6	11	16	11
54a	Of the ovary	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
54b	Of the uterus	T	70	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	70	9	3	7	7	6	3	3	8	4	5	9	6
54c	Of other female genital organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
54d	Of the brain	T	57	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	4	5	–	1	4	2	1	3	1	3	–	7
		F	26	–	4	–	2	1	2	1	3	1	3	6	3
54e	Of other organs	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	2	1	1	2	1	–	3	–	–	2	–
		F	20	2	3	2	3	–	2	–	1	1	3	1	2
55	Tumors of which the nature is not specified	T	79	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	2	3	3	4	2	3	3	4	3	3	2	3
		F	44	1	2	4	3	3	7	5	7	2	3	3	4
55a	Of the ovary	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
55b	Of the uterus	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	13	1	–	1	1	2	3	2	1	–	1	–	1
55c	Of other female genital organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
55d	Of the brain	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	1	2	1	4	2	2	3	3	3	1	2	2
		F	17	–	1	3	2	1	1	3	4	–	1	1	–
55e	Of other organs	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	1	2	–	–	1	–	1	–	2	–	1
		F	13	–	–	–	–	–	3	–	2	2	1	2	3
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	1,573	–	–	–	–	–	–	–	–	–	–	–	–
		M	537	45	53	52	58	43	44	37	41	39	42	39	44
		F	1,036	117	92	89	108	107	86	72	56	74	72	77	86
56	Acute rheumatic fever	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	1	1	3	2	1	3	2	4	2	1	1	–
		F	33	–	1	3	5	4	4	3	2	1	6	2	2
57	Chronic rheumatism, osteoarthritis	T	81	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	2	3	–	–	–	9	–	–	4	3	1	1
		F	58	7	9	3	4	4	8	7	4	2	4	1	5
58	Gout	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
59	Diabetes mellitus	T	1,303	–	–	–	–	–	–	–	–	–	–	–	–
		M	432	36	44	39	52	39	27	32	32	26	33	32	40
		F	871	101	76	78	90	87	65	58	46	68	55	71	76
60	Scurvy	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	2	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
61	Beriberi	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
62	Pellagra	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	1	–	–	2	1	1	–	–	–
		F	11	–	–	–	3	1	1	2	2	–	–	–	2
63	Rickets	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	1	–	–	–	1	–	1
		F	2	–	–	–	–	1	1	–	–	–	–	–	–
64	Osteomalacia	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
53c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	1	2	3	14	8	3	3	-	-	-	-
	-	-	1	-	-	1	1	1	3	6	7	7	3	1	2	-	-	-
53d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	2	1	2	2	1	9	2	-	-	-	-
	-	-	-	-	1	1	1	-	2	-	4	2	7	4	1	-	-	-
53e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	1	-	1	2	7	23	32	47	27	13	-	-	-
	-	-	-	-	1	1	-	2	5	10	21	29	51	30	14	3	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	3	1	3	7	2	13	6	7	1	-	-	-	-
	1	1	1	-	1	1	-	1	5	17	43	23	15	5	2	-	-	-
54a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	3	11	35	11	6	2	1	-	-	-
54c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	-	3	6	1	10	5	4	-	-	-	-	-
	-	-	-	-	-	1	-	1	2	4	5	8	4	1	-	-	-	-
54e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	1	1	-	1	1	3	1	3	1	-	-	-	-
	1	-	1	-	1	-	-	-	-	2	3	4	5	2	1	-	-	-
55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	2	2	1	-	4	4	10	6	4	1	-	-	-
	-	-	-	-	-	2	2	-	2	4	8	11	6	5	4	-	-	-
55a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
55b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	3	3	4	-	-	-	-
55c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	2	1	-	4	2	10	4	1	1	-	-	-
	-	-	-	-	-	2	2	-	2	4	2	4	1	-	-	-	-	-
55e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	-	-	-	-	2	-	2	3	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	3	2	1	4	-	-	-
III.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	32	2	1	2	1	5	9	10	6	21	38	89	149	126	45	1	-	-
	12	3	2	-	1	10	9	7	23	25	55	159	357	280	87	6	-	-
56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	4	4	5	-	2	1	2	2	-	1	-	-	-
	-	-	-	-	1	5	6	2	9	3	2	2	2	1	-	-	-	-
57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	2	1	4	6	5	3	-	-	-
	-	-	-	-	-	3	-	-	-	2	4	3	10	18	17	1	-	-
58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	-	-	5	4	5	11	30	75	139	119	41	1	-	-
	-	-	1	-	-	1	1	4	8	11	37	140	337	257	69	5	-	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	3	1	3	2	-	-	-	-	-
63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
65	Diseases of the pituitary body	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
66	Diseases of the thyroid and parathyroid glands	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	3	2	2	–	1	–	–	3	–	–	1
		F	40	3	6	4	3	7	6	1	2	1	5	2	–
66a	Simple goiter	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	1	–	1	–	–	–	–	–	–
		F	5	–	1	–	1	1	1	–	–	–	–	1	–
66b	Exophthalmic goiter	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	2	1	–	–	–	–	3	–	–	1
		F	29	3	3	3	1	5	4	1	2	1	5	1	–
66c	Myxedema and cretinism	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	2	–	–	–	–	–	–	–	–	–	–
		F	5	–	1	1	1	1	1	–	–	–	–	–	–
66d	Tetany	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
66e	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
67	Diseases of the thymus gland	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	5	1	6	1	1	1	1	1	2	3	4	2
		F	12	3	–	1	3	2	–	–	–	1	1	1	–
68	Diseases of the adrenals (Addison's disease, not specified as tuberculous)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	–	1	1	–	1	1	–	–	–
		F	5	2	–	–	–	–	–	–	–	1	1	–	1
69	Other general diseases	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	1	1	–	2	–	–	–	–
		F	3	–	–	–	–	1	1	1	–	–	–	–	–
IV.	Diseases of the Blood and Bloodmaking Organs	T	392	–	–	–	–	–	–	–	–	–	–	–	–
		M	200	20	15	23	20	12	14	13	14	21	16	12	20
		F	192	26	15	17	12	24	14	8	13	12	12	19	20
70	Hemorrhagic conditions	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	4	1	–	3	–	1	–	1	2	1	–	–
		F	5	1	–	1	–	–	1	–	1	–	1	–	–
70a	Primary purpuras	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	1	–	2	–	1	–	1	1	–	–	–
		F	3	–	–	–	–	–	1	–	1	–	1	–	–
70b	Hemophilia	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	–	–	1	–	–	–	–	1	1	–	–
		F	2	1	–	1	–	–	–	–	–	–	–	–	–
71	Anemias	T	111	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	1	3	5	6	2	5	8	3	4	6	3	3
		F	62	8	1	4	7	10	4	1	6	2	3	9	7
71a	Pernicious anemia	T	97	–	–	–	–	–	–	–	–	–	–	–	–
		M	42	–	3	5	6	2	2	8	2	3	6	2	3
		F	55	6	1	4	7	10	4	1	5	1	3	6	7
71b	Others	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	–	–	–	3	–	1	1	–	1	–
		F	7	2	–	–	–	–	–	–	1	1	–	3	–
72	Leukemias and pseudoleukemias	T	239	–	–	–	–	–	–	–	–	–	–	–	–
		M	126	13	10	18	10	9	8	4	10	15	9	5	15
		F	113	17	13	9	4	12	8	7	6	8	8	9	12
72a	True leukemias	T	163	–	–	–	–	–	–	–	–	–	–	–	–
		M	82	9	7	12	7	8	5	3	7	10	2	2	10
		F	81	13	13	6	3	9	4	7	5	6	2	6	7
72b	Pseudoleukemias (Hodgkin's disease)	T	76	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	4	3	6	3	1	3	1	3	5	7	3	5
		F	32	4	–	3	1	3	4	–	1	2	6	3	5
73	Diseases of the spleen	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	–	–	1	1	–	1	–	–	–	2	1
		F	7	–	1	2	–	1	–	–	–	2	–	1	–
74	Other diseases of the blood and bloodmaking organs	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	–	–	–	–	–	2	1
		F	5	–	–	1	1	1	1	–	–	–	–	–	1
V.	Chronic Poisonings and Intoxications	T	223	–	–	–	–	–	–	–	–	–	–	–	–
		M	179	14	10	16	22	21	18	17	13	18	10	10	10
		F	44	5	5	6	2	5	8	1	3	4	3	–	2
75	Alcoholism (acute or chronic)	T	209	–	–	–	–	–	–	–	–	–	–	–	–
		M	169	14	10	15	20	19	17	14	13	18	10	9	10
		F	40	5	5	4	2	5	7	1	2	4	3	–	2
76	Chronic poisoning by other organic substances	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	–	1	2	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
76a	Occupational	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	4	5	1	1	-	-	-	-
	1	-	-	-	-	-	1	1	3	5	10	9	5	4	1	-	-	-
66a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-
66b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	3	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	1	3	5	10	6	1	2	1	-	-	-
66c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-	-	-
66d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	27	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-
69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9	3	3	5	4	8	7	8	12	16	29	25	45	20	5	1	-	-
	4	2	-	4	4	4	10	10	14	13	17	28	41	33	6	2	-	-
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	1	1	1	-	-	1	2	-	-	-	1	-	-	-	-	-	-
	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
70a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
70b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	1	-	-	2	1	1	-	-	4	4	18	12	2	1	-	-
	1	-	-	-	-	1	2	3	5	2	4	8	16	14	5	1	-	-
71a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	2	1	1	-	-	3	3	17	10	2	1	-	-
	1	-	-	-	-	1	2	2	3	2	4	7	16	14	3	-	-	-
71b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-
	-	-	-	-	-	-	-	1	2	-	-	1	-	-	2	1	-	-
72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	4	4	5	4	4	11	15	24	17	25	8	3	-	-	-
	2	2	-	4	4	3	6	6	6	10	10	16	25	17	1	1	-	-
72a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	4	3	5	3	3	4	6	18	9	19	5	1	-	-	-
	2	2	-	4	4	3	4	5	1	7	8	8	18	13	1	1	-	-
72b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	1	1	7	9	6	8	6	3	2	-	-	-
	-	-	-	-	-	-	2	1	5	3	2	8	7	4	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	1	1	1	1	1	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	1	2	-	1	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	-	-
V.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	1	-	-	-	-	5	32	41	50	42	5	1	-	-	-
	-	2	-	-	1	-	-	-	2	11	13	9	5	1	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	5	32	39	48	40	5	-	-	-	-
	-	-	-	-	-	-	-	-	2	11	12	9	5	1	-	-	-	-
76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
76a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total	January	February	March	April	May	June	July	August	September	October	November	December
76b	Others	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	–	1	2	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
77	Chronic poisoning by mineral substances	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	1	2	–	1	–	–	–	1	–
		F	3	–	–	2	–	–	1	–	–	–	–	–	–
77a	Lead	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	–	2	–	1	–	–	–	1	–
		F	3	–	–	2	–	–	1	–	–	–	–	–	–
77b	Occupational (except lead)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77c	Others	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	4,911	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,239	205	193	208	218	216	157	190	153	178	187	160	174
		F	2,672	264	282	233	233	258	204	191	162	173	211	191	270
78	Encephalitis (nonepidemic)	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	2	1	1	1	1	–	1	2	2	–	2	1
		F	23	2	4	–	1	2	4	3	–	3	1	–	3
78a	Abscess of the brain	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	–	1	1	–	–	1	–	2	–	–	–
		F	7	1	2	–	1	–	1	–	–	1	–	–	1
78b	Others	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	–	1	–	–	2	–	–	2	1
		F	16	1	2	–	–	2	3	3	–	2	1	–	2
79	Meningitis	T	73	–	–	–	–	–	–	–	–	–	–	–	–
		M	45	3	4	5	4	5	2	5	3	1	1	3	9
		F	28	4	2	2	2	4	3	1	1	3	3	1	2
79a	Simple meningitis	T	62	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	3	3	4	4	3	1	3	3	1	–	3	8
		F	26	4	2	2	2	4	3	1	1	1	3	1	2
79b	Nonepidemic cerebrospinal meningitis	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	1	–	2	1	2	–	–	1	–	1
		F	2	–	–	–	–	–	–	–	–	2	–	–	–
80	Progressive locomotor ataxia (tabes dorsalis)	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	1	4	2	3	5	1	1	4	1	8	3	1
		F	5	–	–	–	1	1	–	–	–	1	1	–	1
81	Other diseases of the spinal cord	T	80	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	6	–	4	5	8	–	5	4	3	1	4	3
		F	37	6	4	5	4	2	–	5	3	1	3	3	1
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	4,167	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,807	167	150	169	179	162	128	146	119	151	159	135	142
		F	2,360	232	242	204	205	226	184	164	148	158	186	171	240
82a	Cerebral hemorrhage	T	3,782	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,656	150	141	157	159	153	121	134	104	141	143	124	129
		F	2,126	203	226	183	177	203	171	144	133	145	169	155	217
82b	Cerebral embolism and thrombosis	T	351	–	–	–	–	–	–	–	–	–	–	–	–
		M	136	15	8	10	17	9	7	10	15	9	13	11	12
		F	215	27	16	17	26	23	12	18	11	11	17	15	22
82c	Softening of the brain	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	1	1	1	–	–	2	–	1	1	–	–
		F	11	2	–	3	1	–	–	1	2	1	–	–	1
82d	Hemiplegia and other paralysis, cause unspecified	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	1	2	–	–	–	–	–	2	–	1
		F	8	–	–	1	1	–	1	1	2	1	–	1	–
83	General paralysis of the insane	T	128	–	–	–	–	–	–	–	–	–	–	–	–
		M	93	7	12	7	6	10	11	9	9	6	7	4	5
		F	35	–	3	1	4	1	4	3	2	1	6	3	7
84	Dementia praecox and other psychoses	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	–	–	1
		F	5	–	1	–	–	2	–	–	–	1	–	1	–
84a	Dementia praecox	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	–	–	1
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
84b	Other psychoses	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	1	–	–	1	–	–	–	1	–	1	–
85	Epilepsy	T	91	–	–	–	–	–	–	–	–	–	–	–	–
		M	54	5	4	2	6	5	6	7	3	5	3	5	3
		F	37	4	4	5	3	5	3	3	1	–	3	4	2
86	Convulsions (under 5 years of age)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	2	–	–	1	1	–	–	–	2	–
		F	4	–	–	–	1	–	1	–	–	1	–	–	1
87	Other diseases of the nervous system	T	145	–	–	–	–	–	–	–	–	–	–	–	–
		M	67	6	8	5	7	9	5	8	1	6	4	2	6
		F	78	11	9	8	4	9	4	9	4	2	4	5	9

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
76b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
77a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
77b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	39	5	7	5	8	31	24	16	44	76	170	327	613	590	263	20	1	-
	21	21	1	2	3	22	20	12	24	51	172	325	636	827	459	76	-	-
78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	-	5	1	2	2	2	-	-	-	-	-
	1	-	-	1	-	2	2	1	1	2	4	6	2	1	-	-	-	-
78a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	3	1	1	-	1	-	-	-	-	-
	1	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-
78b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	2	-	1	2	1	-	-	-	-	-
	-	-	-	1	-	2	2	1	-	1	1	5	2	1	-	-	-	-
79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16	1	-	1	1	3	5	-	2	5	6	3	1	1	-	-	-	-
	5	9	-	1	-	5	3	-	2	1	2	-	-	-	-	-	-	-
79a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	14	1	-	-	1	2	4	-	2	3	5	2	1	1	-	-	-	-
	5	9	-	1	-	4	3	-	1	1	2	-	-	-	-	-	-	-
79b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	1	-	1	1	-	-	2	1	1	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	11	11	8	3	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-
81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	3	2	3	4	2	11	9	7	-	-	-	-
	1	-	-	-	-	-	1	1	-	4	3	7	12	6	2	-	-	-
82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	-	-	2	5	3	5	6	34	103	253	559	559	255	19	1	-
	1	3	1	-	-	1	4	4	9	25	127	280	596	788	447	74	-	-
82a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	2	3	2	2	5	29	97	230	512	521	233	18	1	-
	-	2	1	-	-	-	2	2	5	20	113	248	552	719	398	64	-	-
82b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	2	1	2	1	5	6	21	44	34	17	1	-	-
	1	1	-	-	-	1	2	2	4	5	13	31	40	63	42	10	-	-
82c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	-	-	-
82d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	-	-	-
83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	10	25	33	16	5	1	-	-	-
	-	-	-	-	-	-	-	-	-	5	12	12	3	2	1	-	-	-
84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-
84a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
84b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-
85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	3	1	-	2	5	5	11	8	10	3	3	-	3	-	-	-
	-	-	-	-	-	4	3	3	2	7	6	6	4	2	-	-	-	-
86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	3	1	-	2	3	-	2	6	8	8	13	14	2	1	-	-
	-	2	-	-	-	-	1	1	4	5	8	10	13	25	7	2	-	-

Detailed Int. List No.	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total	January	February	March	April	May	June	July	August	September	October	November	December
87a	Neuralgia and neuritis	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	1	1	–	–	–	–	–	–	–	2
		F	4	–	–	–	–	2	–	1	–	–	1	–	–
87b	Other diseases of the nervous system	T	136	–	–	–	–	–	–	–	–	–	–	–	–
		M	62	5	8	4	6	9	5	8	1	6	4	2	4
		F	74	11	9	8	4	7	4	8	4	2	3	5	9
88	Diseases of the organs of vision	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	1	–	–	–	1	–	–	1	–	1
89	Diseases of the ear and of the mastoid process	T	130	–	–	–	–	–	–	–	–	–	–	–	–
		M	74	8	10	11	7	10	3	7	8	3	4	–	3
		F	56	5	13	7	8	6	1	2	3	2	3	3	3
89a	Diseases of the ear	T	91	–	–	–	–	–	–	–	–	–	–	–	–
		M	51	5	6	6	4	10	3	4	5	3	3	–	2
		F	40	4	9	5	4	6	1	1	2	2	2	2	2
89b	Diseases of the mastoid process	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	3	4	5	3	–	–	3	3	–	1	–	1
		F	16	1	4	2	4	–	–	1	1	–	1	1	1
VII.	Diseases of the Circulatory System	T	16,038	–	–	–	–	–	–	–	–	–	–	–	–
		M	8,402	988	746	786	729	678	658	559	536	621	688	692	721
		F	7,636	845	747	742	661	656	596	501	496	562	576	564	690
90	Pericarditis	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	2	2	2	2	–	–	2	1	–	4	4	–
		F	11	2	1	–	–	–	3	–	–	1	2	1	1
91	Acute endocarditis	T	125	–	–	–	–	–	–	–	–	–	–	–	–
		M	63	6	4	7	6	9	3	2	4	6	3	6	7
		F	62	13	5	3	4	3	5	5	5	10	1	4	4
91a	Specified as acute	T	86	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	4	3	6	4	7	2	–	4	3	3	4	4
		F	42	10	1	2	2	1	3	4	3	8	1	4	3
91b	Unspecified (under 45 years of age)	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	2	1	1	2	2	1	2	–	3	–	2	3
		F	20	3	4	1	2	2	2	1	2	2	–	–	1
92	Chronic endocarditis, valvular diseases	T	2,112	–	–	–	–	–	–	–	–	–	–	–	–
		M	947	110	85	87	90	76	90	65	44	65	70	76	89
		F	1,165	146	123	125	97	96	87	74	70	74	91	77	105
92a	Endocarditis specified as chronic and valvular disease	T	1,967	–	–	–	–	–	–	–	–	–	–	–	–
		M	889	103	78	81	85	73	83	60	42	60	66	72	86
		F	1,078	138	111	119	88	88	79	69	64	69	85	73	95
92b	Endocarditis unspecified (45 years and over)	T	145	–	–	–	–	–	–	–	–	–	–	–	–
		M	58	7	7	6	5	3	7	5	2	5	4	4	3
		F	87	8	12	6	9	8	8	5	6	5	6	4	10
93	Diseases of the myocardium	T	6,107	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,894	356	273	261	222	252	223	192	176	211	238	234	256
		F	3,213	349	336	326	280	290	243	203	200	244	233	223	286
93a	Acute myocarditis	T	133	–	–	–	–	–	–	–	–	–	–	–	–
		M	64	9	7	3	5	7	5	4	5	3	8	3	5
		F	69	10	8	7	11	6	2	6	4	3	5	2	5
93b	Myocarditis unspecified (under 45 years of age)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	–	–	1	–	–	1	–	–	–
		F	6	1	1	–	–	1	1	–	–	1	–	1	–
93c	Chronic myocarditis and myocardial degeneration	T	4,163	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,015	240	177	177	146	183	169	123	125	154	174	162	185
		F	2,148	226	227	216	190	180	163	143	132	172	159	147	193
93d	Unspecified	T	1,801	–	–	–	–	–	–	–	–	–	–	–	–
		M	811	106	89	80	71	62	48	65	46	53	56	69	66
		F	990	112	100	103	79	103	77	54	64	68	69	73	88
94	Diseases of the coronary arteries and angina pectoris	T	3,354	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,240	263	199	235	220	181	194	149	156	177	167	156	143
		F	1,114	119	90	117	92	123	96	74	74	73	83	85	88
94a	Angina pectoris	T	800	–	–	–	–	–	–	–	–	–	–	–	–
		M	546	64	58	65	46	39	46	38	31	39	32	45	43
		F	254	27	22	27	27	27	20	17	12	11	17	27	20
94b	Diseases of the coronary arteries	T	2,554	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,694	199	141	170	174	142	148	111	125	138	135	111	100
		F	860	92	68	90	65	96	76	57	62	62	66	58	68
95	Other diseases of the heart	T	3,107	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,625	184	126	141	141	110	96	99	104	123	152	173	176
		F	1,482	153	131	110	131	101	111	109	114	119	127	136	140
95a	Functional diseases of the heart	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	1	1	2	2	–	1	3	3	–	–	–
		F	13	1	1	2	2	1	1	3	2	–	–	–	–
95b	Other and unspecified	T	3,080	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,611	183	125	140	139	108	96	98	101	120	152	173	176
		F	1,469	152	130	108	129	100	110	106	112	119	127	136	140
96	Aneurysm (except of the heart)	T	48	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	1	4	2	6	2	3	3	3	3	4	1	3
		F	13	4	–	1	2	1	2	–	–	–	1	1	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79	80 to 89	90 to 99.	100 and over.	Unknown.
87a	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–
87b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	–	3	1	–	2	3	–	2	6	7	7	11	13	2	1	–	–
88	–	2	–	–	–	–	1	1	3	5	8	9	12	25	6	2	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–
89	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13	3	1	2	3	16	4	4	11	6	3	3	2	1	2	–	–	–
89a	10	5	–	–	3	10	5	2	4	2	9	1	3	1	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12	3	1	1	2	8	3	3	6	3	3	2	1	1	2	–	–	–
89b	9	5	–	–	2	7	3	2	2	2	4	–	2	1	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	1	1	8	1	1	5	3	–	1	1	–	–	–	–	–
	1	–	–	–	1	3	2	–	2	–	5	1	1	–	–	–	–	–
VII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	3	2	–	4	21	30	36	100	194	617	1,323	2,385	2,340	1,174	163	3	–
	2	1	2	2	2	24	25	36	82	167	415	785	1,749	2,357	1,635	334	18	–
90	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	2	3	1	1	3	1	5	1	–	1	–	–	–
	–	1	–	–	–	1	1	–	2	–	1	1	2	–	2	–	–	–
91	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	–	–	2	5	4	13	12	12	6	5	2	–	–	–	–
	–	–	1	1	1	6	2	8	11	18	9	1	3	–	1	–	–	–
91a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	–	–	1	3	2	11	3	9	6	5	2	–	–	–	–
	–	–	–	1	–	3	1	5	9	15	3	1	3	–	1	–	–	–
91b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	2	2	2	9	3	–	–	–	–	–	–	–
	–	–	1	–	1	3	1	3	2	3	6	–	–	–	–	–	–	–
92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	9	14	13	42	41	89	141	240	234	107	16	–	–
	1	–	–	–	–	10	12	16	39	53	95	143	238	331	191	36	–	–
92a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	9	14	13	42	41	85	129	219	217	103	16	–	–
	1	–	–	–	–	10	12	16	39	53	87	134	219	299	174	34	–	–
92b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	4	12	21	17	4	–	–	–
	–	–	–	–	–	–	–	–	–	–	8	9	19	32	17	2	–	–
93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	2	3	6	10	30	138	347	793	960	534	67	2	–
	1	–	1	1	–	1	2	–	9	37	117	282	692	1,094	805	163	8	–
93a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	1	–	3	8	10	14	24	3	–	–	–
	1	–	1	–	–	–	–	–	2	5	4	12	13	22	7	2	–	–
93b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	–	–	–
93c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	2	2	4	20	89	238	557	690	370	41	2	–
	–	–	–	–	–	–	1	–	4	12	75	195	487	745	527	98	4	–
93d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	2	1	2	5	7	39	99	222	246	161	26	–	–
	–	–	–	1	–	1	–	–	3	20	33	75	192	327	271	63	4	–
94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	3	53	245	514	734	501	173	16	–	–
	–	–	–	–	–	1	–	1	–	12	62	156	366	336	160	20	–	–
94a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	7	61	115	176	141	40	4	–	–
	–	–	–	–	–	–	–	–	–	1	17	24	80	83	45	4	–	–
94b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	1	46	184	399	558	360	133	12	–	–
	–	–	–	–	–	1	–	1	–	11	45	132	286	253	115	16	–	–
95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	–	2	5	5	10	29	51	117	262	501	430	183	26	1	–
	–	–	–	–	1	5	8	10	19	38	109	181	365	424	268	49	5	–
95a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	2	4	4	3	–	–	–
	–	–	–	–	–	–	–	–	–	1	3	2	3	3	1	–	–	–
95b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	–	2	5	5	10	29	51	116	260	497	426	180	26	1	–
	–	–	–	–	1	5	8	10	19	37	106	179	362	421	267	49	5	–
96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	–	1	6	9	10	5	2	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	5	2	2	1	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	1,004	–	–	–	–	–	–	–	–	–	–	–	–
		M	502	61	44	43	37	43	42	37	45	31	43	35	41
		F	502	52	54	56	48	33	42	31	28	34	33	34	57
98	Gangrene	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	1	3	1	1	1	–	–	–	2	2	1
		F	8	1	–	–	–	–	3	–	2	1	–	–	1
99	Other diseases of the arteries	T	77	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	3	5	4	4	1	5	9	2	2	–	5	3
		F	34	4	3	1	5	3	3	4	2	2	2	2	3
100	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	T	45	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	3	–	–	2	1	1	1	3	3	–	1
		F	29	2	4	2	2	5	1	1	1	4	3	–	4
101	Diseases of the lymphatic system (lymphangitis, etc.)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	–	1	–	–	–	–	–	–	1
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
102	Idiopathic anomalies of the blood pressure	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
103	Other diseases of the circulatory system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
VIII	Diseases of the Respiratory System	T	4,428	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,416	331	296	286	268	232	150	103	79	118	167	152	234
		F	2,012	316	266	254	210	148	110	85	67	82	120	107	247
104	Diseases of the nasal fossae and annexae	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	2	1	1	2	3	2	1	–	2	1	2	1
		F	8	1	–	1	–	–	1	1	1	–	2	–	1
105	Diseases of the larynx	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	–	–	2	3	1	1	1	–	–	1	1
		F	3	–	–	1	–	–	–	–	–	–	1	–	1
106	Bronchitis	T	149	–	–	–	–	–	–	–	–	–	–	–	–
		M	80	11	10	8	7	6	5	4	2	6	7	4	10
		F	69	15	4	9	8	3	5	4	1	2	7	2	9
106a	Acute	T	63	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	8	4	2	3	3	3	–	–	1	3	1	4
		F	31	10	4	4	4	1	1	2	–	–	2	–	3
106b	Chronic	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	2	4	3	2	1	2	1	1	1	1	1	1
		F	19	1	–	3	1	2	3	–	1	1	2	1	4
106c	Unspecified (under 5 years of age)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	1	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
106d	Unspecified (5 years and over)	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	1	2	3	2	2	–	3	–	4	3	1	5
		F	18	4	–	1	3	–	1	2	–	1	3	1	2
107	Bronchopneumonia (including capillary bronchitis)	T	2,232	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,141	159	153	152	125	100	59	57	50	55	74	66	91
		F	1,091	154	143	144	118	77	58	46	45	53	69	56	128
107a	Bronchopneumonia	T	2,231	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,141	159	153	152	125	100	59	57	50	55	74	66	91
		F	1,090	154	143	144	118	77	58	45	45	53	69	56	128
107b	Capillary bronchitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
108	Lobar pneumonia	T	1,731	–	–	–	–	–	–	–	–	–	–	–	–
		M	997	137	115	112	110	106	66	29	19	42	74	68	119
		F	734	135	108	85	79	63	34	22	15	15	34	45	99
109	Pneumonia, unspecified	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	2	2	1	2	2	1	–	1	1	1	1
		F	15	1	2	1	1	–	1	1	2	3	–	–	3
110	Pleurisy	T	124	–	–	–	–	–	–	–	–	–	–	–	–
		M	82	13	8	5	13	7	6	4	6	7	3	5	5
		F	42	4	6	8	3	1	5	3	–	4	–	4	4
111	Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lungs	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	2	5	1	1	4	3	2	–	3	2	–	–
		F	20	3	1	3	–	1	2	4	1	3	1	–	1
111a	Pulmonary embolism and thrombosis	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	3	–	1	2	2	2	–	1	1	–	–
		F	10	–	1	2	–	1	–	2	–	3	–	–	1
111b	Others	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	2	1	–	2	1	–	–	2	1	–	–
		F	10	3	–	1	–	–	2	2	1	–	1	–	–
112	Asthma	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	2	–	2	2	1	2	1	1	–	2	2	4
		F	17	1	1	1	1	2	3	2	2	–	4	–	–
113	Pulmonary emphysema	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	21	88	188	166	37	-	-
	-	-	-	-	-	-	-	-	-	-	4	7	67	156	197	66	5	-
98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	1	3	1	4	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	-	-	-
99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	2	3	4	9	5	12	5	1	-	-
	-	-	-	-	-	-	-	1	2	2	4	4	6	9	6	-	-	-
100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	5	4	4	1	-	-	-
	-	-	-	-	-	-	-	-	-	6	11	2	6	3	1	-	-	-
101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	328	85	23	14	17	43	20	40	65	151	282	366	425	343	181	32	1	-
	252	57	25	11	7	30	22	31	71	109	141	215	330	354	284	70	3	-
104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	1	-	1	3	2	3	4	1	1	1	-	-	-	-
	3	-	-	-	-	-	3	-	-	-	1	1	-	-	-	-	-	-
105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	2	2	-	2	-	1	-	-	2	-	-	-	-	-	-	-
	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10	2	-	-	1	2	-	1	-	2	12	9	9	16	7	9	-	-
	6	-	-	1	-	1	-	-	2	4	1	2	11	14	18	7	2	-
106a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	2	-	-	-	1	-	-	-	-	5	2	-	9	2	3	-	-
	5	-	-	1	-	-	-	-	-	1	-	1	5	7	8	2	1	-
106b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	3	2	4	4	3	3	-	-
	-	-	-	-	-	-	-	-	-	2	1	1	4	5	5	1	-	-
106c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	1	-	2	4	5	5	3	2	3	-	-
	-	-	-	-	-	1	-	-	2	1	-	-	2	2	5	4	1	-
107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	252	51	14	9	10	19	9	10	23	29	64	113	196	199	126	17	-	-
	203	34	15	7	4	13	5	12	18	29	41	79	156	221	198	56	-	-
107a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	252	51	14	9	10	19	9	10	23	29	64	113	196	199	126	17	-	-
	202	34	15	7	4	13	5	12	18	29	41	79	156	221	198	56	-	-
107b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	54	24	6	2	3	18	5	21	31	104	170	194	201	114	45	5	-	-
	32	18	8	2	2	13	13	15	42	68	91	119	149	106	50	5	1	-
109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	1	1	2	-	1	1	2	3	1	-	-	-	-	-
	3	-	1	-	-	-	-	-	2	-	1	-	3	2	3	-	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	6	1	1	1	1	1	4	5	6	14	19	12	6	-	-	-	-
	4	3	1	-	1	2	-	2	3	5	3	7	4	3	4	-	-	-
111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	1	3	1	4	2	5	3	1	1	-
	-	-	-	-	-	-	-	-	-	-	2	2	3	2	9	2	-	-
111a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	3	2	3	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	2	2	1	2	1	-	-
111b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	1	1	-	1	-	2	2	1	1	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	1	-	-
112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	6	10	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	1	4	3	5	2	-	-	-
113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				Months.											
114	Other diseases of the respiratory system (tuberculosis excepted)	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	5	2	2	5	–	4	3	–	2	3	3	2
		F	13	2	1	1	–	1	1	2	–	2	2	–	1
114a	Chronic interstitial pneumonia, including occupational diseases of the respiratory system	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	–	1	2	–	–	1	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
114b	Others, including gangrene of the lung	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	3	2	1	3	–	4	2	–	1	3	3	2
		F	13	2	1	1	–	1	1	2	–	2	2	–	1
IX.	Diseases of the Digestive System	T	2,539	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,425	134	104	129	119	118	89	122	126	120	117	126	121
		F	1,114	87	92	82	104	90	87	97	101	80	108	94	92
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	T	136	–	–	–	–	–	–	–	–	–	–	–	–
		M	66	7	5	4	7	5	1	9	1	6	5	11	5
		F	70	9	8	5	7	7	6	6	2	5	3	8	4
115a	Pharynx and tonsils	T	112	–	–	–	–	–	–	–	–	–	–	–	–
		M	53	6	4	3	4	5	–	7	1	6	5	7	5
		F	59	8	8	5	5	5	6	5	2	4	2	5	4
115b	Others	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	1	1	3	–	1	2	–	–	–	4	–
		F	11	1	–	–	2	2	–	1	–	1	1	3	–
116	Diseases of the esophagus	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	2	1	–	–	–	–	–	–	1	1	1
		F	6	–	2	–	2	–	–	1	–	–	–	–	1
117	Ulcer of the stomach and duodenum	T	278	–	–	–	–	–	–	–	–	–	–	–	–
		M	245	25	17	23	22	16	15	23	11	24	23	18	28
		F	33	2	2	2	2	2	4	4	3	6	3	1	2
117a	Stomach	T	173	–	–	–	–	–	–	–	–	–	–	–	–
		M	156	14	12	15	18	9	6	16	10	13	14	11	18
		F	17	–	2	–	–	–	3	4	–	5	2	–	1
117b	Duodenum	T	105	–	–	–	–	–	–	–	–	–	–	–	–
		M	89	11	5	8	4	7	9	7	1	11	9	7	10
		F	16	2	–	2	2	2	1	–	3	1	1	1	1
118	Other diseases of the stomach (cancer excepted)	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	1	1	2	2	1	1	3	3	1	–	4	–
		F	15	2	1	2	1	–	2	1	2	1	1	1	1
119	Diarrhea and enteritis (under 2 years of age)	T	219	–	–	–	–	–	–	–	–	–	–	–	–
		M	124	3	10	11	8	13	12	10	16	14	8	11	8
		F	95	3	7	3	14	13	8	5	12	7	7	12	4
120	Diarrhea, enteritis and ulceration of intestines (2 years and over)	T	105	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	4	2	2	2	–	4	4	2	6	5	6	3
		F	65	4	3	5	4	3	5	8	6	6	8	7	6
120a	Diarrhea, enteritis	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	2	–	–	1	–	1	3	1	3	–	4	2
		F	35	1	1	3	1	2	1	5	5	4	5	3	4
120b	Ulceration of intestines	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	2	2	2	1	–	3	1	1	3	5	2	1
		F	30	3	2	2	3	1	4	3	1	2	3	4	2
121	Appendicitis	T	484	–	–	–	–	–	–	–	–	–	–	–	–
		M	310	34	20	29	33	28	18	26	33	22	27	22	18
		F	174	10	9	10	19	13	15	17	9	12	21	15	24
122	Hernia, intestinal obstruction	T	402	–	–	–	–	–	–	–	–	–	–	–	–
		M	191	21	18	18	14	14	8	15	25	14	11	16	17
		F	211	22	16	17	18	13	20	17	13	16	19	20	20
122a	Hernia	T	216	–	–	–	–	–	–	–	–	–	–	–	–
		M	105	15	9	10	6	11	3	9	12	5	7	11	7
		F	111	10	9	10	13	3	12	8	6	10	10	11	9
122b	Intestinal obstruction	T	186	–	–	–	–	–	–	–	–	–	–	–	–
		M	86	6	9	8	8	3	5	6	13	9	4	5	10
		F	100	12	7	7	5	10	8	9	7	6	9	9	11
123	Other diseases of the intestines	T	79	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	3	2	2	3	4	3	5	8	–	4	4	5
		F	36	5	2	3	4	2	–	2	2	3	10	2	1
124	Cirrhosis of the liver	T	355	–	–	–	–	–	–	–	–	–	–	–	–
		M	224	22	19	18	16	24	15	12	16	20	18	23	21
		F	131	11	15	10	11	13	5	6	17	5	18	10	10
124a	Specified as alcoholic	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	2	–	2	2	1	–	–	–	4	2	–
		F	9	2	1	1	–	–	–	–	1	–	2	1	1
124b	Not specified as alcoholic	T	333	–	–	–	–	–	–	–	–	–	–	–	–
		M	211	22	17	18	14	22	14	12	16	20	14	21	21
		F	122	9	14	9	11	13	5	6	16	5	16	9	9
125	Other diseases of the liver (including yellow atrophy of liver)	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	–	2	3	3	2	1	1	2	4	3	2	2
		F	19	1	3	2	–	–	1	3	3	3	–	–	3

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
114	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	2	–	–	2	7	13	3	2	–	–	–	–
	1	1	–	–	–	–	1	2	3	2	–	1	1	1	–	–	–	–
114a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	4	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	2	–	–	2	6	9	1	2	–	–	–	–
	1	1	–	–	–	–	1	2	3	2	–	1	1	1	–	–	–	–
IX.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	131	30	16	9	12	36	43	46	65	107	208	253	260	158	46	5	–	–
	102	13	10	9	6	24	24	26	50	88	123	201	216	145	72	5	–	–
115	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	4	5	1	3	6	3	5	5	9	6	10	3	1	2	–	–	–
	–	–	3	5	1	6	5	5	6	8	8	11	4	4	4	–	–	–
115a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	4	5	1	2	5	2	5	3	8	4	8	–	1	2	–	–	–
	–	–	3	5	1	6	4	4	5	6	7	8	4	4	2	–	–	–
115b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	1	–	2	1	2	2	3	–	–	–	–	–
	–	–	–	–	–	–	1	1	1	2	1	3	–	–	2	–	–	–
116	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	1	3	1	–	–	–
	–	–	–	–	–	–	1	–	1	–	–	1	–	1	2	–	–	–
117	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	3	5	28	71	60	57	19	2	–	–	–
	–	–	–	–	–	–	–	–	1	4	6	7	7	5	3	–	–	–
117a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	17	49	39	34	13	2	–	–	–
	–	–	–	–	–	–	–	–	–	2	4	4	3	2	2	–	–	–
117b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	4	11	22	21	23	6	–	–	–	–
	–	–	–	–	–	–	–	–	1	2	2	3	4	3	1	–	–	–
118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	1	–	–	–	–	1	1	4	2	2	2	2	1	–	–
	2	–	–	–	–	–	–	–	–	1	–	3	3	3	3	–	–	–
119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	107	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	90	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	2	1	4	2	3	2	1	4	8	3	4	2	2	–	–
	–	–	4	3	1	4	–	4	9	4	5	7	9	11	4	–	–	–
120a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	1	3	–	1	–	1	1	–	2	3	1	2	–	–
	–	–	4	3	–	3	–	3	1	2	1	3	6	5	4	–	–	–
120b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	1	2	2	2	–	3	8	1	1	1	–	–	–
	–	–	–	–	1	1	–	1	8	2	4	4	3	6	–	–	–	–
121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	4	6	4	8	23	30	28	39	37	32	39	35	21	4	–	–	–
	–	4	2	–	4	10	15	14	19	23	14	27	27	12	3	–	–	–
122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12	4	1	1	–	1	5	5	9	7	20	30	34	41	20	1	–	–
	6	–	–	–	–	3	3	1	7	14	21	35	51	44	25	1	–	–
122a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	1	–	–	–	–	–	–	2	4	9	17	19	32	15	–	–	–
	–	–	–	–	–	–	–	–	–	4	12	22	29	27	17	–	–	–
122b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6	3	1	1	–	1	5	5	7	3	11	13	15	9	5	1	–	–
	6	–	–	–	–	3	3	1	7	10	9	13	22	17	8	1	–	–
123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	1	1	–	–	1	1	–	–	1	9	11	10	2	1	–	–	–
	–	2	–	–	–	–	–	1	1	2	4	9	10	6	1	–	–	–
124	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	8	35	63	75	32	8	1	–	–
	1	–	–	–	–	–	–	1	–	6	26	31	37	21	6	2	–	–
124a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	6	4	3	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	3	3	2	–	–	–	–	–
124b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	8	29	59	72	32	8	1	–	–
	1	–	–	–	–	–	–	1	–	5	23	28	35	21	6	2	–	–
125	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	2	3	6	3	7	2	–	–	–	–
	–	–	–	–	–	–	–	–	1	4	3	5	2	1	3	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
125a	Yellow atrophy of liver	T	14	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	1	-	1	1	-	1	1	-	2	2
		F	5	-	1	1	-	-	-	1	1	-	-	-	1
125b	Others	T	30	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	-	2	2	3	1	-	1	1	3	3	-	-
		F	14	1	2	1	-	-	1	2	2	3	-	-	2
126	Biliary calculi	T	213	-	-	-	-	-	-	-	-	-	-	-	-
		M	55	6	2	5	3	2	7	7	4	4	3	6	6
		F	158	15	17	10	14	14	11	17	14	13	13	9	11
127	Other diseases of the gall bladder and biliary passages	T	124	-	-	-	-	-	-	-	-	-	-	-	-
		M	51	4	2	8	4	6	1	7	4	4	5	1	5
		F	73	2	4	9	5	7	8	6	12	3	4	8	5
128	Diseases of the pancreas	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	3	1	3	1	1	2	-	-	1	1	1	1
		F	13	1	3	2	1	-	1	2	2	-	1	-	-
129	Peritonitis, cause not specified	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	1	-	1	2	1	-	1	-	3	-	1
		F	15	-	-	2	2	3	1	2	4	-	-	1	-
X.	Diseases of the Genito-urinary System	T	3,922	-	-	-	-	-	-	-	-	-	-	-	-
		M	2,015	206	181	160	187	192	157	151	138	163	166	142	172
		F	1,907	183	165	196	217	176	144	143	120	118	126	133	186
130	Acute nephritis (including unspecified under 10 years of age)	T	56	-	-	-	-	-	-	-	-	-	-	-	-
		M	32	6	1	2	5	2	-	2	4	1	6	1	2
		F	24	2	3	-	1	3	1	5	2	2	3	-	2
131	Chronic nephritis	T	3,166	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,518	155	131	132	137	152	125	104	101	127	113	114	127
		F	1,648	155	138	171	186	155	129	125	97	103	114	111	164
132	Nephritis, unspecified (10 years and over)	T	85	-	-	-	-	-	-	-	-	-	-	-	-
		M	46	5	6	5	4	2	4	3	-	5	8	2	2
		F	39	4	2	2	6	2	5	2	7	3	1	3	2
133	Other diseases of the kidneys and ureters (puerperal diseases excepted)	T	112	-	-	-	-	-	-	-	-	-	-	-	-
		M	49	3	5	3	4	3	3	7	3	3	4	4	7
		F	63	9	8	7	10	4	2	3	5	2	2	4	7
133a	Pyelitis	T	99	-	-	-	-	-	-	-	-	-	-	-	-
		M	45	3	5	3	4	3	2	6	2	3	4	4	6
		F	54	7	4	6	10	4	2	3	5	2	2	3	6
133b	Others	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	1	1	1	-	-	-	1
		F	9	2	4	1	-	-	-	-	-	-	-	1	1
134	Calculi of the urinary passages	T	39	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	3	2	3	5	2	3	2	1	-	2	2	1
		F	13	2	2	-	2	1	-	1	-	1	1	2	1
134a	Of the kidneys and ureters	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	3	-	1	5	1	1	1	1	-	2	1	1
		F	11	2	1	-	2	1	-	1	-	1	1	1	1
134b	Of the bladder	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	-	2	-	-	2	1	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
134c	Other and unspecified	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	2	-	-	1	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
135	Diseases of the bladder (tumors excepted)	T	44	-	-	-	-	-	-	-	-	-	-	-	-
		M	27	4	6	-	1	3	3	-	2	2	2	1	3
		F	17	-	3	4	2	1	-	2	1	3	-	1	-
135a	Cystitis	T	33	-	-	-	-	-	-	-	-	-	-	-	-
		M	19	4	4	-	-	1	1	-	2	2	2	1	2
		F	14	-	3	4	2	1	-	1	1	2	-	-	-
135b	Others	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	2	-	1	2	2	-	-	-	-	-	1
		F	3	-	-	-	-	-	-	1	-	1	-	1	-
136	Diseases of the urethra, urinary abscess, etc.	T	15	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	-	3	1	1	1	1	2	1	1	3	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
136a	Stricture of the urethra	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	1	1	1	-	1	1	1	-	3	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
136b	Others	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	2	-	-	1	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	T	293	-	-	-	-	-	-	-	-	-	-	-	-
		M	293	28	26	14	30	26	17	30	26	21	28	18	29
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
138	Diseases of the male genital organs, not specified as venereal	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	2	1	-	-	1	1	1	-	3	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
139	Diseases of the female genital organs, not specified as venereal	T	103	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	103	11	9	12	10	10	7	5	8	4	5	12	10

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
125a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	5	-	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-
125b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	2	1	1	3	5	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	2	4	2	1	3	-	-	-
126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	5	9	11	17	11	2	-	-	-
	-	-	-	-	-	-	-	-	2	16	26	41	42	21	9	1	-	-
127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	4	6	9	13	17	2	-	-	-
	-	-	-	-	-	-	-	-	2	5	6	22	19	11	7	1	-	-
128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	4	4	3	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	3	1	3	3	1	-	-	-
129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	-	-	1	-	1	-	1	1	2	-	2	-	-	-	-
	3	2	1	1	-	1	-	-	-	-	1	1	2	2	1	-	-	-
X.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	1	1	2	1	4	3	19	35	78	156	312	492	591	290	22	1	-
	4	2	2	-	1	5	12	8	42	88	208	264	441	472	309	48	1	-
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	-	-	1	1	3	2	6	3	6	6	1	1	-	-	-
	-	-	-	-	-	-	4	1	3	1	3	2	5	3	2	-	-	-
131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	2	1	3	2	14	30	65	135	255	370	417	205	18	1	-
	-	1	2	-	-	4	7	5	19	50	154	222	408	446	284	45	1	-
132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	4	2	6	17	9	5	1	-	-
	-	-	-	-	-	-	-	1	1	3	4	4	7	3	14	2	-	-
133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	1	1	1	4	11	11	11	5	-	-	-
	4	1	-	-	-	-	-	-	4	8	14	13	8	6	5	-	-	-
133a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	1	1	-	4	11	10	10	4	-	-	-
	4	1	-	-	-	-	-	-	4	7	9	10	8	6	5	-	-	-
133b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	5	3	-	-	-	-	-	-
134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	2	7	6	5	4	1	-	-	-
	-	-	-	-	-	-	-	-	-	2	6	3	1	1	-	-	-	-
134a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	2	5	3	4	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	5	3	-	1	-	-	-	-
134b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
134c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	5	13	5	1	-	-
	-	-	-	-	-	-	-	-	-	1	-	4	-	8	4	-	-	-
135a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	2	10	4	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	4	-	6	4	-	-	-
135b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-
136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	4	5	4	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	4	3	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	22	70	131	66	2	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	1	1	1	15	23	27	16	12	5	-	1	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
139a	Cysts of the ovary	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	28	4	3	3	1	5	1	1	2	1	3	2	2
139b	Other diseases of the ovaries, tubes and parametrium	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	41	3	2	6	4	3	3	–	5	2	2	7	4
139c	Diseases of the uterus	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	28	3	4	3	5	2	2	4	1	1	–	–	3
139d	Nonpuerperal diseases of the breast (cancer excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
139e	Others	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	1	–	–	–	–	–	–	–	–	–	3	1
XI.	Diseases of Pregnancy, Childbirth and the Puerperal State	T	325	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	325	38	24	28	36	21	27	24	25	25	33	19	25
140	Abortion with septic conditions	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	34	3	4	3	3	2	2	2	1	3	6	1	4
141	Abortion without mention of septic conditions (to include hemorrhages)	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	11	1	1	–	2	1	2	1	1	–	1	1	–
142	Ectopic gestation	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	8	1	–	1	–	2	1	1	–	1	1	–	–
142a	With septic conditions specified	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	1	–	1	–	–	–	–	–	–	–
142b	Without mention of septic conditions	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	6	1	–	–	–	1	1	1	–	1	1	–	–
143	Other accidents of pregnancy (not to include hemorrhages)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	1	–	–	–	–	–
144	Puerperal hemorrhage	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	46	5	3	7	4	3	4	5	–	7	2	1	5
144a	Placenta praevia	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	22	1	1	6	3	2	4	1	–	3	1	–	–
144b	Other puerperal hemorrhages	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	24	4	2	1	1	1	–	4	–	4	1	1	5
145	Puerperal septicemia (not specified as due to abortion)	T	70	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	70	8	4	4	11	4	4	7	7	4	2	9	6
145a	Puerperal septicemia and pyemia	T	70	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	70	8	4	4	11	4	4	7	7	4	2	9	6
145b	Puerperal tetanus	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
146	Puerperal albuminuria and eclampsia	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	20	3	1	2	3	–	2	–	3	3	2	1	–
147	Other toxemias of pregnancy	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	36	3	3	3	3	1	3	2	5	1	7	2	3
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	47	6	5	2	4	5	6	3	4	2	5	–	5
148a	Phlegmasia alba dolens	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
148b	Embolism and thrombosis	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	47	6	5	2	4	5	6	3	4	2	5	–	5
149	Other accidents of childbirth	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	50	7	3	6	6	3	3	2	4	4	7	3	2
149a	Cesarean operation	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	17	1	3	1	3	–	1	2	1	3	1	–	1
149b	Others	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	33	6	–	5	3	3	2	–	3	1	6	3	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
139a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	5	5	7	4	3	3	-	1	-	-
139b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	1	5	13	14	4	3	-	-	-	-	-
139c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	5	4	6	6	5	1	-	-	-	-
139d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
139e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	-	-	-
XI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	14	133	153	25	-	-	-	-	-	-	-
140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	16	11	6	-	-	-	-	-	-	-
141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	6	4	1	-	-	-	-	-	-	-
142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	4	3	-	-	-	-	-	-	-	-
142a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
142b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-
143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	16	25	4	-	-	-	-	-	-	-
144a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	6	12	3	-	-	-	-	-	-	-
144b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	10	13	1	-	-	-	-	-	-	-
145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	4	35	30	1	-	-	-	-	-	-	-
145a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	4	35	30	1	-	-	-	-	-	-	-
145b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	6	11	1	-	-	-	-	-	-	-
147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	16	16	2	-	-	-	-	-	-	-
148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	17	25	3	-	-	-	-	-	-	-
148a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	17	25	3	-	-	-	-	-	-	-
149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	16	27	6	-	-	-	-	-	-	-
149a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	5	10	2	-	-	-	-	-	-	-
149b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	11	17	4	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
150	Other and unspecified conditions of the puerperal state	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
XII.	Diseases of the Skin and Cellular Tissue	T	92	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	4	3	6	5	2	5	4	5	2	4	5	4
		F	43	3	4	5	6	4	6	4	4	2	3	–	2
151	Furuncle, carbuncle	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	2	–	1	2	1	2	1	–	–	1	–	1
		F	7	–	1	1	–	1	2	1	–	–	1	–	–
152	Phlegmon, acute abscess	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	1	1	3	2	–	2	1	2	1	2	2	1
		F	23	2	3	2	4	1	3	3	2	2	–	–	1
153	Other diseases of the skin, and annexa, and of the cellular tissue	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	1	2	2	1	1	1	2	3	1	1	3	2
		F	13	1	–	2	2	2	1	–	2	–	2	–	1
XIII.	Diseases of the Bones and Organs of Locomotion	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	3	3	2	1	3	3	1	5	2	2	1	–
		F	18	–	3	1	3	–	1	3	2	1	1	2	1
154	Osteomyelitis	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	3	2	–	1	2	1	1	2	1	1	1	–
		F	5	–	–	1	1	–	–	2	–	–	–	1	–
155	Other diseases of the bones (tuberculosis excepted)	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	–	–	–	1	1	–	–
		F	6	–	1	–	–	–	1	–	1	1	1	1	–
156	Diseases of the joints and other organs of locomotion	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	2	–	–	2	–	3	–	–	–	–
		F	7	–	2	–	2	–	–	1	1	–	–	–	1
156a	Diseases of the joints (tuberculosis and rheumatism excepted)	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	–	–	–	–	3	–	–	–	–
		F	4	–	2	–	1	–	–	1	–	–	–	–	–
156b	Other organs of locomotion	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	1	–	–	2	–	–	–	–	–	–
		F	3	–	–	–	1	–	–	–	1	–	–	–	1
XIV.	Congenital Malformations	T	393	–	–	–	–	–	–	–	–	–	–	–	–
		M	227	16	14	17	19	13	19	22	23	27	16	14	27
		F	166	13	12	19	15	9	11	11	15	10	16	21	14
157	Congenital malformations (stillbirths not included)	T	393	–	–	–	–	–	–	–	–	–	–	–	–
		M	227	16	14	17	19	13	19	22	23	27	16	14	27
		F	166	13	12	19	15	9	11	11	15	10	16	21	14
157a	Congenital hydrocephalus	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	3	3	3	–	2	1	4	2	1	–	–	2
		F	16	2	1	2	1	1	–	1	2	3	1	–	2
157b	Spina bifida and meningocele	T	60	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	2	3	2	3	2	1	3	5	4	5	–	1
		F	29	3	3	2	3	–	2	1	2	2	5	5	1
157c	Congenital malformation of the heart	T	169	–	–	–	–	–	–	–	–	–	–	–	–
		M	96	7	5	6	10	5	10	8	8	11	4	6	16
		F	73	5	5	7	8	3	4	7	10	3	6	9	6
157d	Others	T	127	–	–	–	–	–	–	–	–	–	–	–	–
		M	79	4	3	6	6	4	7	7	8	11	7	8	8
		F	48	3	3	8	3	5	5	2	1	2	4	7	5
XV.	Diseases of Early Infancy	T	1,473	–	–	–	–	–	–	–	–	–	–	–	–
		M	881	73	75	73	65	75	84	81	67	66	70	78	74
		F	592	48	39	51	49	66	44	41	49	52	50	52	51
158	Congenital debility	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	–	5	1	3	2	2	2	2	3	2	1	3
		F	13	2	–	–	4	1	1	–	–	1	1	1	2
159	Premature birth	T	942	–	–	–	–	–	–	–	–	–	–	–	–
		M	532	44	33	42	37	50	50	52	41	41	45	55	42
		F	410	27	26	33	28	46	29	29	35	35	38	39	45
160	Injury at birth	T	276	–	–	–	–	–	–	–	–	–	–	–	–
		M	187	17	30	19	16	9	20	10	13	13	11	14	15
		F	89	14	9	8	9	12	9	5	6	7	6	4	–
160a	Cesarean operation	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
160b	Without Cesarean operation	T	276	–	–	–	–	–	–	–	–	–	–	–	–
		M	187	17	30	19	16	9	20	10	13	13	11	14	15
		F	89	14	9	8	9	12	9	5	6	7	6	4	–
161	Other diseases peculiar to early infancy	T	216	–	–	–	–	–	–	–	–	–	–	–	–
		M	136	12	7	11	9	14	12	17	11	9	12	8	14
		F	80	5	4	10	8	7	5	7	8	9	5	8	4
161a	Atelectasis	T	130	–	–	–	–	–	–	–	–	–	–	–	–
		M	89	7	5	6	5	8	8	11	7	7	8	7	10
		F	41	3	1	4	5	2	3	6	5	5	1	2	4
161b	Icterus of the new-born	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	1	–	–	–	3	1	1	1	–	–
		F	7	–	2	1	–	1	–	–	–	2	1	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
XII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	1	-	-	-	1	3	2	5	2	6	8	8	6	2	-	-	-
	8	1	-	-	1	-	1	2	4	5	5	5	5	4	1	1	-	-
151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	2	2	3	2	1	-	-	-
	-	-	-	-	-	-	-	1	2	2	-	-	1	-	1	-	-	-
152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	1	2	2	2	1	2	2	3	-	1	-	-	-
	2	1	-	-	1	-	1	1	1	2	5	4	3	1	-	1	-	-
153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	1	-	-	-	-	1	-	2	1	2	4	2	4	-	-	-	-
	6	-	-	-	-	-	-	-	1	1	-	1	1	3	-	-	-	-
XIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	2	-	-	1	4	4	1	3	2	2	1	3	1	-	-	-
	2	-	-	-	-	1	2	-	2	-	3	-	4	4	-	-	-	-
154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	1	-	-	1	4	4	-	-	1	-	-	2	-	-	-	-
	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-
155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-
156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	1	2	1	1	1	1	-	-	-	-
	1	-	-	-	-	-	1	-	1	-	2	-	-	2	-	-	-	-
156a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-
156b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
XIV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	208	8	2	2	-	2	3	1	1	-	-	-	-	-	-	-	-	-
	152	6	3	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-
157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	208	8	2	2	-	2	3	1	1	-	-	-	-	-	-	-	-	-
	152	6	3	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-
157a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	27	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
157c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	86	5	2	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	65	2	2	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-
157d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	75	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	47	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	879	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	592	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	532	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	410	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	185	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	185	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Months. Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
161c	Sclerema	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
161d	Others	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	5	1	4	4	6	4	3	3	1	3	1	4
		F	32	2	1	5	3	4	2	1	3	2	3	6	–
XVI.	Senility	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	1	2	1	3	3	–	1	1	1	3	1	2
		F	31	1	7	–	3	1	2	4	4	1	2	1	5
162	Senility	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	1	2	1	3	3	–	1	1	1	3	1	2
		F	31	1	7	–	3	1	2	4	4	1	2	1	5
162a	With senile dementia	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	–	–	1	–	–	–	1
		F	6	–	–	–	–	–	1	2	–	1	–	–	2
162b	Without senile dementia	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	2	1	3	2	–	1	–	1	3	1	1
		F	25	1	7	–	3	1	1	2	4	–	2	1	3
XVII.	Violent and Accidental Deaths	T	3,650	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,450	187	171	189	193	190	215	246	231	190	203	203	232
		F	1,200	92	99	109	114	99	89	112	79	91	101	100	115
163–171	Suicide (total)	T	570	–	–	–	–	–	–	–	–	–	–	–	–
		M	428	32	32	36	39	42	46	27	37	36	38	34	29
		F	142	4	14	11	16	14	11	11	8	15	15	16	7
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	64	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	2	4	2	2	3	6	4	4	2	2	4	2
		F	27	1	3	1	4	1	2	3	2	6	3	1	–
163a	Arsenic	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163b	Hydrocyanic acid	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	1	1	–	2	2	2	–	–	1	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
163c	Opium, morphine, laudanum	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
163d	Strychnine	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
163e	Corrosive sublimate	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	2	1	–	–	–	1	1
		F	6	–	2	–	1	–	–	–	–	2	–	1	–
163f	Carbolic acid	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163g	Lysol	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	1	–	1	1	–	–	1	–	–
163h	Other poisons or kind not stated	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	1	1	1	1	2	1	2	2	1	2	1
		F	14	–	1	1	2	1	1	1	2	3	2	–	–
164	Suicide by poisonous gas	T	144	–	–	–	–	–	–	–	–	–	–	–	–
		M	102	11	10	7	11	7	11	7	7	7	9	9	6
		F	42	–	5	5	7	5	4	4	1	3	1	5	2
165	Suicide by hanging or strangulation	T	136	–	–	–	–	–	–	–	–	–	–	–	–
		M	115	4	8	8	10	9	14	7	11	15	10	9	10
		F	21	1	2	1	–	4	–	1	3	3	4	–	2
166	Suicide by drowning	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	1	–	8	4	11	2	1	1	4	2	2	1
		F	16	–	1	–	3	1	1	–	2	–	3	4	1
167	Suicide by firearms	T	98	–	–	–	–	–	–	–	–	–	–	–	–
		M	87	11	6	5	10	6	9	3	10	4	11	4	8
		F	11	–	2	2	–	1	1	1	–	1	1	2	–
168	Suicide by cutting or piercing instruments	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	–	1	1	1	3	2	2	2	3	3	4	2
		F	8	1	–	–	–	1	1	1	–	1	1	2	–
169	Suicide by jumping from high places	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	2	3	3	1	3	2	1	1	1	–	2	–
		F	14	1	1	2	2	1	1	1	–	1	2	2	–
170	Suicide by crushing	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	2
171	Suicide by other means	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	2	–	–	–	2	1	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
172–175	Homicide (total)	T	74	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	2	4	4	4	5	1	6	3	6	2	3	6
		F	28	2	–	4	3	4	4	3	1	1	2	2	2

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1935.

Detailed Int List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
161c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	32	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	3	11	5	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	2	14	13	1	–
162	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	3	11	5	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	2	14	13	1	–
162a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	3	–	–
162b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	3	8	5	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	13	10	1	–
XVII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	31	14	21	16	11	103	81	105	261	256	389	388	399	248	100	27	–	–
	27	11	16	8	7	33	24	35	91	86	110	118	168	236	191	37	2	–
163–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
171	–	–	–	–	–	–	1	4	48	66	108	94	62	36	9	–	–	–
	–	–	–	–	–	–	–	5	23	22	34	23	28	5	2	–	–	–
163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	7	12	5	5	6	2	–	–	–	–
	–	–	–	–	–	–	–	2	9	4	6	3	2	–	1	–	–	–
163a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	3	1	4	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
163c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
163d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
163e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	1	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	1	–	1	–	–	1	–	–	–
163f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
163h	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	6	4	–	2	1	–	–	–	–
	–	–	–	–	–	–	–	1	5	2	4	1	1	–	–	–	–	–
164	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	9	16	27	28	17	3	1	–	–	–
	–	–	–	–	–	–	–	–	3	4	14	10	10	1	–	–	–	–
165	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	10	15	32	23	17	13	4	–	–	–
	–	–	–	–	–	–	–	–	–	6	3	3	5	3	1	–	–	–
166	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	5	9	8	6	6	1	–	–	–
	–	–	–	–	–	–	–	–	2	4	3	2	5	–	–	–	–	–
167	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	16	9	24	13	13	9	2	–	–	–
	–	–	–	–	–	–	–	1	5	–	2	2	1	–	–	–	–	–
168	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	2	2	12	2	3	1	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	2	3	–	–	–	–	–
169	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	5	8	3	1	–	–	–	–	–
	–	–	–	–	–	–	–	2	3	2	4	1	2	–	–	–	–	–
170	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
172–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
175	–	–	–	–	–	–	–	2	12	11	9	8	4	–	–	–	–	–
	2	–	–	–	–	–	–	1	13	7	1	3	1	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				Months.											
172	Infanticide (murder of infants under one year of age)	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	1	-	-	-	-	-	-
172a	Immediately after birth	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	1	1	-	-	-	-	-	-
172b	Others, under one year	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
173	Homicide by firearms	T	23	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	-	2	1	2	2	-	-	2	2	1	2	4
		F	5	-	-	-	1	-	1	1	-	-	-	-	2
174	Homicide by cutting or piercing instruments	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	1	1	2	2	-	-	1	-	1	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
175	Homicid by other means	T	40	-	-	-	-	-	-	-	-	-	-	-	-
		M	20	1	1	1	-	3	1	5	1	3	1	1	2
		F	20	2	-	4	1	3	2	2	1	1	2	2	-
176–198, 201–214	Accidents (total)	T	3,006	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,976	153	135	149	150	143	168	213	191	148	163	166	197
		F	1,030	86	85	94	95	81	74	98	70	75	84	82	106
176	Attack by venomous animals	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	1	1	-	1	-	-	-	-
177	Poisoning by food	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	T	72	-	-	-	-	-	-	-	-	-	-	-	-
		M	48	5	4	6	3	9	2	2	3	4	4	4	2
		F	24	3	2	4	4	2	3	-	-	-	5	-	1
179	Other acute accidental poisonings (gas excepted)	T	30	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	1	1	-	-	2	3	4	1	2	1	2	1
		F	12	1	1	1	-	1	-	3	-	1	-	3	1
179a	Wood alcohol	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
179b	Denatured alcohol	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
179c	Carbolic acid	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
179d	Opium, morphine, laudanum	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	1	-	1	-
179e	Strychnine	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
179f	Other poisons or kind not stated	T	24	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	1	1	-	-	1	3	3	1	1	1	2	1
		F	9	1	1	1	-	1	-	3	-	-	-	1	1
180	Conflagration	T	50	-	-	-	-	-	-	-	-	-	-	-	-
		M	30	5	5	2	1	3	-	3	1	-	5	2	3
		F	20	1	2	2	1	7	-	3	-	-	1	2	1
181	Accidental burns (conflagration excepted)	T	143	-	-	-	-	-	-	-	-	-	-	-	-
		M	67	3	8	12	6	6	2	4	2	2	5	5	12
		F	76	6	7	9	6	9	3	4	6	7	6	4	9
182	Accidental mechanical suffocation	T	54	-	-	-	-	-	-	-	-	-	-	-	-
		M	39	5	2	3	3	1	4	4	3	6	2	3	3
		F	15	3	1	1	2	3	2	-	1	-	1	-	1
183	Accidental drowning	T	194	-	-	-	-	-	-	-	-	-	-	-	-
		M	172	6	5	4	15	19	25	46	32	8	4	7	1
		F	22	-	-	1	-	3	6	6	2	1	3	-	-
184	Accidental traumatism by firearms (wounds of war excepted)	T	24	-	-	-	-	-	-	-	-	-	-	-	-
		M	21	-	-	4	1	1	2	-	1	2	3	2	5
		F	3	-	-	-	-	1	-	-	-	-	1	1	-
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	26	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	3	1	3	1	2	2	2	1	1	-	1	1
		F	8	-	2	-	-	1	1	-	1	-	2	1	-
186	Accidental traumatism by fall, crushing, landslide	T	1,116	-	-	-	-	-	-	-	-	-	-	-	-
		M	552	34	48	53	50	43	47	39	39	48	48	44	59
		F	564	54	54	45	58	32	37	56	32	49	33	49	65
186a	Fall	T	1,109	-	-	-	-	-	-	-	-	-	-	-	-
		M	545	33	48	52	49	42	47	39	38	47	48	44	58
		F	564	54	54	45	58	32	37	56	32	49	33	49	65

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	4	6	3	2	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-
174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	3	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	5	2	5	5	3	-	-	-	-	-
	-	-	-	-	-	-	-	1	12	5	-	2	-	-	-	-	-	-
176–198.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	31	14	21	16	11	103	80	99	201	179	272	286	333	212	91	27	-	-
201–214	25	11	16	8	7	33	24	29	55	57	75	92	139	231	189	37	2	-
176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	4	3	9	11	10	5	3	1	-	-
	-	-	-	-	-	-	-	1	2	-	4	3	6	5	3	-	-	-
179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	2	-	1	-	-	2	2	3	1	5	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	4	2	2	-	1	-	1	-	-
179a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
179c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
179e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	1	-	1	-	-	2	2	3	1	3	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	3	2	1	-	1	-	1	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	2	-	-	-	-	-	3	1	7	4	5	4	3	-	-	-
	2	1	1	-	1	-	3	1	1	1	1	3	5	-	-	-	-	-
181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	4	5	1	2	3	4	1	5	7	7	7	10	6	3	-	-	-
	3	2	5	1	1	11	2	-	3	4	7	8	9	14	5	1	-	-
182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	17	-	-	-	-	2	1	1	1	2	4	5	2	4	-	-	-	-
	14	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	1	21	23	21	19	21	27	19	14	3	1	-	-	-
	1	1	2	-	1	2	5	4	-	1	-	3	1	1	-	-	-	-
184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	5	2	6	1	3	1	2	-	-	-	-	-
	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	-	8	4	1	1	1	-	-
	-	1	1	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-
186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	2	3	6	2	12	3	4	22	27	70	86	117	113	61	22	-	-
	-	2	4	-	-	3	1	4	2	13	30	42	85	171	172	33	2	-
186a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	2	3	6	2	12	3	4	19	26	68	85	117	113	61	22	-	-
	-	2	4	-	-	3	1	4	2	13	30	42	85	171	172	33	2	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				Months.											
186*b*	Crushing, landslide	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	-	1	1	1	-	-	1	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
187	Cataclysm	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
188	Injuries by animals	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	2	-	-	-	2	1	2	1	1	1	1
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
189	Hunger or thirst	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	T	28	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	13	6	1	1	-	-	-	-	-	-	-	3
		F	4	3	-	-	-	-	-	-	-	-	-	-	1
191	Excessive heat	T	21	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	-	-	-	-	-	1	8	5	-	-	-	-
		F	7	-	-	-	-	-	1	5	1	-	-	-	-
192	Lightning	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
193	Accidents due to electric currents	T	20	-	-	-	-	-	-	-	-	-	-	-	-
		M	18	2	1	-	-	-	-	5	3	-	2	5	-
		F	2	-	-	-	-	1	1	-	-	-	-	-	-
194	Other accidents	T	192	-	-	-	-	-	-	-	-	-	-	-	-
		M	137	11	10	10	10	3	9	18	12	14	13	10	17
		F	55	4	5	3	8	3	1	6	5	6	8	5	1
194*a*	Foreign body	T	36	-	-	-	-	-	-	-	-	-	-	-	-
		M	26	3	1	4	5	1	1	2	2	2	-	1	4
		F	10	-	1	-	1	1	-	1	3	1	2	-	-
194*b*	Others	T	156	-	-	-	-	-	-	-	-	-	-	-	-
		M	111	8	9	6	5	2	8	16	10	12	13	9	13
		F	45	4	4	3	7	2	1	5	2	5	6	5	1
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
196	Wounds of war	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
197	Execution of civilians by belligerent armies	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
198	Legal executions	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	3	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
201	Accidents in mines and quarries	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
202	Accidents from agricultural machinery	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	-	1	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
202*g*	Traumatism by crushing, landslide	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
202*m*	Other accidents	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
203	Elevator accidents	T	16	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	1	3	-	-	-	1	1	1	-	2	4	1
		F	2	-	-	1	-	-	-	-	-	-	-	1	-
203*f*	Traumatism by fall	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	1	-	-	-	-	-	-	-	1	2	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
203*g*	Traumatism by crushing, landslide	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	1	-	-	-	1	-	1	-	1	2	-
		F	2	-	-	1	-	-	-	-	-	-	-	1	-
203*m*	Other accidents	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Accidents from machinery used for recreation	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
204*f*	Traumatism by fall	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1935.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
186*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	1	2	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
187	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	–	–	1	–	–	–	1	–	–	4	2	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
189	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
190	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	2	4	2	8	5	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–
191	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	1	1	1	1	1	1	2	3	1	1	–	–
	1	1	–	–	–	–	–	–	–	–	–	1	–	3	–	1	–	–
192	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
193	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	1	3	5	4	2	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
194	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	3	–	–	1	7	8	5	13	17	24	22	27	4	1	–	–	–
	2	3	–	–	–	1	1	–	16	13	4	3	2	6	4	–	–	–
194*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	2	–	–	–	3	–	–	1	1	3	6	5	2	–	–	–	–
	2	2	–	–	–	–	–	–	2	1	–	3	–	–	–	–	–	–
194*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	–	1	4	8	5	12	16	21	16	22	2	1	–	–	–
	–	1	–	–	–	1	1	–	14	12	4	–	2	6	4	–	–	–
195	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
196	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
197	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
198	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
201	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
202	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
202*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
202*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
203	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	2	2	1	2	2	3	–	1	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
203*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	2	–	1	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
203*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	1	–	2	1	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
203*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
204*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
205	Other machinery accidents	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	–	1	3	1	1	2	1	1	2	2	2	1
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
205e	Traumatism by cutting or piercing instruments	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	2	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205g	Traumatism by crushing, landslide	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	1	–	–	1	1	1	2	1	1	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
205m	Other accidents	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	1	–	1	–	–	–	1	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
206	Railroad and automobile collisions	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	1	–	–	2	–	1	–	–	2	1
		F	2	–	–	–	–	–	–	1	1	–	–	–	–
206g	Traumatism by crushing, landslide	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	–	–	2	–	–	–	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
206m	Other accidents	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	1	–	–	–	1
		F	2	–	–	–	–	–	–	1	1	–	–	–	–
207	Other railroad accidents	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	66	5	6	5	5	9	4	12	6	2	7	3	2
		F	5	–	–	1	–	–	1	1	1	–	1	–	–
207e	Traumatism by cutting or piercing instruments	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	1	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207f	Traumatism by fall	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	1	2	–	1	–	1	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207g	Traumatism by crushing, landslide	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	2	–	–	–	3	1	1	–	–	2	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207h	Electric currents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207m	Other accidents	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	45	2	5	2	4	5	3	9	5	2	4	3	1
		F	5	–	–	1	–	–	1	1	1	–	1	–	–
208	Street car and automobile collisions	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	1	–	–	–	1
208m	Other accidents	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	–	–	1
		F	2	–	–	–	–	–	–	–	1	–	–	–	1
209	Other street car accidents	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	–	2	–	–	1	1	–	–	–	–	1
		F	3	–	–	1	–	–	–	1	–	–	–	–	1
209e	Traumatism by cutting or piercing instruments	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
209g	Traumatism by crushing, landslide	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
209m	Other accidents	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	–	–	–	–	1	1	–	–	–	–	1
		F	2	–	–	–	–	–	–	1	–	–	–	–	1
210	Automobile accidents	T	810	–	–	–	–	–	–	–	–	–	–	–	–
		M	619	54	30	40	47	36	45	48	64	51	59	66	79
		F	191	11	9	23	16	16	15	10	18	11	22	16	24
210b	Burns (conflagration excepted)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	–	–	–	1	–	3	1
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
210 c	Mechanical suffocation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210d	Drowning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210e	Traumatism by cutting or piercing instruments	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
210f	Traumatism by fall	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	–	1	3	2	1	3	5	1	3	4	2	6
		F	3	–	–	–	–	–	1	1	1	–	–	–	–
210g	Traumatism by crushing, landslide	T	64	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	1	3	2	6	2	4	3	6	7	5	5	5
		F	15	1	2	1	1	1	–	2	2	2	1	2	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
205	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	3	3	5	3	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
205e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
205g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	3	2	1	2	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
205m	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	2	–	1	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
206	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	1	2	1	3	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
206g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
206m	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
207	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	1	6	6	9	11	21	6	3	1	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–
207e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
207f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	3	–	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
207g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	2	2	3	1	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
207h	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
207m	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	6	2	6	8	14	5	1	1	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–
208	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
208m	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
209	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	1	–	1	1	1	1	–	1	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–
209e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
209g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
209m	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
210	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	3	7	6	5	48	25	39	89	64	85	76	109	50	12	1	–	–
	1	–	2	7	4	14	7	15	26	15	21	24	25	24	5	1	–	–
210b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
206c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
210e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
210f	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	3	4	6	3	1	7	2	4	–	–	–	–	–
	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
210g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	1	–	4	1	2	7	5	6	4	16	1	–	–	–	–
	1	–	–	1	–	1	–	–	3	–	3	2	–	2	2	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				Months.											
210*m*	Other accidents	T	701	–	–	–	–	–	–	–	–	–	–	–	–
		M	530	53	26	35	39	33	38	40	57	39	49	55	66
		F	171	10	7	22	15	15	14	7	15	9	21	13	23
211	Motorcycle accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	1	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
211*f*	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
211*m*	Other accidents	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212	Other land transportation accidents	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	1	1	–	3	–	3	4	4	1	1	–	2
		F	3	–	1	–	–	–	–	1	–	–	1	–	–
212*e*	Traumatism by cutting or piercing instruments	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212*f*	Traumatism by fall	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	3	–	1	4	3	1	1	–	2
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
212*g*	Traumatism by crushing, landslide	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212*m*	Other accidents	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	2	–	1	–	–	–	–
		F	2	–	1	–	–	–	–	1	–	–	–	–	–
213	Water transportation accidents	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	2	–	–	1	7	4	6	6	4	4	3	1
		F	4	–	–	2	–	–	1	1	–	–	–	–	–
213*d*	Drowning	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	1	–	–	1	7	4	6	5	4	3	3	–
		F	4	–	–	2	–	–	1	1	–	–	–	–	–
213*f*	Traumatism by fall	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	–	1	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213*m*	Other accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214	Air transportation accidents	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214*d*	Drowning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214*e*	Traumatism by cutting or piercing instruments	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII	Ill-defined Causes of Death	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	1	1	4	1	1	2	2	3	1	1	1	3
		F	16	5	1	–	1	2	1	2	–	2	1	–	1
199	Sudden death	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
200	Cause of death not specified or ill-defined	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	1	1	4	1	1	2	2	3	1	1	1	3
		F	16	5	1	–	1	2	1	2	–	2	1	–	1
200*a*	Ill-defined	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	1	3	1	–	2	2	3	1	–	1	1
		F	9	3	1	–	1	–	1	1	–	1	–	–	1
200*b*	Not specified or unknown	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	–	1	–	–	–	–	1	–	2
		F	7	2	–	–	–	2	–	1	–	1	1	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: **1935.**

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
210*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	5	5	5	40	19	30	76	57	71	69	89	49	12	1	–	–
	–	–	2	6	4	13	6	15	21	15	18	20	25	22	3	1	–	–
211	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
211*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
211*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
212	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	2	3	–	–	1	–	3	2	7	1	–	–	–
	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
212*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
212*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	–	1	–	2	2	7	1	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
212*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
212*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
213	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	3	10	11	4	4	3	1	–	–	–	–	–
	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–
213*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	3	9	11	3	3	3	–	–	–	–	–	–
	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–
213*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
213*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	1	–	–	–	–	–	–	1	1	4	5	3	–	2	–	–	–
	6	–	–	–	–	–	–	–	–	2	3	–	1	2	2	–	–	–
199	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	1	–	–	–	–	–	–	1	1	4	5	3	–	2	–	–	–
	6	–	–	–	–	–	–	–	–	2	3	–	1	2	2	–	–	–
200*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	1	–	–	–	–	–	–	–	–	3	4	2	–	2	–	–	–
	2	–	–	–	–	–	–	–	–	1	2	–	–	2	2	–	–	–
200*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–
	4	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death	Sex	Allocated Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total	January	February	March	April	May	June	July	August	September	October	November	December
				Months.											
210*m*	Other accidents	T	701	–	–	–	–	–	–	–	–	–	–	–	–
		M	530	53	26	35	39	33	38	40	57	39	49	55	66
		F	171	10	7	22	15	15	14	7	15	9	21	13	23
211	Motorcycle accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	1	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
211*f*	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
211*m*	Other accidents	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212	Other land transportation accidents	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	1	1	–	3	–	3	4	4	1	1	–	2
		F	3	–	1	–	–	–	–	1	–	–	1	–	–
212*e*	Traumatism by cutting or piercing instruments	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212*f*	Traumatism by fall	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	3	–	1	4	3	1	1	–	2
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
212*g*	Traumatism by crushing, landslide	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212*m*	Other accidents	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	2	–	1	–	–	–	–
		F	2	–	1	–	–	–	–	1	–	–	–	–	–
213	Water transportation accidents	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	2	–	–	1	7	4	6	6	4	4	3	1
		F	4	–	–	2	–	–	1	1	–	–	–	–	–
213*d*	Drowning	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	1	–	–	1	7	4	6	5	4	3	3	–
		F	4	–	–	2	–	–	1	1	–	–	–	–	–
213*f*	Traumatism by fall	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	–	1	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213*m*	Other accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214	Air transportation accidents	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214*d*	Drowning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214*e*	Traumatism by cutting or piercing instruments	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII	Ill-defined Causes of Death	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	1	1	4	1	1	2	2	3	1	1	1	3
		F	16	5	1	–	1	2	1	2	–	2	1	–	1
199	Sudden death	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
200	Cause of death not specified or ill-defined	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	1	1	4	1	1	2	2	3	1	1	1	3
		F	16	5	1	–	1	2	1	2	–	2	1	–	1
200*a*	Ill-defined	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	1	3	1	–	2	2	3	1	–	1	1
		F	9	3	1	–	1	–	1	1	–	1	–	–	1
200*b*	Not specified or unknown	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	–	1	–	–	–	–	1	–	2
		F	7	2	–	–	–	2	–	1	–	1	1	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1935.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
210*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	5	5	5	40	19	30	76	57	71	69	89	49	12	1	–	–
	–	–	2	6	4	13	6	15	21	15	18	20	25	22	3	1	–	–
211	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
211*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
211*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
212	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	2	3	–	–	1	–	3	2	7	1	–	–	–
	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
212*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
212*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	1	–	–	1	–	2	2	7	1	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
212*g*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
212*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
213	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	3	10	11	4	4	3	1	–	–	–	–	–
	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–
213*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	3	9	11	3	3	3	–	–	–	–	–	–
	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–
213*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
213*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214*e*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	1	–	–	–	–	–	–	1	1	4	5	3	–	2	–	–	–
	6	–	–	–	–	–	–	–	–	2	3	–	1	2	2	–	–	–
199	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	1	–	–	–	–	–	–	1	1	4	5	3	–	2	–	–	–
	6	–	–	–	–	–	–	–	–	2	3	–	1	2	2	–	–	–
200*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	1	–	–	–	–	–	–	–	–	3	4	2	–	2	–	–	–
	2	–	–	–	–	–	–	–	–	1	2	–	–	2	2	–	–	–
200*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–
	4	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–

Table 14a

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	948	68	65	72	75	81	72	75	114	84	87	75	80
		M	553	45	41	44	39	42	46	45	58	45	48	52	48
		F	395	23	24	28	36	39	26	30	56	39	39	23	32
I.	Infectious and Parasitic Diseases	T	89	–	–	–	–	–	–	–	–	–	–	–	–
		M	71	9	7	7	5	6	7	5	4	3	4	8	6
		F	18	1	2	1	1	2	3	–	3	1	3	–	1
8	Scarlet fever	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	1	–	–	–	–	–	–
9	Whooping cough	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
11	Influenza	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
11*a*	With respiratory complications specified	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
16	Acute poliomyelitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
23–32	Tuberculosis (total)	T	75	–	–	–	–	–	–	–	–	–	–	–	–
		M	61	8	6	7	4	5	6	4	3	2	4	6	6
		F	14	1	2	1	–	1	1	–	3	1	3	–	1
23	Tuberculosis of the respiratory system	T	70	–	–	–	–	–	–	–	–	–	–	–	–
		M	59	8	6	6	4	5	6	4	2	2	4	6	6
		F	11	1	2	–	–	1	1	–	1	1	3	–	1
24	Tuberculosis of the meninges and central nervous system	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
25	Tuberculosis of the intestines and peritoneum	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	1	–	–	–	–	1	–	–	–	–
30	Tuberculosis of the genitourinary system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
34	Syphilis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	1	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
34*b*	Acquired	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
34*c*	Unspecified	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
36	Purulent infection, septicemia, non-puerperal	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
43	Mycoses	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	Cancers and Other Tumors	T	175	–	–	–	–	–	–	–	–	–	–	–	–
		M	86	6	7	10	6	6	7	6	3	8	9	11	7
		F	89	5	3	6	12	11	3	11	8	7	11	6	6
45–53	Cancer and other malignant tumors (total)	T	159	–	–	–	–	–	–	–	–	–	–	–	–
		M	77	6	6	9	6	3	6	6	3	6	9	10	7
		F	82	5	3	6	10	9	2	10	8	7	11	5	6
45	Cancer and other malignant tumors of the buccal cavity and pharynx.	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	1	2	1	–	–	2	–	–	2	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45*a*	Lip	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	–	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45*b*	Tongue	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	2	1	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45*e*	Other and unspecified parts of buccal cavity	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
45*f*	Pharynx	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
46	Cancer and other malignant tumors of the digestive tract and peritoneum	T	73	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	2	1	6	2	3	3	1	1	3	5	4	4
		F	38	1	1	3	7	3	1	5	2	4	4	1	6

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1935.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	36	6	5	1	3	10	10	20	60	84	127	155	204	157	66	4	-	-
	20	4	1	1	1	8	4	18	38	52	95	92	118	77	23	1	-	-
	16	2	4	-	2	2	6	2	22	32	32	63	86	80	43	3	-	-
I.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	1	1	1	3	17	34	5	4	3	-	-	-	-
	2	-	-	-	-	-	2	-	3	7	2	1	1	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23–32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	2	17	32	4	4	1	-	-	-	-
	-	-	-	-	-	-	-	-	3	7	2	1	1	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	17	32	4	4	1	-	-	-	-
	-	-	-	-	-	-	-	-	3	6	1	1	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	1	-	1	4	6	9	17	31	11	5	-	-	-
	-	-	-	-	1	-	-	-	2	4	11	25	21	16	9	-	-	-
45–53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	2	5	8	15	30	11	5	-	-	-
	-	-	-	-	1	-	-	-	-	3	9	23	21	16	9	-	-	-
45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	6	1	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	3	3	7	16	5	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	6	10	9	7	6	-	-	-

Table 14a

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
46a	Esophagus	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	–	–	–	1	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
46b	Stomach and duodenum	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	1	3	–	2	–	–	–	–	3	2	1
		F	10	1	–	–	3	1	1	1	1	1	–	–	1
46c	Intestine (except rectum and anus)	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	2	–	–	2	–	–	–	–	–	1
		F	14	–	1	3	1	1	–	–	–	3	2	1	2
46d	Rectum and anus	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	–	1	1	1	1	–	2	1	–	2
		F	6	–	–	–	1	–	–	3	–	–	1	–	1
46e	Liver and biliary passages	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	1	–	–	–	1	–	–	–	–
		F	7	–	–	–	1	1	–	1	1	–	1	–	2
46f	Pancreas	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
47	Cancer and other malignant tumors of the respiratory system	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	–	–	1	–	1	–
		F	3	–	–	1	–	1	–	–	–	–	1	–	–
47a	Larynx	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
47b	Lungs and pleura	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	1	–	–	–	–	1	–	–
48	Cancer and other malignant tumors of the uterus	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	14	–	–	1	2	2	–	1	3	1	3	1	–
49	Cancer and other malignant tumors of other female genital organs	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	1	–	–	1	–	–	–	–	1	–
49a	Ovary and Fallopian tube	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	1	–	–	1	–	–	–	–	1	–
50	Cancer and other malignant tumors of the breast	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	15	2	2	–	–	1	–	2	2	2	2	2	–
51	Cancer and other malignant tumors of the male genitourinary organs	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	2	3	1	–	–	3	1	1	1	–	4	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51a	Kidney and suprarenals (male)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51b	Bladder (male)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	–	–	–	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51c	Prostate	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	3	1	–	–	3	1	1	–	–	2	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Cancer and other malignant tumors of the skin	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	1	–	–
		F	2	1	–	–	–	1	–	–	–	–	–	–	–
53	Cancer and other malignant tumors of other or unspecified organs	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	–	–	2	–	–	1	1	1	1	1	1
		F	7	1	–	–	1	1	–	2	1	–	1	–	–
53b	Bladder (female)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
53c	Brain	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	–	–	2	–	–	1	1	1	1	1	1
		F	3	1	–	–	–	–	–	2	–	–	–	–	–
53e	Others	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	1	1	–	–	–	–	1	–	–
54	Nonmalignant tumors	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	3	1	–	–	2	–	–	–
		F	4	–	–	–	–	1	1	1	–	–	1	–	–
54b	Of the uterus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
54d	Of the brain	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	2	1	–	–	1	–	–	–
		F	2	–	–	–	–	–	–	1	–	–	–	1	–
54e	Of other organs	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	1	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1935.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
46a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	2	4	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	4	4	1	1	-	-	-	-
46c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	4	2	4	2	-	-	-
46d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	2	5	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-
46e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	-	-	-
46f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
47a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
47b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	2	3	2	4	1	-	-	-
49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
49a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	6	4	3	1	-	-	-
51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	10	4	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	7	4	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	2	4	1	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	2	3	1	-	-	-	-
53b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
53c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	2	4	1	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-
53e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	1	2	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
54b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
54d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
54e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14a — Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Months.												
55	Tumors of which the nature is not specified	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	1	–	–	–	–	–	–	–	1	–
		F	3	–	–	–	2	1	–	–	–	–	–	–	–
55b	Of the uterus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
55d	Of the brain	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	1	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	1	1	–	–	–	–	–	–	–
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	1	–	1	3	–	–	1	1	2	–	2
		F	17	1	1	2	–	–	3	–	2	2	3	1	2
57	Chronic rheumatism, osteoarthritis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
59	Diabetes mellitus	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	1	–	1	3	–	–	1	1	1	–	2
		F	9	–	1	2	–	–	1	–	2	1	1	–	1
66	Diseases of the thyroid and parathyroid glands	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	7	1	–	–	–	–	2	–	–	1	2	–	1
66b	Exophthalmic goiter	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	7	1	–	–	–	–	2	–	–	1	2	–	1
IV.	Diseases of the Blood and Blood-making Organs	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	1	1	–	–	–	–	–	1	1
		F	6	–	–	–	1	2	–	–	1	2	–	–	–
71	Anemias	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	4	–	–	–	–	2	–	–	1	1	–	–	–
71a	Pernicious anemia	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	2	–	–	–	1	–	–	–
71b	Others	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
72	Leukemias and pseudoleukemias	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	1	–	–	–	–	–	–	1
		F	2	–	–	–	1	–	–	–	–	1	–	–	–
72a	True leukemias	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	–	–	1
		F	2	–	–	–	1	–	–	–	–	1	–	–	–
72b	Pseudoleukemias (Hodgkin's disease)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
V.	Chronic Poisonings and Intoxications	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
75	Alcoholism (acute or chronic)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
76	Chronic poisoning by other organic substances	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
76b	Other than occupational	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	75	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	3	4	4	3	3	3	3	8	3	2	4	3
		F	32	–	1	1	1	4	2	4	5	3	4	4	3
78	Encephalitis (nonepidemic)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	1
78a	Abscess of the brain	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	1
79	Meningitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
79a	Simple meningitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
80	Progressive locomotor ataxia (tabes dorsalis)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
81	Other diseases of the spinal cord	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	1	–	1	–	–	1	–
		F	2	–	–	–	–	1	–	–	–	–	1	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1935.

Detailed Int. List No.	Age of Decedents (Years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
55b	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55d	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
III.	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	5	4	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	1	4	6	3	-	-	-	-
57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	4	4	-	-	-	-
66	-	-	-	-	-	-	-	-	1	-	-	1	4	3	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
66b	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-
71	-	-	1	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
71a	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71b	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
72	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
72a	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
72b	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
V.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76b	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	1	2	-	4	6	8	9	8	3	-	-	-
78	-	-	-	-	-	-	2	-	1	1	2	5	5	6	8	2	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
78a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
79a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-

Table 14a

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	3	3	3	2	1	1	1	4	2	1	1	3
		F	25	–	1	1	1	3	2	4	4	2	3	3	1
82a	Cerebral hemorrhage	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	1	3	2	2	1	–	1	4	2	1	1	2
		F	23	–	1	–	1	3	2	4	4	2	2	3	1
82b	Cerebral embolism and thrombosis	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	–	1	–	–	1	–	–	–	–	–	1
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
82d	Hemiplegia and other paralysis, cause unspecified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
83	General paralysis of the insane	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	–	–	1	–	1	2	1	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
87	Other diseases of the nervous system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
87b	Other than neuralgia and neuritis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
89	Diseases of the ear and of the mastoid process	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	1	1	–	1	1	1	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	–	–	1
89a	Diseases of the ear	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	1	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	–	–	–	1
89b	Diseases of the mastoid process	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	1	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VII	Diseases of the Circulatory System	T	220	–	–	–	–	–	–	–	–	–	–	–	–
		M	113	7	8	8	5	8	11	10	18	7	10	10	11
		F	107	9	9	9	8	10	8	4	18	14	5	5	8
91	Acute endocarditis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
91a	Specified as acute	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
92	Chronic endocarditis, valvular disease	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	2	2	–	1	1	1	–	–	–	3	3
		F	22	2	2	6	2	–	1	–	1	4	–	1	3
92a	Endocarditis specified as chronic and valvular disease	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	1	2	–	1	1	1	–	–	–	3	1
		F	20	1	2	5	2	–	1	–	1	4	–	1	3
92b	Endocarditis unspecified (45 years and over)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	–	–	–	–	–	2
		F	2	1	–	1	–	–	–	–	–	–	–	–	–
93	Diseases of the myocardium	T	68	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	3	1	3	3	2	4	–	6	2	2	2	3
		F	37	6	3	2	2	4	3	2	6	4	2	1	2
93a	Acute myocarditis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
93c	Chronic myocarditis and myocardial degeneration	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	3	1	3	1	1	3	–	5	2	–	2	2
		F	26	4	3	2	1	3	2	1	3	3	1	1	2
93d	Unspecified	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	2	1	1	–	–	–	2	–	1
		F	11	2	–	–	1	1	1	1	3	1	1	–	–
94	Diseases of the coronary arteries and angina pectoris	T	66	–	–	–	–	–	–	–	–	–	–	–	–
		M	41	2	2	3	2	3	5	2	10	4	4	1	3
		F	25	–	1	1	3	5	1	1	7	3	1	–	2
94a	Angina pectoris	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	1	–	–	2	–	4	–	1	–	–
		F	5	–	–	–	1	–	–	–	2	2	–	–	–
94b	Diseases of the coronary arteries	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	2	2	2	2	3	3	2	6	4	3	1	3
		F	20	–	1	1	2	5	1	1	5	1	1	–	2
95	Other diseases of the heart	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	1	1	–	–	2	1	6	2	1	4	4	2
		F	18	1	2	–	1	–	2	1	4	3	1	2	1
95b	Other and unspecified	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	1	1	–	–	2	1	6	2	1	4	4	2
		F	18	1	2	–	1	–	2	1	4	3	1	2	1
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	1	–	–	1	–	–	–	–	1	1	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1935.

Detailed List List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	6	7	7	3	-	-	-
82a	-	-	-	-	-	-	1	-	-	1	1	3	4	6	8	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	4	6	6	2	-	-	-
82b	-	-	-	-	-	-	-	-	-	1	1	3	4	5	8	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-
82d	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	3	4	1	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
89a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
89b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	5	13	23	35	25	10	1	-	-
	-	-	-	-	-	-	-	-	-	1	7	12	35	31	20	1	-	-
91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
91a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	3	3	2	3	-	1	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	4	10	5	-	-	-
92a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	3	2	2	1	-	1	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	4	9	4	-	-	-
92b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	5	9	10	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	5	13	8	9	-	-	-
93a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	4	6	8	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	4	10	4	7	-	-	-
93d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	3	4	2	-	-	-
94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	5	8	16	8	2	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	4	11	7	1	-	-	-
94a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	2	3	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-
94b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	3	6	13	7	2	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	3	8	6	1	-	-	-
95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	6	8	3	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	-	5	4	5	1	-	-
95b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	6	8	3	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	-	5	4	5	1	-	-
97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-

Table 14a

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
99	Other diseases of the arteries	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII	Diseases of the Respiratory System	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	2	2	2	3	2	5	2	3	–	1	2	3
		F	22	1	2	1	2	3	–	1	3	2	4	–	3
105	Diseases of the larynx	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	1	–	–	–	–
106	Bronchitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
106*d*	Unspecified (5 years and over)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
107	Bronchopneumonia (including capillary bronchitis)	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	2	–	2	–	–	–	–	1	1
		F	6	–	1	–	–	1	–	1	1	–	1	–	1
107*a*	Bronchopneumonia	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	1	–	2	–	2	–	–	–	–	1	1
		F	6	–	1	–	–	1	–	1	1	–	1	–	1
108	Lobar pneumonia	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	2	1	2	1	2	2	2	3	–	–	1	2
		F	11	–	1	–	2	2	–	–	–	2	2	–	2
109	Pneumonia, unspecified	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
114	Other diseases of the respiratory system (tuberculosis excepted)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
114*b*	Others, including gangrene of the lung	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
IX.	Diseases of the Digestive System	T	73	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	4	5	4	4	3	2	5	4	7	3	3	3
		F	26	1	–	4	5	–	2	1	6	2	2	–	3
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	3	–	–	–	–	1	–	–	1	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
115a	Pharynx and tonsils	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	–	–	1	–	–	1	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
115*b*	Others	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	2	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
117	Ulcers of the stomach and duodenum	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	2	–	–	1	–	–	1	2	2	–	1	1
		F	2	–	–	–	–	–	–	–	–	2	–	–	–
117*a*	Stomach	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	1	–	–	1	–	1	–	1	1
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
117*b*	Duodenum	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	2	–	–	–	–	–	–	2	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
119	Diarrhea and enteritis (under 2 years of age)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
120	Diarrhea, enteritis and ulceration of intestines (2 years and over)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	2	–	–
120*b*	Ulceration of intestines	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	2	–	–
121	Appendicitis	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	–	4	–	–	–	1	2	3	–	–	2
		F	6	–	–	–	1	–	1	–	4	–	–	–	–
122	Hernia, intestinal obstruction	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	1	–	1	–	–	–	–	–	–
		F	6	1	–	1	1	–	1	1	–	–	–	–	1
122*a*	Hernia	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	1	–	–	–	–	–	–	–	–
		F	4	1	–	–	1	–	1	1	–	–	–	–	–
122*b*	Intestinal obstruction	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	2	–	–	1	–	–	–	–	–	–	–	–	1
123	Other diseases of the intestines	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1935.

Detailed Int. List No.	Age of Decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	3	1	-	-	-	-	1	2	1	7	2	4	4	-	-	-	-
	-	1	1	-	-	1	-	-	2	3	1	3	3	6	1	-	-	-
105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
106*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-
	-	1	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-
107*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-
	-	1	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-
108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	-	-	1	2	-	6	2	2	3	-	-	-	-
	-	-	1	-	-	1	-	-	-	2	1	1	1	4	-	-	-	-
109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
114*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
IX.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	1	-	2	1	1	3	7	8	10	6	6	-	-	-	-
	-	1	1	-	1	-	2	1	2	4	1	5	4	4	-	-	-	-
115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
115*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
115*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	3	2	-	2	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
117*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
117*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
120*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	-	1	2	2	4	1	1	-	-	-	-
	-	-	1	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-
122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	-	-
122*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
122*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14a — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Months. Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
124	Cirrhosis of the liver	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	1	1	–	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
124a	Specified as alcoholic	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
124b	Not specified as alcoholic	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	–	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
125	Other diseases of the liver (including yellow atrophy of liver)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
125b	Other than yellow atrophy of liver	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
126	Biliary calculi	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	2	–	1	–	–	–	–	–
		F	2	–	–	2	–	–	–	–	–	–	–	–	–
127	Other diseases of the gall bladder and biliary passages	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	2	–	–	–	–	–	–	–	1
128	Diseases of the pancreas	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
129	Peritonitis, cause not specified	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
X.	Diseases of the Genitourinary System	T	72	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	6	1	2	1	3	1	5	5	1	7	5	6
		F	29	3	2	1	2	3	2	3	4	1	5	2	1
130	Acute nephritis (including unspecified under 10 years of age)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	–	–	1	–	–	–	–
131	Chronic nephritis	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	4	1	2	–	1	–	4	2	1	2	3	4
		F	18	3	1	1	2	2	1	2	2	–	3	1	–
132	Nephritis, unspecified (10 years and over)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
133	Other diseases of the kidneys and ureters (puerperal diseases excepted)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	1	–
		F	2	–	–	–	–	–	–	1	–	–	–	1	–
133a	Pyelitis	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–	–	1	–
133b	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
134	Calculi of the urinary passages	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
134a	Of the kidneys and ureters	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137	Diseases of the prostate	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	2	–	–	1	2	1	1	2	–	4	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
139	Diseases of the female genital organs, not specified as venereal	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	6	–	1	–	–	–	1	–	1	1	1	–	1
139a	Cysts of the ovary	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	1	–	1	1	1	–	–
139b	Other diseases of the ovaries, tubes and parametrium	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	–	–	–	–	–	–	–	–	–	1
XI.	Diseases of Pregnancy, Childbirth and the Puerperal State	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	6	–	–	1	1	–	1	1	–	1	–	–	1
144	Puerperal hemorrhage	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	–	–	1	–	–	–	–	–
144a	Placenta praevia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
144b	Other puerperal hemorrhages	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1935.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 99.	100 and over.	Unknown.
124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
125b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
X.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	2	2	10	10	13	4	-	-	-
	1	-	-	-	-	1	-	-	2	4	-	2	9	10	-	-	-	-
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	2	10	6	3	1	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	2	7	7	-	-	-	-
132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
133a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
133b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	4	8	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	3	-	-	1	2	-	-	-	-
139a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-
139b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
XI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-
144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
144a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
144b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14a — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Months. Total.	January.	February.	March.	April.	May	June.	July	August.	September.	October.	November.	December.
145	Puerperal septicemia (not specified as due to abortion)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
145a	Puerperal septicemia and pyemia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
146	Puerperal albuminuria and eclampsia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
148b	Embolism and thrombosis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
149	Other accidents of childbirth	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
149b	Other than Cesarean operation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
XII.	Diseases of the Skin and Cellular Tissue	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
153	Other diseases of the skin, and annexa, and of the cellular tissue	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII.	Diseases of the Bones and Organs of Locomotion	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
154	Osteomyelitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
156	Diseases of the joints and other organs of locomotion	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
156a	Diseases of the joints (tuberculosis and rheumatism excepted)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
156b	Other organs of locomotion	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
XIV.	Congenital Malformations	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	–	–	–	1	1
		F	4	1	–	–	1	1	–	–	–	1	–	–	–
157	Congenital Malformations (stillbirths not included)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	–	–	–	–	–	–	–	1	1
		F	4	1	–	–	1	1	–	–	–	1	–	–	–
157b	Spina bifida and meningocele	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
157c	Congenital malformation of the heart	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
157d	Others	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	–	–	–	1
		F	2	1	–	–	–	–	–	–	–	1	–	–	–
XV.	Diseases of Early Infancy	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	2	1	–	–	1	1	1	2	2	1	1	–
		F	9	–	2	–	–	2	–	2	1	1	–	1	–
158	Congenital debility	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	2	–	–	–	–	1	1	1	1	–	–	–
		F	7	–	2	–	–	2	–	2	–	1	–	–	–
160	Injury at birth	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
160b	Without Cesarean operation	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
161	Other diseases peculiar to early infancy	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	–	–	1	1	1	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
161a	Atelectasis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1935.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
145a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
148b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
149b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
XII.	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
153	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
XIII.	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
154	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
156a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156b	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
XIV.	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157b	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157c	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157d	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160b	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161a	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14a — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) of residents according to the Detailed International — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
161*d*	Others	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
XVI.	Senility	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII.	Violent and Accidental Deaths	T	116	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	5	5	6	10	6	8	8	9	13	9	5	5
		F	27	-	2	2	2	1	2	2	4	4	2	4	2
163–171	Suicide (total)	T	15	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	1	1	2	-	1	-	-	2	1	2	1
		F	4	-	1	1	-	-	-	-	-	1	-	-	1
165	Suicide by hanging or strangulation	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	1	-	-	1	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
166	Suicide by drowning	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
167	Suicide by firearms	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
168	Suicide by cutting or piercing instruments	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	1	-	-	-	-	-	-	-	-	1
169	Suicide by jumping from high places	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	-	-	-	-	1	-	1	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
170	Suicide by crushing	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
172–175	Homicide (total)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
173	Homicide by firearms	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
176–198, 201–214	Accidents (total)	T	100	-	-	-	-	-	-	-	-	-	-	-	-
		M	74	5	4	5	7	6	7	8	9	11	8	3	4
		F	23	-	1	1	2	1	2	2	4	3	2	4	1
179	Other acute accidental poisonings (gas excepted)	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
179*f*	Other poisons or kind not stated	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
180	Conflagration	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
181	Accidental burns (conflagration excepted)	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
183	Accidental drowning	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	1	-	-	-	-	2	3	-	2	2	-	1
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
184	Accidental traumatism by firearms (wounds of war excepted)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
186	Accidental traumatism by fall, crushing, landslide	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	1	-	1	-	-	1	-	1	-	1	2	1
		F	4	-	1	-	1	-	-	-	1	1	-	-	-
186*a*	Fall	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	-	1	-	-	1	-	1	-	1	2	-
		F	4	-	1	-	1	-	-	-	1	1	-	-	-
186*b*	Crushing, landslide	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
194	Other accidents	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	1	-	-	1	-	-	1	-	1	-	-
		F	3	-	-	-	-	-	1	-	-	1	1	-	-
194*a*	Foreign body	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
194*b*	Others	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	-	-	-	1	-	1	-	-
		F	2	-	-	-	-	-	1	-	-	-	1	-	-
198	Legal executions	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1935.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
161*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	10	22	10	16	13	12	4	-	-	-	-
	-	-	1	-	-	-	-	1	5	2	4	4	3	4	3	-	-	-
163–171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	4	3	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172–175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
176–198, 201–214	-	-	-	-	-	1	1	10	21	8	12	10	11	3	-	-	-	-
	-	-	1	-	-	-	-	1	5	1	3	3	2	4	3	-	-	-
179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	2	2	1	2	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	1	1	3	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
186*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	1	-	3	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
186*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
194*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14a — Cause of Death	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Months.												
204	Accidents from machinery used for recreation	T	1	–	–	–	–	–		–	–		–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
204*m*	Other accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
206	Railroad and automobile collisions	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	–	1
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
206*m*	Other accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	–	1
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
207	Other railroad accidents	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	1	1	–	1	1	–	2	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207*e*	Traumatism by cutting or piercing instruments	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207*f*	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207*g*	Traumatism by crushing, landslide	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
207*m*	Other accidents	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210	Automobile accidents	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	2	–	1	2	5	2	2	5	4	3	1	1
		F	13	–	–	1	1	–	1	2	1	1	1	4	1
210*d*	Drowning	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
210*e*	Traumatism by cutting or piercing instruments	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210*f*	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
210*g*	Traumatism by crushing, landslide	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	1	–	–	–	1	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
210*m*	Other accidents	T	35	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	2	–	1	2	4	2	1	5	3	3	1	–
		F	11	–	–	–	1	–	1	2	1	1	1	4	–
212	Other land transportation accidents	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212*f*	Traumatism by fall	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213	Water transportation accidents	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	1	–	3	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213*d*	Drowning	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	3	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213*f*	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214	Air transportation accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214*m*	Other accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII	Ill-defined Causes of Death	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

Out of State Dying in Massachusetts, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1935.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
206m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	5	8	3	5	1	4	2	-	-	-	-
	-	-	-	-	-	-	-	1	2	-	3	3	1	2	1	-	-	-
210d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
210e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
210m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	5	5	2	5	1	4	2	-	-	-	-
	-	-	-	-	-	-	-	1	2	-	1	3	1	2	1	-	-	-
212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
214m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVIII	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14b — Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Months.												
	All Causes.	T	296	18	38	37	21	14	26	28	40	24	20	12	18
		M	195	12	25	23	17	8	17	20	25	13	11	11	13
		F	101	6	13	14	4	6	9	8	15	11	9	1	5
I.	Infectious and Parasitic Diseases	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	2	–	4	1	1	–	1	2	1	1	–	2
		F	4	1	1	–	–	–	1	1	–	–	–	–	–
11	Influenza	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
11a	With respiratory complications specified	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	1	–	–	–	–	–	–	–	–
13b	Dysentery (bacillary)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
23–32	Tuberculosis (total)	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	2	–	3	–	1	–	1	1	1	–	–	1
		F	3	1	–	–	–	–	1	1	–	–	–	–	–
23	Tuberculosis of the respiratory system	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	–	2	–	1	–	1	1	1	–	–	1
		F	2	1	–	–	–	–	–	1	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
25	Tuberculosis of the intestines and peritoneum	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
34c	Syphilis (unspecified)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
36	Septicemia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	Cancers and Other Tumors	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	3	1	2	2	1	1	–	1	–	–	1
		F	19	1	2	2	–	2	–	2	5	1	2	1	1
45–53	Cancer and other malignant tumors (total)	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	3	1	2	2	1	1	–	1	–	–	1
		F	15	1	1	2	–	2	–	1	4	1	2	1	–
46	Cancer and other malignant tumors of the digestive tract and peritoneum	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	2	–	2	1	1	1	–	1	–	–	–
		F	5	–	–	–	–	2	–	–	2	–	1	–	–
46a	Esophagus	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
46b	Stomach and duodenum	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	1	1	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
46c	Intestine (except rectum and anus)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
46d	Rectum and anus	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
46e	Liver and biliary passages	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	2	–	–	–	–
47	Cancer and other malignant tumors of the respiratory system	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	1	–	–	–	–	–	–	–	–	–
47a	Larynx	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
47b	Lungs and pleura	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	1	1	–	–	–	–	–	–	–	–	–
48	Cancer and other malignant tumors of the uterus	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	1	–	–	–	–	2	–	–	–	–
49a	Cancer and other malignant tumors of other female genital organs (ovary)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–
50	Cancer and other malignant tumors of the breast	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–	–	1	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1935.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown
	5	-	1	3	1	2	2	4	24	43	39	45	45	50	27	5	-	-
	4	-	-	3	-	2	2	2	20	33	30	32	26	27	11	3	-	-
	1	-	1	-	1	-	-	2	4	10	9	13	19	23	16	2	-	-
I.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	1	2	4	5	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
11*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
13*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23–32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	3	3	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	3	3	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
34*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	5	2	3	2	-	-	-	-
	-	-	-	-	-	-	-	-	1	3	3	5	3	3	1	-	-	-
45–53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	5	2	3	2	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	2	4	3	3	1	-	-	-
46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	4	1	2	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-
46*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
46*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
46*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
46*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
47*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
49a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-

Table 14b

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
51a	Cancer and other malignant tumors of the male genito-urinary organs (kidney)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Cancer and other malignant tumors of the skin	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
53e	Cancer and other malignant tumors of other or unspecified organs	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	2	1	–	–	–	–	–	–	–	1	–	–	–
54	Nonmalignant tumors	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	1	1	–	–	–	1
54b	Of the uterus	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–	–	–	1
54d	Of the brain	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
55d	Tumors of which the nature is not specified (brain)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	2	–	–	–	1	–	–	–	–	1	–
		F	6	1	1	–	1	–	–	1	–	–	2	–	–
57	Chronic rheumatism, osteoarthritis	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
59	Diabetes mellitus	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	2	–	–	–	–	–	–	–	–	1	–
		F	5	–	1	–	1	–	–	1	–	–	2	–	–
69	Other general diseases	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	Diseases of the Blood and Blood-making Organs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
72a	Leukemia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	1	1	1	3	2	–	4	2	2	–	–	2
		F	13	1	3	2	1	–	2	1	–	2	–	–	1
78	Encephalitis (nonepidemic)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	2	–	–	–	–	–	–
78a	Abscess of the brain	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
78b	Others	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
79	Meningitis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
	Nonepidemic cerebrospinal meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	1
	Simple meningitis	F	1	1	–	–	–	–	–	–	–	–	–	–	–
81	Other diseases of the spinal cord	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	1	1	2	1	–	4	2	2	–	–	1
		F	7	–	3	1	–	–	–	–	–	2	–	–	1
82a	Cerebral hemorrhage	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	1	1	2	1	–	4	2	2	–	–	1
		F	4	–	3	–	–	–	–	–	–	1	–	–	–
82b	Cerebral embolism and thrombosis	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	1	–	–	–	–	–	–	–	–	1
82d	Hemiplegia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
85	Epilepsy	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	1	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
89	Diseases of the ear and of the mastoid process	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	–	–	1	–	–	–	–	–

of Massachusetts Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1935.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
51a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
54b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
54d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
55d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
III.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-
57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-
69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
72a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	3	2	1	4	4	3	-	-	-
	-	-	-	-	1	-	-	-	-	2	-	3	1	2	4	-	-	-
78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
78a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
78b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	3	1	1	4	4	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-
82a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	3	1	1	4	4	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-
82b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
82d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-

Table 14b

Deaths (exclusive of Stillbirths) of Residents according to the Detailed International

Detailed Int. List No.	Cause of Death.	Sex.	Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
89a	Diseases of the ear	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
89b	Diseases of the mastoid process	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
VII.	Diseases of the Circulatory System	T	75	-	-	-	-	-	-	-	-	-	-	-	-
		M	49	2	8	6	4	-	7	7	6	-	2	4	3
		F	26	2	2	6	-	3	4	-	3	3	2	-	1
91a	Acute endocarditis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
92a	Endocarditis specified as chronic and valvular disease	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	1	-	-	-	2	1	-	-	1	-	-
		F	2	-	-	1	-	1	-	-	-	-	-	-	-
93	Diseases of the myocardium	T	21	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	2	3	-	1	-	3	2	2	-	-	2	-
		F	6	-	-	2	-	-	3	-	-	1	-	-	-
93a	Acute myocarditis	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
93c	Chronic myocarditis and myocardial degeneration	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	1	-	1	-	2	1	1	-	-	2	-
		F	5	-	-	1	-	-	3	-	-	1	-	-	-
93d	Unspecified	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	1	2	-	-	-	1	1	1	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
94	Diseases of the coronary arteries and angina pectoris	T	24	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	-	3	2	2	-	1	3	2	-	1	1	2
		F	7	1	2	-	-	-	-	-	1	1	1	-	1
94a	Angina pectoris	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	6	-	2	-	1	-	-	1	2	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
94b	Diseases of the coronary arteries	T	17	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	1	2	1	-	1	2	-	-	1	1	2
		F	6	1	1	-	-	-	-	-	1	1	1	-	1
95	Other diseases of the heart	T	16	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	-	1	2	1	-	1	1	2	-	-	1	1
		F	6	-	-	2	-	-	-	-	2	1	1	-	-
95a	Functional diseases of the heart	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
95b	Other and unspecified	T	15	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	1	2	1	-	1	-	2	-	-	1	1
		F	6	-	-	2	-	-	-	-	2	1	1	-	-
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	5	1	-	1	-	2	1	-	-	-	-	-	-
VIII.	Diseases of the Repsiratory System	T	17	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	-	3	3	-	1	1	2	-	3	-	-	-
		F	4	-	1	1	-	-	-	-	1	1	-	-	-
107a	Bronchopneumonia	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	3	2	-	-	-	1	-	2	-	-	-
		F	2	-	1	-	-	-	-	-	-	1	-	-	-
109	Pneumonia, unspecified	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
111a	Pulmonary embolism and thrombosis	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
IX.	Diseases of the Digestive System	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	1	1	1	3	1	-	-	-	1	2	2	1
		F	6	-	-	-	1	1	-	-	2	-	2	-	-
115b	Diseases of the buccal cavity	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
117a	Ulcer of the stomach	T	2	-	-	-	-	-	-	-	-	-	-	-	
		M	2	-	-	-	-	-	-	-	-	-	-	1	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
118	Other diseases of the stomach (cancer excepted)	T	1	-	-	-	-	-	-	-	-	-	-	-	
		M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	1	-	
121	Appendicitis	T	2	-	-	-	-	-	-	-	-	-	-	-	
		M	1	-	-	-	1	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	1	-	-

of Massachusetts, Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1935.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
89a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
89b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
VII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	6	5	10	11	13	3	1	-	-
	-	-	-	-	-	-	-	-	-	1	-	3	6	7	8	1	-	-
91a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	3	1	7	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-
93a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	3	1	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-
93d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	4	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	3	6	2	2	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	-	-	-
94a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
94b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	5	1	2	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-
95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	2	4	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-
95a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	2	3	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-
97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-
VIII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	1	-	-	3	2	3	1	1	1	-	-	-
	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
107a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	3	1	1	1	1	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
111a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	5	3	4	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-
115b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14b — Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
			Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Months.												
122	Hernia, intestinal obstruction	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	1	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
122a	Hernia	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
122b	Intestinal obstruction	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
123	Other diseases of the intestines	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	-	1	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
126	Biliary calculi	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-
127	Other diseases of the gall bladder and biliary passages	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	2	-	-	-	-
128	Diseases of the pancreas	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
129	Peritonitis, cause not specified	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
X.	Diseases of the Genitourinary System	T	19	-	-	-	-	-	-	-	-	-	-	-	-
		M	10	2	1	-	2	1	3	-	-	1	-	-	-
		F	9	-	1	3	-	-	1	-	1	2	-	-	1
131	Chronic nephritis	T	15	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	2	1	-	2	-	2	-	-	-	-	-	-
		F	8	-	1	3	-	-	1	-	1	2	-	-	-
132	Nephritis, unspecified (10 years and over)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
133b	Cystic degeneration of the kidney	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
137	Diseases of the prostate	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
XI.	Diseases of Pregnancy, Childbirth and the Puerperal State	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
146	Puerperal albuminuria and eclampsia	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-
XII.	Diseases of the Skin and Cellular Tissue	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
152	Phlegmon, acute abscess	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	Diseases of Early Infancy	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	1	1	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
160b	Injury at birth, without Cesarean operation	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI.	Senility	T	1	-	-	-	-	-	-	-	-	-	-	-	-
162b	Without senile dementia	M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII.	Violent and Accidental Deaths	T	64	-	-	-	-	-	-	-	-	-	-	-	-
		M	52	4	6	5	2	-	3	3	14	4	5	4	2
		F	12	-	2	-	-	-	1	2	3	2	1	-	1
163–171	Suicide (total)	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	-	2	-	-	1	-	3	-	1	1	-
		F	2	-	-	-	-	-	-	-	-	2	-	-	-
163e	Suicide by corrosive sublimate	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
165	Suicide by hanging or strangulation	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	-	-	-	2	-	1	1	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-
167	Suicide by firearms	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

of Massachusetts, Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1935.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	3	2	1	1	1	-	-
	-	-	-	-	-	-	-	-	-	-	3	1	1	4	-	-	-	-
131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	3	1	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	1	1	4	-	-	-	-
132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
133b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
XII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XV.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162b	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	1	1	16	11	7	6	4	1	2	1	-	-
	-	-	1	-	-	-	-	2	2	-	1	1	3	1	1	-	-	-
163–171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	2	1	3	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
163e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14b — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) of Residents according to the Detailed International — Months. Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
171	Suicide by other means	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	2	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
176–198, 201–214	Accidents (total)	T	54	-	-	-	-	-	-	-	-	-	-	-	-
		M	44	4	6	3	2	-	2	3	11	4	4	3	2
		F	10	-	2	-	-	-	1	2	3	-	1	-	1
180	Conflagration	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
181	Accidental burns (conflagration excepted)	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
183	Accidental drowning	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	3	-	-	-	1	-	2	1	-	-	-
		F	3	-	-	-	-	-	1	1	1	-	-	-	-
186*a*	Fall	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	1	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
191	Excessive heat	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
194*b*	Other accidents	T	12	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	1	-	-	-	-	1	-	5	1	1	-	-
		F	3	-	-	-	-	-	-	1	1	-	1	-	-
207*m*	Railroad accidents	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	1	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
210	Automobile accidents	T	18	-	-	-	-	-	-	-	-	-	-	-	-
		M	16	1	2	3	1	-	-	2	2	1	3	1	-
		F	2	-	1	-	-	-	-	-	1	-	-	-	-
210*g*	Traumatism by crushing	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	-	-
210*m*	Other accidents	T	16	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	1	2	3	1	-	-	1	2	1	3	1	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
212*f*	Fall from bicycle	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
213*d*	Fall from boat (drowning)	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	-	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
214*d*	Airplane accident (drowning)	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
XVIII	Ill-defined Causes of Death	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	-	-	-	-	-	1	-	1
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
200	Cause of death not specified or ill-defined	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	1	-	-	-	-	-	-	1	-	1
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
200*a*	Ill-defined	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-
200*b*	Not specified or unknown	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-

of Massachusetts, Dying Out of State, from each Cause and Class of Causes, List, by Months and Sex and by Age and Sex: 1935.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
176–	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198,	-	-	-	-	-	2	-	1	14	10	4	5	4	1	2	1	-	-
201–	-	-	1	-	-	-	-	2	1	-	1	1	2	1	1	-	-	-
214																		
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-	-	-
	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
186*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	3	-	-	2	1	1	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
207*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	1	6	2	2	2	1	-	1	-	-	-
	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
210*g*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
210*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	1	6	1	2	2	1	-	1	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
212*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
213*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
214*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVIII	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
200*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
200*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from — The State.	Abington.	Acton.	Acushnet.	Adams.	Agawam.	Alford.	Amesbury.	Amherst.	Andover.
	All Causes.[2]	49,634	88	49	49	110	55	4	144	84	122
(1)	Typhoid and paratyphoid fever (1, 2)	10	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	37	–	–	–	–	1	1	–	–	–
(5)	Scarlet fever (8)	57	–	–	–	–	–	–	1	–	–
(6)	Whooping cough (9)	67	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	26	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	322	–	–	1	1	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	1,813	1	1	4	5	–	–	2	2	–
(11)	Tuberculosis of the meninges and central nervous system (24)	51	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	97	–	–	–	–	–	–	–	–	1
(12)	Syphilis (34)	177	–	–	–	–	–	–	2	2	–
(13)	Malaria (38)	1	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	77	–	1	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	61	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	55	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	6,351	11	7	4	14	5	–	20	15	21
(17)	Rheumatism (56, 57, 58)	135	1	–	–	–	–	–	1	–	1
(18)	Diabetes mellitus (59)	1,303	7	–	2	3	1	–	8	2	4
(19)	Alcoholism (acute or chronic) (75)	209	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	4,167	7	8	8	12	3	2	11	11	10
(24)	Acute endocarditis (91)	125	–	–	–	1	–	–	–	1	–
(24)	Angina pectoris (94a)	800	–	1	–	2	1	–	3	–	10
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	13,910	21	16	8	24	22	–	42	18	23
(25)	Arteriosclerosis (97)	1,004	1	–	2	1	–	–	3	4	4
(26)	Bronchitis (106)	149	–	–	–	1	–	–	1	2	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	2,232	3	2	4	4	1	–	3	5	4
(27)	Lobar pneumonia (108)	1,731	3	–	–	4	1	–	5	3	1
(27)	Pneumonia (unspecified) (109)	29	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	287	–	–	–	1	–	–	1	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	219	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	484	–	–	1	2	–	–	–	1	1
(31)	Cirrhosis of the liver (124)	355	–	2	1	2	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	312	–	–	1	–	–	–	–	2	–
(32)	Hernia, intestinal obstruction (122)	402	–	–	–	2	–	–	–	1	–
(33)	Nephritis (130–132)	3,307	12	5	2	10	3	–	19	1	12
(34)	Diseases of the female genital organs, not specified as venereal (139)	103	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	104	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	221	–	–	–	–	–	–	1	–	–
(38)	Congenital malformations (157)	393	–	–	–	1	2	–	1	–	–
(38)	Congenital debility (158)	39	1	–	–	–	–	–	–	–	1
(39)	Senility (162)	50	–	–	–	1	–	–	–	–	–
(40)	Suicide (163–171)	570	1	1	2	1	–	–	1	1	2
(41)	Homicide (172–175)	74	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	3,006	11	–	2	9	5	1	6	6	12
(42)	*Burns (conflagration excepted) (181)*	143	–	–	–	1	–	–	–	–	1
(42)	*Accidental drowning (183)*	194	–	–	–	–	1	–	1	–	–
(42)	*Traumatism by fall (186a)*	1,109	3	–	1	4	1	1	3	1	5
(42)	*Railroad and automobile collisions (206)*	10	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	71	1	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	4	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	10	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	810	6	–	1	3	–	–	1	3	4
(42)	*All others*	655	1	–	–	1	3	–	1	2	2
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	4,675	8	4	7	9	10	–	13	7	15
(43)	Cause of death not specified or ill-defined (199, 200)	37	–	1	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1935.

Abridged Int. List No.	Arlington.	Ashburnham.	Ashby.	Ashfield.	Ashland.	Athol.	ATTLEBORO.	Auburn.	Avon.	Ayer.	Barnstable.	Barre.	Becket.	Bedford.	Belchertown.	Bellingham.	Belmont.	Berkley.	Berlin.
	371	35	22	19	29	115	272	52	35	33	105	34	6	32	45	23	199	15	17
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(5)	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
(6)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	2	–	1	–	–	3	4	–	–	–	–	1	–	–	–	–	–	–	–
(10)	13	2	1	–	–	4	6	1	–	1	3	2	1	–	5	–	6	1	1
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–
(14)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
(15)	44	6	–	2	2	11	41	8	7	4	7	6	–	1	2	2	30	2	3
(17)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	9	2	1	–	–	3	4	2	2	3	–	1	–	2	–	–	6	–	–
(19)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	38	2	2	4	3	11	24	3	6	3	11	4	1	2	6	3	20	1	1
(24)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
(24)	1	–	–	–	1	1	3	–	–	–	3	1	–	–	–	–	6	–	–
(24)	111	7	8	5	8	30	83	17	10	10	26	7	2	10	8	4	55	2	5
(25)	14	–	1	1	3	2	7	–	–	–	10	–	–	1	–	1	5	–	–
(26)	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	2	–	–
(27)	11	–	–	2	–	–	8	3	1	2	5	–	–	–	2	1	7	3	1
(27)	9	2	1	1	–	7	7	–	–	3	5	2	–	2	2	1	8	–	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	1	1	–	–	–	4	1	–	–	–	1	–	–	2	–	–	–	–	–
(29)	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(30)	3	–	1	–	–	2	2	2	–	–	–	–	–	–	–	–	4	–	–
(31)	2	–	–	–	–	2	–	–	1	1	1	1	–	1	–	–	2	–	–
(32)	2	–	–	–	–	2	1	–	–	1	2	–	–	–	–	2	2	–	–
(32)	5	1	–	–	1	1	3	1	–	–	–	–	–	–	–	1	2	–	–
(33)	24	3	4	2	2	12	22	2	5	1	5	1	–	2	2	1	13	–	1
(34)	1	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	1	–	–
(35)	–	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–
(36)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	–	–
(38)	1	–	–	–	–	–	4	1	–	–	–	1	–	–	–	–	–	1	–
(38)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	6	–	1	–	1	2	2	1	–	–	–	–	–	1	1	–	1	2	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	17	6	–	2	6	7	17	3	–	2	9	3	1	3	5	1	9	–	–
(42)	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
(42)	4	2	–	–	–	–	–	–	–	–	2	1	–	–	2	–	1	–	–
(42)	3	2	–	1	–	1	7	1	–	–	3	–	1	1	2	–	2	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(42)	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
(42)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	4	1	–	–	5	3	4	1	–	1	3	–	–	2	1	1	2	–	–
(42)	4	1	–	1	–	2	6	1	–	1	–	1	–	–	–	–	2	–	–
	48	2	1	–	1	8	29	8	2	1	12	3	–	3	10	5	13	3	4
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No	Table 15 — Cause of Death.[1]	Deaths from Bernardston.	Beverly.	Billerica.	Blackstone.	Blandford.	Bolton.	Boston.	Bourne.	Boxborough.	Boxford.
	All Causes.[2]	15	340	86	43	4	14	10,227	44	6	13
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	4	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	2	–	–	–
(5)	Scarlet fever (8)	–	–	1	–	–	–	11	–	–	–
(6)	Whooping cough (9)	–	1	–	–	–	–	8	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	7	–	–	–
(8)	Influenza (11)	–	2	–	–	–	–	32	1	–	–
(10)	Tuberculosis of the respiratory system (23)	–	10	–	3	–	1	506	3	–	1
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	18	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	29	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	57	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	1	–	–	–
(14)	Erysipelas (15)	–	2	–	–	–	–	18	–	–	–
(14)	Poliomyelitis (16)	–	1	–	–	–	–	13	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	8	–	–	–
(15)	Cancer and other malignant tumors (45–53)	1	44	14	6	1	2	1,265	5	2	–
(17)	Rheumatism (56, 57, 58)	–	1	–	–	–	–	14	–	–	–
(18)	Diabetes mellitus (59)	–	14	1	2	–	–	227	–	–	–
(19)	Alcoholism (acute or chronic) (75)	–	1	–	–	–	–	99	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	1	21	16	1	–	–	729	7	–	2
(24)	Acute endocarditis (91)	–	–	–	–	–	–	18	–	–	–
(24)	Angina pectoris (94a)	–	13	–	1	1	1	110	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	4	83	23	10	–	2	2,926	12	4	5
(25)	Arteriosclerosis (97)	–	8	4	–	–	2	129	–	–	–
(26)	Bronchitis (106)	–	1	1	1	–	–	24	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	2	13	4	2	–	–	626	3	–	1
(27)	Lobar pneumonia (108)	–	18	4	2	–	1	470	4	–	–
(27)	Pneumonia (unspecified) (109)	–	1	–	–	–	–	2	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	64	1	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	4	–	–	–	–	41	–	–	–
(30)	Appendicitis (121)	–	4	1	–	–	–	84	–	–	–
(31)	Cirrhosis of the liver (124)	–	–	1	–	–	–	110	–	–	–
(32)	Diseases of the stomach (117, 118)	–	1	–	–	–	–	64	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	1	1	–	–	–	91	–	–	–
(33)	Nephritis (130–132)	1	37	3	9	–	2	496	4	–	2
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	1	–	–	–	–	19	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	23	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	1	–	–	–	–	43	–	–	–
(38)	Congenital malformations (157)	–	4	2	–	–	–	76	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	2	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	4	1	–	–	–	120	1	–	–
(41)	Homicide (172–175)	–	1	–	–	–	–	29	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	3	13	1	2	2	2	678	1	–	–
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	37	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	1	–	–	45	–	–	–
(42)	*Traumatism by fall (186a)*	–	7	1	–	1	1	288	1	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	1	–	–	13	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	5	–	–	–
(42)	*Automobile accidents and injuries (210)*	1	1	–	–	–	–	160	–	–	–
(42)	*All others*	2	5	–	–	1	1	130	–	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	3	35	8	4	–	–	928	2	–	1
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	1	6	–	–	1

[1]The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1935.

Abridged Int. List No.	Boylston.	Braintree.	Brewster.	Bridgewater.	Brimfield.	BROCKTON.	Brookfield.	Brookline.	Buckland.	Burlington.	CAMBRIDGE.	Canton.	Carlisle.	Carver.	Charlemont.	Charlton.	Chatham.	Chelmsford.	CHELSEA.
	9	166	10	115	16	733	33	569	13	20	1,378	74	5	19	6	27	26	101	426
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
(5)	–	3	–	1	–	–	–	1	–	–	2	–	–	–	–	–	–	1	–
(6)	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	1
(7)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	3	–	3	1	2	–	1	1	–	–	1	–	1	–	–	6
(10)	–	2	–	5	–	19	1	10	–	1	61	1	–	4	–	–	1	1	19
(11)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3
(11)	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	2	–
(12)	–	–	1	1	–	–	–	–	–	–	7	–	–	–	–	–	–	–	4
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–
(14)	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1
(14)	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–
(15)	1	19	2	15	1	110	4	107	2	1	159	13	3	3	–	2	3	9	52
(17)	–	1	–	–	–	–	–	2	–	–	3	–	–	–	–	–	–	–	2
(18)	–	–	–	1	–	28	–	13	–	–	34	4	–	1	–	1	2	1	14
(19)	–	–	–	1	–	2	–	2	–	–	12	1	–	–	–	–	–	–	1
(22)	1	12	–	11	3	69	1	55	1	2	116	12	1	3	3	2	3	7	27
(24)	–	–	–	–	–	2	–	–	–	–	2	–	–	–	–	–	–	–	2
(24)	1	4	2	4	–	19	1	19	–	1	13	1	–	–	–	1	1	1	7
(24)	–	60	1	21	9	209	10	166	5	8	400	14	1	2	–	10	9	37	118
(25)	–	1	–	14	–	13	1	17	–	–	20	2	–	–	–	–	–	6	2
(26)	–	–	–	2	–	1	–	–	–	–	4	–	–	1	–	–	–	–	2
(27)	4	3	–	3	–	41	5	16	–	2	76	4	–	1	–	1	–	5	23
(27)	–	7	–	6	–	23	–	21	1	–	48	1	–	–	–	1	–	–	14
(27)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
(28)	–	–	–	1	–	2	–	2	–	–	7	2	–	–	–	–	–	–	3
(29)	–	–	–	–	–	1	–	1	–	–	16	–	–	–	–	–	–	–	1
(30)	–	–	–	1	–	5	–	7	–	–	10	–	–	–	–	–	–	3	5
(31)	1	3	–	2	–	6	1	2	–	–	8	–	–	–	–	–	–	1	4
(32)	1	–	–	–	–	6	–	4	–	–	8	–	–	–	–	–	–	2	4
(32)	–	2	–	–	–	8	–	5	–	–	8	1	–	–	–	–	–	2	3
(33)	–	11	–	2	–	27	1	25	2	–	94	6	–	–	–	3	3	4	18
(34)	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	2	–	–	–	–	4	1	–	–	–	–	–	–	–
(36)	–	1	–	–	–	1	–	1	–	–	7	–	–	–	–	–	–	1	2
(38)	–	2	–	–	–	4	–	–	–	1	13	–	–	–	–	–	–	–	7
(38)	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1
(39)	–	–	–	–	–	2	–	2	–	–	1	–	–	–	–	–	–	–	–
(40)	–	4	1	5	–	7	1	5	1	2	11	1	–	–	–	1	1	1	2
(41)	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
(42)	–	13	1	9	1	49	1	32	–	–	82	5	–	–	1	2	2	4	26
(42)	–	1	–	–	–	6	–	1	–	–	4	–	–	–	–	–	–	–	–
(42)	–	4	–	–	–	3	–	–	–	–	4	–	–	–	–	1	–	–	3
(42)	–	4	–	4	–	19	–	15	–	–	32	4	–	–	–	1	2	1	5
(42)	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
(42)	–	–	–	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	2	1	1	1	9	–	7	–	–	18	1	–	–	–	–	–	3	7
(42)	–	2	–	3	–	12	1	8	–	–	20	–	–	–	1	–	–	–	11
	–	18	1	6	2	68	4	48	1	1	131	5	–	2	1	1	1	12	50
(43)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1

[3] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Cheshire.	Chester.	Chesterfield.	Chicopee.	Chilmark.	Clarksburg.	Clinton.	Cohasset.	Colrain.	Concord.
	All Causes.[2]	14	15	4	381	4	18	149	49	23	73
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	2	–	1	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	3	–	–	1	–	–	–
(6)	Whooping cough (9)	–	–	–	1	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	2	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	6	–	–	1	–	–	3
(10)	Tuberculosis of the respiratory system (23)	1	1	–	15	–	1	5	1	–	4
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	1	–	–	1	–	1	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	1	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	1	–	–	–	–	–	1
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	2	1	1	44	1	–	21	7	3	9
(17)	Rheumatism (56, 57, 58)	–	–	–	1	–	–	–	2	–	–
(18)	Diabetes mellitus (59)	–	–	–	11	–	1	4	3	–	–
(19)	Alcoholism (acute or chronic) (75)	–	–	–	1	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	1	4	–	27	–	1	11	5	–	12
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	–	–	–	1	–	1	–	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	4	3	1	82	–	6	55	9	6	20
(25)	Arteriosclerosis (97)	–	–	–	6	–	–	1	–	–	3
(26)	Bronchitis (106)	–	–	–	4	–	–	1	–	–	1
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	12	–	1	7	2	3	6
(27)	Lobar pneumonia (108)	–	–	–	13	1	–	5	2	2	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	4	1	–	1	2	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	3	–	–	1	–	–	–
(30)	Appendicitis (121)	–	–	–	6	–	–	2	–	–	1
(31)	Cirrhosis of the liver (124)	–	–	–	4	–	–	1	–	–	–
(32)	Diseases of the stomach (117, 118)	–	–	–	4	–	1	2	–	–	1
(32)	Hernia, intestinal obstruction (122)	–	1	1	3	–	–	–	–	–	–
(33)	Nephritis (130–132)	2	2	–	34	1	3	2	9	2	1
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	1	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	2	–	–	2	–	–	–
(38)	Congenital malformations (157)	–	1	–	4	–	–	–	–	–	1
(38)	Congenital debility (158)	–	–	–	1	–	–	1	–	–	–
(39)	Senility (162)	1	–	–	–	–	–	2	–	–	–
(40)	Suicide (163–171)	–	–	–	8	–	–	–	–	–	1
(41)	Homicide (172–175)	–	–	–	1	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	–	1	30	–	2	9	4	3	2
(42)	*Burns (conflagration excepted) (181)*	–	–	–	1	–	–	2	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	1	1	–	–
(42)	*Traumatism by fall (186a)*	–	–	1	5	–	–	1	–	1	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	1	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	–	12	–	2	5	2	–	2
(42)	*All others*	1	–	–	11	–	–	–	1	2	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	2	2	–	40	–	–	13	3	3	6
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	2	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1935.

Abridged Int. List No.	Conway.	Cummington.	Dalton.	Dana.	Danvers.	Dartmouth.	Dedham.	Deerfield.	Dennis.	Dighton.	Douglas.	Dover.	Dracut.	Dudley.	Dunstable.	Duxbury.	East Bridgewater.	East Brookfield.	East Longmeadow.
	12	4	43	7	143	107	174	23	44	47	27	14	61	24	9	36	56	14	35
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	1	–	1	–	2	3	–	–	–	1	–	–	1	–	1	–	1	–	–
(10)	1	–	1	–	1	6	4	–	2	3	2	1	2	1	–	1	–	–	1
(11)	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
(15)	1	–	4	2	15	14	21	1	5	4	5	–	9	2	2	8	5	1	4
(17)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	1	–	–	–	6	2	4	1	1	2	–	–	2	1	–	–	2	–	1
(19)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(22)	–	–	4	–	13	13	15	1	8	3	3	–	6	3	2	1	2	3	2
(24)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	–	1	–	1	2	1	–	–	1	1	2	–	–	–	–	1	3	–	–
(24)	5	1	18	3	45	33	53	8	14	10	5	4	13	4	3	8	19	4	4
(25)	–	–	–	–	3	2	10	1	1	7	1	2	3	–	–	–	1	–	1
(26)	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(27)	1	–	–	–	8	2	5	2	2	3	1	–	2	3	–	2	3	–	3
(27)	1	–	1	1	3	6	6	1	3	1	2	–	1	–	–	1	4	–	1
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	1	–	–	–	–	1	–	–	1	1	1	–	–	–	–	2	–	–
(29)	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–
(30)	–	–	1	–	2	2	3	1	–	1	–	–	–	2	–	–	–	1	1
(31)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(32)	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–
(32)	–	–	–	–	1	–	1	–	–	2	–	–	–	1	–	1	–	–	–
(33)	1	1	2	–	9	5	9	2	3	5	–	2	3	2	–	3	5	2	5
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–	–
(36)	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–
(38)	–	–	–	–	–	1	1	1	–	–	–	–	–	–	1	1	1	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(40)	–	–	–	–	–	2	1	–	–	–	–	–	2	–	–	–	–	–	2
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(42)	–	–	6	–	12	–	9	–	1	–	1	2	4	–	–	3	2	–	3
(42)	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1
(42)	–	–	3	–	3	–	5	–	–	–	–	1	–	–	–	–	2	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	1	–	2	–	–	–	1	–	–	1	–	–	–	1	–	–	1
(42)	–	–	2	–	2	–	3	–	–	–	1	–	3	–	–	2	–	–	–
	–	–	4	–	17	11	22	3	2	2	2	2	10	4	–	3	3	1	7
(43)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.	Deaths from Eastham.	Easthampton.	Easton.	Edgartown.	Egremont.	Enfield.	Erving.	Essex.	Everett.	Fairhaven.
	All Causes.[1]	6	104	76	22	5	9	20	18	513	104
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	1	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	1	–
(8)	Influenza (11)	–	3	2	1	–	–	–	–	3	–
(10)	Tuberculosis of the respiratory system (23)	–	3	1	1	–	–	–	–	20	5
(11)	Tuberculosis of the meninges and central nervous system (24)	–	1	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	1	–	–	–	–	–	–	1	–
(12)	Syphilis (34)	–	–	1	–	–	–	–	–	3	1
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	1	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	1
(15)	Cancer and other malignant tumors (45–53)	1	18	14	3	1	–	2	2	68	16
(17)	Rheumatism (56, 57, 58)	–	2	–	–	–	–	–	1	3	–
(18)	Diabetes mellitus (59)	–	3	1	1	–	–	1	–	17	3
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–	4	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	9	11	2	1	–	4	3	33	12
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	3	–
(24)	Angina pectoris (94a)	–	5	1	1	–	–	–	1	5	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	3	19	20	2	–	6	4	7	138	22
(25)	Arteriosclerosis (97)	–	–	4	2	–	–	–	–	1	5
(26)	Bronchitis (106)	–	–	–	–	–	–	–	–	1	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	–	–	1	–	–	2	–	23	10
(27)	Lobar pneumonia (108)	–	6	4	–	–	–	1	–	31	3
(27)	Pneumonia (unspecified) (109)	–	–	1	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	1	–	1	–	–	–	–	1	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	–	–	1	–
(30)	Appendicitis (121)	–	–	–	1	–	–	–	–	10	2
(31)	Cirrhosis of the liver (124)	–	–	–	–	–	–	–	–	2	–
(32)	Diseases of the stomach (117, 118)	–	–	–	1	–	–	–	–	2	1
(32)	Hernia, intestinal obstruction (122)	–	–	1	–	–	–	–	–	7	–
(33)	Nephritis (130–132)	–	8	3	1	1	–	1	2	31	6
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	2	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	4	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	1	–	–	–	–	6	–
(38)	Congenital malformations (157)	–	1	–	–	–	–	–	–	3	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	1	–	–	2	–	–
(40)	Suicide (163–171)	–	2	–	–	–	–	–	–	3	1
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	1	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	10	2	1	–	3	1	–	25	4
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	3	–	–	–	–	–	–	2	–
(42)	*Traumatism by fall (186a)*	–	2	1	–	–	1	–	–	10	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	1	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	2	–
(42)	*Automobile accidents and injuries (210)*	–	3	1	–	–	–	1	–	5	–
(42)	*All others*	–	2	–	1	–	2	–	–	5	3
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	1	11	9	2	1	–	4	–	59	12
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	1	–	–	–	–	–	–	–

[1]The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1935.

Abridged Int. List No.	Fall River.	Falmouth.	Fitchburg.	Florida.	Foxborough.	Framingham.	Franklin.	Freetown.	Gardner.	Gay Head.	Georgetown.	Gill.	Gloucester	Goshen.	Gosnold.	Grafton.	Granby.	Granville.	Great Barrington.
	1,338	73	443	5	63	223	84	25	201	2	32	8	300	2	3	72	12	11	68
(1)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	8	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(6)	2	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(7)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	8	1	3	–	–	–	2	–	1	–	1	–	2	–	–	2	–	–	1
(10)	67	3	16	–	1	7	1	–	7	–	–	–	12	–	–	1	2	–	–
(11)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(12)	5	1	3	–	–	–	1	–	1	–	–	–	1	–	–	1	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	171	8	59	1	11	31	10	4	25	–	2	–	42	–	–	9	2	1	7
(17)	2	–	1	–	–	1	2	–	–	–	–	–	2	–	–	–	–	–	–
(18)	46	–	10	–	2	1	1	1	8	–	1	–	6	–	–	2	–	–	2
(19)	10	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	1
(22)	98	12	29	–	8	22	15	4	15	–	2	3	22	–	–	3	1	1	12
(24)	4	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
(24)	16	–	2	–	–	4	4	1	4	–	1	–	6	–	1	1	–	–	1
(24)	376	18	141	2	20	64	20	3	37	–	14	2	87	1	–	22	2	3	21
(25)	9	4	6	–	2	8	1	–	4	–	1	–	15	–	–	1	–	–	2
(26)	7	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–
(27)	69	6	14	–	–	10	3	4	8	–	2	–	7	–	–	1	–	2	2
(27)	37	1	7	–	1	9	1	–	10	–	1	–	13	–	–	3	1	3	1
(27)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	7	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
(29)	12	2	2	–	–	1	–	–	4	–	–	1	1	–	–	–	–	–	–
(30)	17	1	9	–	–	1	–	1	3	–	–	–	2	–	–	2	–	–	1
(31)	7	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
(32)	7	–	6	–	–	1	–	–	–	–	–	–	2	–	–	1	–	–	–
(32)	13	–	6	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1
(33)	129	5	33	–	5	7	5	1	26	–	–	–	29	–	–	7	1	–	5
(34)	2	–	1	–	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–
(35)	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	6	–	5	–	1	3	–	1	2	–	1	–	–	–	–	1	1	1	1
(38)	10	–	4	–	1	1	1	–	1	–	–	–	1	–	–	1	–	–	–
(38)	–	–	–	–	–	1	–	–	–	–	–	–	–		–	1	–	–	–
(39)	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
(40)	11	1	9	–	–	5	2	1	2	–	2	–	2	–	–	1	1	–	1
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(42)	46	3	23	1	3	13	5	–	18	2	3	1	14	–	1	3	1	–	4
(42)	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
(42)	5	–	–	–	–	2	–	–	3	–	1	–	1	–	–	–	–	–	–
(42)	20	1	12	–	1	1	2	–	4	–	1	–	5	–	–	1	–	–	3
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	–	1	1	1	–	–	1	–	–	–	2	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	12	1	5	–	–	7	1	–	6	–	–	–	2	–	–	–	1	–	1
(42)	7	1	6	–	1	2	2	–	4	2	1	–	3	–	1	2	–	–	–
	116	7	45	1	5	26	6	3	20	–	1	1	25	1	1	8	–	–	4
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Greenfield.	Greenwich.	Groton.	Groveland.	Hadley.	Halifax.	Hamilton.	Hampden.	Hancock.	Hanover.
	All Causes.[2]	198	–	42	31	23	12	28	11	5	36
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	1	–	–	–	–	1	1	1	–	1
(10)	Tuberculosis of the respiratory system (23)	1	–	1	1	–	–	–	1	–	3
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	1	–	–	–
(12)	Syphilis (34)	–	–	–	–	1	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	1	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	24	–	8	3	2	3	2	2	2	4
(17)	Rheumatism (56, 57, 58)	1	–	1	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	9	–	–	–	–	–	–	–	–	–
(19)	Alcoholism (acute or chronic) (75)	1	–	–	1	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	14	–	1	3	–	2	3	1	1	4
(24)	Acute endocarditis (91)	1	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	5	–	–	–	–	–	–	–	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	48	–	10	9	12	4	15	3	2	16
(25)	Arteriosclerosis (97)	3	–	–	2	–	–	–	–	–	1
(26)	Bronchitis (106)	2	–	–	–	1	1	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	10	–	3	1	–	–	–	–	–	2
(27)	Lobar pneumonia (108)	5	–	1	1	2	–	2	–	–	–
(27)	Pneumonia (unspecified) (109)	1	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	4	–	–	–	–	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	1	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	4	–	1	–	1	–	1	–	–	–
(31)	Cirrhosis of the liver (124)	2	–	2	–	–	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	3	–	–	–	1	–	1	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	–	–	–
(33)	Nephritis (130–132)	15	–	2	4	–	1	–	1	–	1
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	3	–	2	1	–	–	–	1	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	2	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	1	–	–	–	–	–	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	18	–	2	2	–	–	–	–	–	1
(42)	*Burns (conflagration excepted) (181)*	1	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	1	–	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	4	–	1	–	–	–	–	–	–	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	1	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	6	–	–	1	–	–	–	–	–	–
(42)	*All others*	5	–	1	1	–	–	–	–	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	18	–	7	3	3	–	2	1	–	3
(43)	Cause of death not specified or ill-defined (199, 200)	1	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1935.

Abridged Int. List No.	Hanson.	Hardwick.	Harvard.	Harwich.	Hatfield.	HAVERHILL.	Hawley.	Heath.	Hingham.	Hinsdale.	Holbrook.	Holden.	Holland.	Holliston.	HOLYOKE.	Hopedale.	Hopkinton.	Hubbardston.	Hudson.
	39	31	19	31	22	568	1	6	88	16	45	46	4	45	650	28	36	11	82
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–	–	1	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	5	–	–	1	–	–	–	–	–	4	–	–	1	1
(10)	2	–	–	3	1	24	–	–	2	2	3	2	–	1	28	–	–	1	3
(11)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–	–	1
(12)	–	–	–	–	–	2	–	–	1	–	–	–	–	–	2	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
(14)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
(15)	4	5	1	4	2	72	–	1	10	–	7	9	–	4	61	4	7	1	11
(17)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–
(18)	–	1	1	1	–	15	–	1	1	–	2	2	–	3	14	–	3	–	3
(19)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	2
(22)	2	3	4	2	4	56	–	1	10	2	3	5	–	3	38	2	2	–	5
(24)	1	–	–	–	–	5	–	–	–	–	–	1	–	1	3	–	–	–	–
(24)	1	1	1	1	3	14	–	–	3	–	1	–	–	1	9	–	–	–	2
(24)	13	9	4	6	4	182	1	–	28	6	23	7	–	12	201	9	11	1	22
(25)	–	1	2	–	–	12	–	–	2	–	–	–	–	2	9	–	3	1	1
(26)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(27)	2	1	–	6	–	22	–	1	–	–	1	–	–	6	33	3	3	–	3
(27)	1	1	1	–	–	8	–	–	1	1	–	2	–	1	22	4	–	1	1
(27)	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
(28)	2	–	–	1	–	5	–	–	–	–	–	1	–	–	3	–	–	–	–
(29)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	1
(30)	–	–	–	–	–	3	–	–	1	1	–	1	–	1	8	–	–	–	–
(31)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	5	–	–	–	1
(32)	–	–	1	–	–	2	–	–	–	–	–	1	–	–	5	–	–	1	–
(32)	–	–	–	–	–	8	–	–	–	–	–	–	–	–	9	–	–	–	1
(33)	4	2	1	2	2	33	–	1	5	2	–	6	–	3	55	–	4	2	4
(34)	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	1	–	–	1	3	–	–	2	–	–	–	1	–	5	1	–	–	1
(38)	–	–	–	–	–	3	–	–	1	–	–	–	–	–	4	–	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(40)	1	1	–	–	–	5	–	–	1	–	–	–	–	–	10	–	–	–	1
(41)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	4	1	2	4	25	–	–	11	1	3	2	2	2	50	1	–	–	10
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–
(42)	1	–	–	–	1	–	–	–	3	–	–	–	–	–	6	–	–	–	–
(42)	–	3	–	2	1	12	–	–	1	1	–	1	–	1	18	–	–	–	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	–	1	–	–	1	4	–	–	2	–	2	–	1	1	9	1	–	–	5
(42)	–	–	1	–	1	9	–	–	5	–	1	1	1	–	12	–	–	–	4
	5	1	1	3	1	48	–	1	6	1	1	6	1	4	61	2	3	–	7
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Hull.	Huntington.	Ipswich.	Kingston.	Lakeville.	Lancaster.	Laneeborough.	Lawrence.	Lee.	Leicester.
	All Causes.[2]	36	12	58	42	17	28	13	976	46	48
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	1	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	1	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	1	–	3	–	–	–	–	10	1	–
(10)	Tuberculosis of the respiratory system (23)	–	–	1	3	1	1	–	34	2	1
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	2	–	–
(12)	Syphilis (34)	–	–	1	–	–	–	–	2	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	1	–	4	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	1
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	2	–	–
(15)	Cancer and other malignant tumors (45–53)	4	–	5	5	2	4	1	135	2	4
(17)	Rheumatism (56, 57, 58)	–	1	–	–	–	1	–	1	–	–
(18)	Diabetes mellitus (59)	2	–	–	2	2	2	1	31	2	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	9	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	3	3	4	3	1	2	–	83	1	3
(24)	Acute endocarditis (91)	–	–	1	–	–	–	–	4	–	–
(24)	Angina pectoris (94a)	2	1	1	–	–	–	–	49	1	1
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	14	3	22	16	8	6	6	216	13	13
(25)	Arteriosclerosis (97)	–	–	1	1	1	–	–	22	–	1
(26)	Bronchitis (106)	–	1	–	–	–	–	–	1	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	2	2	–	3	1	2	–	43	1	3
(27)	Lobar pneumonia (108)	–	–	1	1	–	–	–	28	1	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	1	–	1	–	–	–	1	4	–	1
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	–	8	–	–
(30)	Appendicitis (121)	–	–	1	1	–	–	–	19	1	1
(31)	Cirrhosis of the liver (124)	1	–	1	1	–	–	–	7	1	1
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	–	–	7	–	1
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	10	–	–
(33)	Nephritis (130–132)	2	1	6	2	1	1	1	74	4	4
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	1	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	2	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	1	–	–	–	–	7	1	–
(38)	Congenital malformations (157)	–	–	1	–	–	1	–	14	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	1	1	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	–	–	–	–	3	1	11	2	1
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	2	–	4	2	–	1	1	35	4	5
(42)	*Burns (conflagration excepted) (181)*	–	–	1	–	–	–	1	2	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	2	–	–
(42)	*Traumatism by fall (186a)*	1	–	1	1	–	–	–	14	–	2
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	1	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	1	–	–	1	–	9	2	2
(42)	*All others*	1	–	1	1	–	–	–	7	2	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	2	–	3	2	–	3	–	99	7	5
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged lists appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1935.

Abridged Int. List No.	Lenox.	Leominster.	Leverett.	Lexington.	Leyden.	Lincoln.	Littleton.	Longmeadow.	Lowell.	Ludlow.	Lunenburg.	Lynn.	Lynnfield.	Malden.	Manchester.	Mansfield.	Marblehead.	Marion.	Marlborough.
	34	228	11	106	1	21	19	33	1,302	66	23	1,141	20	614	44	88	139	37	158
(1)	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	–	7	1	–	9	–	3	1	–	–	–	3
(10)	1	3	–	1	–	–	3	1	44	6	1	42	1	24	–	1	4	1	2
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	3	–	–	1	–	1	–	–	1	–	1
(12)	–	1	–	–	–	–	–	–	2	–	–	7	–	1	1	–	1	1	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(13)	–	3	–	–	–	–	–	–	2	–	–	–	–	3	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–
(14)	–	2	–	–	–	–	–	1	1	1	–	1	–	1	–	–	–	–	–
(15)	7	28	1	14	–	3	3	5	136	8	4	142	2	82	6	16	16	5	24
(17)	–	1	–	–	–	–	1	–	8	–	–	4	–	1	–	1	–	–	–
(18)	1	6	–	3	–	1	1	1	36	2	–	30	–	20	2	4	4	1	5
(19)	–	1	–	–	–	–	–	–	3	–	–	7	–	1	–	1	–	–	–
(22)	2	19	2	8	–	3	1	–	112	6	–	95	2	42	3	6	17	4	17
(24)	–	1	–	–	–	–	–	–	9	–	–	–	–	5	–	–	1	1	–
(24)	1	4	–	4	–	–	–	–	11	–	–	17	–	8	2	–	6	1	2
(24)	9	66	6	37	1	4	8	9	386	10	8	304	5	195	12	32	51	8	49
(25)	–	–	–	1	–	–	–	–	66	–	1	33	–	23	2	1	5	1	2
(26)	–	2	1	–	–	–	–	–	4	1	–	8	–	2	–	1	1	–	1
(27)	1	10	–	3	–	2	–	1	59	4	–	44	1	25	–	1	2	4	6
(27)	–	8	–	6	–	–	–	1	38	3	1	30	1	11	–	1	5	1	5
(27)	–	–	–	–	–	–	–	–	2	1	–	2	–	1	–	–	1	–	–
(28)	–	2	–	1	–	–	–	–	7	1	–	5	–	1	–	1	1	–	1
(29)	–	2	–	–	–	–	–	–	10	2	–	19	–	1	–	–	–	–	–
(30)	2	2	–	–	–	–	–	1	10	1	–	11	1	3	1	1	1	–	2
(31)	1	2	–	–	–	–	–	–	11	–	1	10	–	3	2	1	2	–	1
(32)	1	1	–	–	–	–	1	–	8	1	–	6	1	3	–	–	–	–	1
(32)	–	3	–	–	–	–	–	–	15	1	–	8	–	7	1	–	1	–	2
(33)	2	16	–	11	–	–	–	7	65	2	3	87	3	41	1	4	6	–	12
(34)	–	–	–	–	–	–	–	–	7	–	–	2	–	3	–	–	–	–	1
(35)	–	1	–	–	–	–	–	–	2	–	–	4	–	–	–	–	1	–	–
(36)	–	1	–	–	–	–	–	–	5	2	–	4	–	3	–	–	–	–	1
(38)	–	4	–	1	–	–	–	–	12	2	–	11	1	2	1	–	2	–	4
(38)	–	2	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–
(39)	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(40)	–	1	–	–	–	2	–	–	4	–	–	16	–	5	1	–	2	1	1
(41)	–	–	–	–	–	–	–	1	2	1	–	3	–	–	–	–	1	–	–
(42)	3	11	1	3	–	1	1	2	60	2	4	66	–	33	5	11	1	3	6
(42)	–	–	–	–	–	–	–	–	1	–	1	7	–	1	1	2	–	–	–
(42)	–	2	–	–	–	–	–	–	7	1	–	5	–	2	1	–	–	–	1
(42)	2	3	–	1	–	–	–	–	21	1	3	25	–	10	–	3	1	1	4
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
(42)	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
(42)	–	4	–	1	–	1	–	1	20	–	–	13	–	12	1	3	–	1	1
(42)	1	2	1	1	–	–	1	1	10	–	–	12	–	7	2	1	–	1	–
	3	23	–	11	–	5	–	3	136	8	–	110	2	57	3	5	5	5	9
(43)	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Marshfield.	Mashpee.	Mattapoisett.	Maynard.	Medfield.	Medford.	Medway.	Melrose.	Mendon.	Merrimac.
	All Causes.[2]	28	5	14	76	35	595	56	273	14	26
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	1	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	1	–	–	–	8	–	1	–	–
(10)	Tuberculosis of the respiratory system (23)	1	1	1	3	3	16	–	7	–	2
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	3	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	–	1	2	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	1	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	1	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	3	1	1	10	5	88	5	34	3	3
(17)	Rheumatism (56, 57, 58)	–	–	–	–	1	2	1	2	–	1
(18)	Diabetes mellitus (59)	–	–	1	–	1	12	1	10	1	–
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	1	4	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	5	–	2	5	–	56	3	18	1	–
(24)	Acute endocarditis (91)	–	–	–	–	–	2	–	–	–	–
(24)	Angina pectoris (94a)	1	–	–	2	–	10	1	2	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	5	–	3	22	11	148	22	93	5	4
(25)	Arteriosclerosis (97)	–	–	–	2	3	14	5	8	–	1
(26)	Bronchitis (106)	1	–	–	1	1	1	–	1	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	2	–	–	1	–	22	–	6	1	–
(27)	Lobar pneumonia (108)	1	–	–	5	1	17	–	12	–	5
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	6	–	1	1	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	1	–	3	–	–	–	–
(30)	Appendicitis (121)	–	–	1	–	–	5	–	4	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	–	5	–	–	–	–
(32)	Diseases of the stomach (117, 118)	–	–	–	2	–	6	1	2	–	–
(32)	Hernia, intestinal obstruction (122)	1	–	–	2	–	3	2	2	–	–
(33)	Nephritis (130–132)	4	–	3	2	1	41	2	17	1	3
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	1	–	1	–	1
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	1	–	1	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	1	–	–	1	–	3	1	–	–	–
(38)	Congenital malformations (157)	1	–	–	–	–	6	–	2	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	1	1	5	–	–
(40)	Suicide (163–171)	–	–	–	2	–	7	1	1	–	1
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	2	–	6	4	38	4	13	1	1
(42)	*Burns (conflagration excepted) (181)*	1	–	–	1	1	3	–	2	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	3	–	–	–	–
(42)	*Traumatism by fall (186a)*	–	–	–	1	–	18	1	8	1	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	1	1	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	1	–	4	1	9	1	2	–	1
(42)	*All others*	–	1	–	–	2	4	1	1	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	1	–	2	8	2	62	6	30	–	4
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1935.

Abridged Int. List No.	Methuen.	Middleborough.	Middlefield.	Middleton.	Milford.	Millbury.	Millis.	Millville.	Milton.	Monroe.	Monson.	Montague.	Monterey.	Montgomery.	Mount Washington.	Nahant.	Nantucket.	Natick.	Needham.
	240	132	4	14	163	75	20	22	198	3	53	81	5	2	1	23	61	162	104
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(5)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	2	–	–	–	–	–	–	–		–	–	–	1	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	2	1	–	1	1	–	–	–	1	–	–	2	–	–	–	1	–	–	–
(10)	3	2	–	2	8	1	1	–	4	–	–	1	–	–	–	–	–	3	2
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–
(12)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	1	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(15)	32	18	–	1	11	7	4	4	28	–	10	10	1	–	–	3	10	20	19
(17)	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
(18)	4	7	–	–	2	4	–	–	6	–	–	1	–	1	–	1	1	3	–
(19)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(22)	27	17	–	2	12	8	1	–	12	–	3	8	–	–	–	–	6	18	11
(24)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	9	1	–	–	5	1	3	–	4	–	2	2	–	–	–	–	1	5	3
(24)	50	28	2	4	55	21	4	6	55	1	19	20	2	–	1	10	11	45	36
(25)	3	11	1	–	3	–	–	–	2	–	1	–	–	–	–	2	7	–	2
(26)	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	1	–	–
(27)	23	7	–	–	11	4	1	1	7	–	1	2	–	–	–	–	2	2	2
(27)	6	[1] 3	–	–	5	1	1	2	4	1	1	4	–	–	–	1	–	5	5
(27)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(28)	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(29)	1	–	–	–	–	–	–	–	2	–	–	1	–	–	–	1	–	2	–
(30)	5	–	–	–	2	–	–	–	3	–	–	–	–	–	–	1	1	2	–
(31)	4	–	–	–	3	–	–	–	4	–	–	–	–	–	–	–	–	1	–
(32)	2	–	1	1	–	1	1	–	2	–	–	2	–	–	–	–	–	1	–
(32)	3	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	1	2	3
(33)	18	10	–	–	10	6	1	2	14	–	7	9	–	1	–	1	2	24	4
(34)	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–
(35)	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–
(36)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(38)	1	2	–	–	1	1	–	–	1	–	–	2	1	–	–	–	1	3	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	3	1	–	–	1	2	–	–	4	–	1	–	–	–	–	–	1	2	–
(41)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(42)	15	7	–	1	10	9	2	2	17	1	1	7	–	–	–	1	4	7	10
(42)	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
(42)	2	2	–	–	7	2	–	–	4	–	–	2	–	–	–	–	–	1	4
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	9	3	–	1	2	4	1	–	11	1	–	1	–	–	–	–	–	4	4
(42)	3	2	–	–	1	2	1	1	1	–	1	3	–	–	–	1	4	2	2
	23	13	–	1	14	5	–	4	19	–	4	7	1	–	–	1	7	14	6
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from New Ashford.	New Bedford.	New Braintree.	New Marlborough.	New Salem.	Newbury.	Newburyport.	Newton.	Norfolk.	North Adams.
	All Causes.[2]	1	1,267	7	17	7	22	186	675	14	260
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	2	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	1	–	–	–	–	–	2	–	1
(6)	Whooping cough (9)	–	4	–	–	–	–	1	2	–	–
(7)	Diphtheria (10)	–	1	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	10	–	–	1	–	2	7	–	3
(10)	Tuberculosis of the respiratory system (23)	–	61	–	1	–	–	3	19	5	4
(11)	Tuberculosis of the meninges and central nervous system (24)	–	2	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	1	–	–	–	–	–	2	–	–
(12)	Syphilis (34)	–	10	–	–	–	–	–	2	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	1	–	–	–	–	1	2	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	2	–	–	–	–	1	1	–	–
(15)	Cancer and other malignant tumors (45–53)	–	147	–	1	–	3	33	108	3	31
(17)	Rheumatism (56, 57, 58)	–	5	–	–	–	–	–	6	–	2
(18)	Diabetes mellitus (59)	–	44	–	–	–	–	3	11	–	6
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	1	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	128	–	3	2	1	22	68	–	18
(24)	Acute endocarditis (91)	–	5	–	–	–	–	–	1	–	–
(24)	Angina pectoris (94a)	–	8	–	1	–	1	5	9	–	5
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	–	385	2	5	3	6	55	189	4	68
(25)	Arteriosclerosis (97)	–	19	–	1	–	–	1	21	–	2
(26)	Bronchitis (106)	–	5	–	–	–	–	–	2	–	1
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	49	–	1	–	1	11	21	–	10
(27)	Lobar pneumonia (108)	–	31	1	–	–	2	3	16	–	6
(27)	Pneumonia (unspecified) (109)	–	1	–	–	–	–	–	1	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	3	–	–	–	1	1	3	1	2
(29)	Diarrhea and enteritis (under 2 years) (119)	–	5	–	–	–	–	–	2	–	4
(30)	Appendicitis (121)	–	14	1	–	–	–	3	6	–	5
(31)	Cirrhosis of the liver (124)	–	5	–	–	–	–	–	4	–	3
(32)	Diseases of the stomach (117, 118)	–	7	–	–	–	–	–	4	–	2
(32)	Hernia, intestinal obstruction (122)	–	10	–	–	–	–	2	9	–	3
(33)	Nephritis (130–132)	–	77	1	1	1	2	12	37	–	36
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	3	–	–	–	–	–	1	–	2
(35)	Puerperal septicemia (140, 145)	–	4	–	–	–	–	1	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	6	–	–	–	–	–	3	–	4
(38)	Congenital malformations (157)	–	13	–	–	–	–	1	7	1	1
(38)	Congenital debility (158)	–	2	–	–	–	1	–	–	–	2
(39)	Senility (162)	–	1	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	12	–	–	–	–	–	9	–	–
(41)	Homicide (172–175)	–	1	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	62	1	1	–	3	10	35	–	11
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	1	5	–	–	–	–	–	–	–	1
(42)	*Traumatism by fall (186a)*	–	25	–	–	–	–	4	15	–	3
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	1	–	–
(42)	*Railroad accidents and injuries (207)*	–	2	–	–	–	–	–	1	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	16	–	–	–	2	–	8	–	3
(42)	*All others*	–	14	1	1	–	1	6	10	–	4
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	–	117	1	2	–	1	15	64	–	28
(43)	Cause of death not specified or ill-defined 199, 200)	–	3	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1935.

Abridged Int. List No.	North Andover.	North Attleborough.	North Brookfield.	North Reading.	NORTHAMPTON.	Northborough.	Northbridge.	Northfield.	Norton.	Norwell.	Norwood.	Oak Bluffs.	Oakham.	Orange.	Orleans.	Otis.	Oxford.	Palmer.	Paxton.
	68	109	40	32	255	40	112	23	38	21	134	29	12	92	23	5	62	88	11
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	1	–	–	1	–	–	–	–	–	3	1	–	–	–	–	–	–	–
(10)	3	3	1	1	6	–	2	1	1	–	9	–	–	1	1	–	1	3	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(11)	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
(12)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(14)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	10	7	4	2	33	6	23	1	5	5	16	3	1	17	6	–	7	16	1
(17)	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	3	5	5	1	8	3	1	–	–	–	2	3	–	2	–	–	3	4	–
(19)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	7	12	1	4	25	4	11	4	5	1	9	4	–	15	2	–	8	13	–
(24)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(24)	4	1	–	–	4	–	6	–	–	1	5	–	–	5	3	–	2	1	–
(24)	13	33	11	9	80	14	34	3	9	5	32	8	5	25	2	1	17	17	4
(25)	3	–	2	–	1	1	2	–	–	–	2	–	–	–	–	–	–	3	1
(26)	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
(27)	1	3	2	–	9	–	3	2	2	1	3	–	–	1	–	–	5	4	–
(27)	4	–	1	4	9	1	4	1	3	–	1	2	–	1	–	–	2	1	–
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(28)	–	2	1	2	–	–	–	–	–	–	2	1	–	–	–	–	–	3	–
(29)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(30)	2	2	–	–	–	–	4	–	–	–	1	–	–	2	–	1	1	2	–
(31)	1	–	–	–	1	1	1	–	–	–	2	–	–	–	1	–	–	–	–
(32)	1	1	1	1	1	–	1	–	1	–	1	–	–	1	–	–	–	–	–
(32)	1	1	–	1	1	–	1	–	–	1	2	1	–	–	–	–	–	1	–
(33)	2	7	3	1	17	3	2	3	3	4	7	3	2	5	5	2	3	8	1
(34)	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(36)	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(38)	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	–	–
(38)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(40)	2	2	–	–	6	–	1	1	1	–	3	–	–	3	–	–	–	–	–
(41)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	3	11	3	1	20	1	3	4	4	2	10	1	1	6	1	1	4	2	–
(42)	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	1	–	1	–	–	–	1	1	–	1	–	–	–	–	–
(42)	1	5	2	–	9	1	–	1	1	1	4	–	–	1	–	–	2	1	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	3	–	1	5	–	1	2	3	1	3	–	–	3	1	1	1	1	–
(42)	–	3	–	–	4	–	–	1	–	–	–	–	1	1	–	–	1	–	–
	3	11	4	4	25	6	5	2	4	1	22	2	3	8	2	–	4	9	2
(43)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

[3] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Peabody.	Pelham.	Pembroke.	Pepperell.	Peru.	Petersham.	Phillipston.	Pittsfield.	Plainfield.	Plainville.
	All Causes.[2]	257	9	13	38	3	14	8	507	7	15
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	4	–	–
(6)	Whooping cough (9)	1	–	–	–	–	–	1	2	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	1	1	–	–	3	–	–
(10)	Tuberculosis of the respiratory system (23)	11	–	–	1	–	–	–	11	–	2
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	1	–	–
(11)	Other forms of tuberculosis (25–32)	1	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	1	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	1	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	32	3	1	6	–	4	–	79	1	–
(17)	Rheumatism (56, 57, 58)	1	–	–	–	–	–	–	2	–	–
(18)	Diabetes mellitus (59)	3	1	–	1	–	–	–	17	–	–
(19)	Alcoholism (acute or chronic) (75)	2	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	14	–	–	2	–	1	1	56	–	1
(24)	Acute endocarditis (91)	2	–	–	–	–	–	–	2	–	1
(24)	Angina pectoris (94a)	7	–	–	2	–	–	–	10	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	66	1	4	9	1	4	1	121	1	5
(25)	Arteriosclerosis (97)	9	–	–	–	–	–	–	4	–	–
(26)	Bronchitis (106)	3	–	–	–	–	–	–	1	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	16	–	2	4	–	1	–	13	1	–
(27)	Lobar pneumonia (108)	12	–	2	1	–	–	–	10	1	1
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	1	–	1	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	2	–	–	–	–	–	–	3	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	3	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	6	–	–	–	–	–	1	5	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	–	–	–	5	–	–
(32)	Diseases of the stomach (117, 118)	1	–	–	–	–	–	–	5	–	–
(32)	Hernia, intestinal obstruction (122)	2	–	–	–	–	–	–	2	–	–
(33)	Nephritis (130–132)	12	1	3	1	–	–	3	53	1	1
(34)	Diseases of the female genital organs, not specified as venereal (139)	2	–	–	–	–	–	–	2	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	5	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	2	–	–	–	–	–	–	2	–	–
(38)	Congenital malformations (157)	2	–	1	–	–	–	–	4	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	2	–	–
(40)	Suicide (163–171)	–	–	–	–	–	–	–	6	–	–
(41)	Homicide (172–175)	2	–	–	–	–	–	–	1	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	17	–	–	5	1	2	1	28	–	2
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–	1
(42)	*Accidental drowning (183)*	1	–	–	–	–	–	–	1	–	–
(42)	*Traumatism by fall (186a)*	5	–	–	–	–	–	1	12	–	–
(42)	*Railroad and automobile collisions (206)*	2	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	2	–	–	–	–	–	–	3	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	2	–	–	1	–	1	–	6	–	1
(42)	*All others*	5	–	–	4	1	1	–	6	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	26	2	–	5	–	1	–	45	2	2
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1935.

Abridged Int. List No.	Plymouth.	Plympton.	Prescott.	Princeton.	Provincetown.	Quincy.	Randolph.	Raynham.	Reading.	Rehoboth.	Revere.	Richmond.	Rochester.	Rockland.	Rockport.	Rowe.	Rowley.	Royalston.	Russell.
	141	9	–	7	59	738	66	15	120	31	319	6	8	104	64	6	17	12	16
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
(8)	–	–	–	–	1	5	–	–	–	1	1	–	–	–	3	–	1	–	1
(10)	4	–	–	–	4	40	2	–	5	1	16	–	–	3	2	–	–	–	–
(11)	–	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–
(11)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
(12)	–	–	–	–	–	2	–	–	–	–	3	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
(14)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(15)	14	2	–	–	4	105	15	1	12	6	34	2	–	16	5	1	1	1	1
(17)	1	–	–	–	–	–	–	1	–	–	3	–	–	1	–	–	–	–	1
(18)	7	–	–	–	2	17	2	1	1	2	14	–	–	1	–	–	–	–	–
(19)	2	–	–	–	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–
(22)	9	–	–	1	8	53	8	3	13	–	29	–	1	10	4	1	3	1	1
(24)	–	–	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–
(24)	2	–	–	–	1	2	1	–	6	–	3	–	–	3	3	–	–	–	1
(24)	57	4	–	1	20	200	13	2	40	8	92	1	4	30	22	3	6	7	5
(25)	–	–	–	–	2	8	1	3	2	–	3	–	1	4	1	–	–	–	1
(26)	1	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
(27)	6	1	–	1	2	23	4	–	5	2	13	–	–	4	–	–	1	–	–
(27)	1	2	–	–	3	27	–	–	5	2	6	–	–	–	2	–	–	–	–
(27)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(28)	–	–	–	–	–	7	–	–	–	–	4	–	–	1	1	–	–	–	–
(29)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(30)	1	–	–	–	–	11	–	–	1	–	2	–	–	–	–	–	–	–	–
(31)	–	–	–	–	–	5	–	–	–	–	4	–	–	1	1	–	–	–	–
(32)	3	–	–	–	–	3	1	–	–	–	–	–	–	2	1	–	2	–	1
(32)	1	–	–	–	2	4	–	–	1	–	6	–	–	–	–	–	–	–	–
(33)	10	–	–	1	2	59	6	1	9	4	23	–	2	13	8	–	1	1	3
(34)	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–
(35)	–	–	–	–	–	3	–	–	–	–	1	–	–	–	–	–	–	–	–
(36)	1	–	–	–	–	4	–	–	–	–	1	–	–	–	–	–	–	–	–
(38)	1	–	–	–	1	8	–	–	2	–	1	–	–	–	1	–	–	–	–
(38)	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	1	–	–	1	–	10	1	–	1	–	4	–	–	2	1	–	–	1	–
(41)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	9	–	–	2	2	56	3	1	2	–	22	–	–	3	3	–	–	–	1
(42)	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–
(42)	–	–	–	–	–	5	–	–	–	–	3	–	–	–	1	–	–	–	–
(42)	6	–	–	2	1	19	1	–	1	–	6	–	–	1	1	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	3	–	–	–	–	1	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	–	–	–	19	2	1	–	–	8	–	–	1	1	–	–	–	–
(42)	2	–	–	–	1	9	–	–	1	–	3	–	–	–	–	–	–	–	1
	9	–	–	–	5	64	6	1	11	4	31	2	–	8	4	1	2	1	–
(43)	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Rutland.	Salem.	Salisbury.	Sandisfield.	Sandwich.	Saugus.	Savoy.	Scituate.	Seekonk.	Sharon.
	All Causes.[2]	15	500	34	7	20	176	3	60	52	49
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	3	–	–	1	2	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	5	14	–	–	1	5	–	1	1	5
(11)	Tuberculosis of the meninges and central nervous system (24)	–	1	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	2	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	2	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	1	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	–	61	7	–	3	20	–	13	4	8
(17)	Rheumatism (56, 57, 58)	1	3	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	12	1	–	1	7	–	3	2	–
(19)	Alcoholism (acute or chronic) (75)	–	1	–	–	–	1	–	1	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	1	43	3	–	5	16	–	6	10	4
(24)	Acute endocarditis (91)	–	2	–	–	–	1	–	–	–	–
(24)	Angina pectoris (94a)	–	5	1	–	–	4	–	2	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	5	153	8	3	3	49	2	15	13	16
(25)	Arteriosclerosis (97)	–	13	2	1	1	5	–	5	1	–
(26)	Bronchitis (106)	–	1	–	–	–	2	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	17	1	–	–	8	–	–	2	1
(27)	Lobar pneumonia (108)	–	23	1	–	–	4	–	–	2	5
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	2	–	–		–	–	1	1	1
(29)	Diarrhea and enteritis (under 2 years) (119)	–	5	–	–	–	6	–	–	–	–
(30)	Appendicitis (121)	–	2	–	1	1	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	–	1	–	–	–	–	–	1	–	–
(32)	Diseases of the stomach (117, 118)	–	2	–	–	1	1	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	2	–	–	–	1	–	1	–	–
(33)	Nephritis (130–132)	1	21	4	1	2	13	1	4	–	2
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	1	–	–	–	–	–	–	–	1
(35)	Puerperal septicemia (140, 145)	–	1	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	2	–	–	–	1	–	1	–	–
(38)	Congenital malformations (157)	–	11	–	–	–	5	–	–	–	2
(38)	Congenital debility (158)	–	1	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	1	–	–	1	–
(40)	Suicide (163–171)	–	9	1	–	–	4	–	–	1	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	25	3	1	1	3	–	2	3	–
(42)	*Burns (conflagration excepted) (181)*	–	4	–	1	–	2	–	–	–	–
(42)	*Accidental drowning (183)*	–	2	–	–	–	–	–	1	–	–
(42)	*Traumatism by fall (186a)*	–	8	1	–	1	–	–	1	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	1	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	7	1	–	–	–	–	–	1	–
(42)	*All others*	–	3	1	–	–	1	–	–	2	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	1	61	2	–	–	15	–	3	11	4
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1935.

Abridged Int. List No.	Sheffield.	Shelburne.	Sherborn.	Shirley.	Shrewsbury.	Shutesbury.	Somerset.	SOMERVILLE.	South Hadley.	Southampton.	Southborough.	Southbridge.	Southwick.	Spencer.	SPRINGFIELD.	Sterling.	Stockbridge.	Stoneham.	Stoughton.
	16	19	10	29	87	2	56	1,083	62	8	29	167	20	97	1,581	24	36	135	107
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	9	–	–	–	–
(5)	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
(6)	–	–	–	–	–	–	1	1	–	–	–	–	–	–	2	–	–	–	–
(7)	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	1	–	–	7	1	–	1	3	–	1	10	1	1	–	3
(10)	–	–	–	3	2	–	2	42	2	–	–	4	–	1	42	–	–	6	5
(11)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	4	–	–	–	–
(11)	–	–	–	–	–	–	–	3	–	–	–	–	–	–	4	–	–	–	1
(12)	–	–	–	–	–	–	–	5	1	–	–	–	–	–	9	–	–	1	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	1	–	–	2	–	–	–	1	1	–	3	–	–	–	–
(14)	–	–	–	–	–	–	2	2	–	–	–	–	–	–	1	–	–	–	–
(14)	–	–	–	–	2	–	–	2	–	–	–	–	–	–	2	–	–	–	–
(15)	2	4	–	1	15	1	2	147	7	–	8	22	3	13	218	3	6	21	11
(17)	–	–	–	–	–	–	–	4	–	–	–	–	–	1	6	–	–	1	1
(18)	–	1	–	–	3	–	5	28	4	–	1	7	–	2	49	1	2	4	4
(19)	–	–	–	–	–	–	–	4	–	–	–	–	–	–	5	–	–	–	1
(22)	–	3	–	5	7	–	6	82	5	3	1	16	1	11	122	1	2	9	9
(24)	–	–	–	–	–	–	–	3	–	–	–	–	–	1	5	–	–	–	1
(24)	–	–	–	2	–	1	–	12	2	1	–	8	–	2	22	1	1	3	–
(24)	6	5	3	6	18	–	12	311	21	3	13	46	6	27	419	9	13	38	43
(25)	–	–	1	–	3	–	3	33	–	1	–	–	–	6	26	–	–	1	2
(26)	–	1	–	–	1	–	–	2	–	–	–	–	–	1	3	–	–	–	3
(27)	2	–	–	2	7	–	2	59	2	–	–	4	–	5	38	–	2	7	1
(27)	–	2	–	1	2	–	2	39	–	–	1	4	4	1	63	3	–	6	1
(27)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(28)	–	–	–	–	1	–	1	1	2	–	–	2	–	1	6	–	1	–	–
(29)	1	–	–	–	–	–	1	4	–	–	–	–	–	1	6	–	–	1	–
(30)	1	–	–	–	1	–	–	7	1	–	–	1	–	–	14	–	–	1	–
(31)	–	–	–	–	2	–	–	9	1	–	–	1	–	–	13	–	–	2	–
(32)	–	–	–	–	1	–	1	5	1	–	–	2	–	2	7	–	–	–	–
(32)	–	–	.	1	1	–	–	7	–	–	–	–	–	2	8	–	–	1	2
(33)	–	1	2	–	6	–	3	59	–	–	4	10	3	4	158	1	3	8	4
(34)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	3	–	–	–	–
(35)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	8	–	–	–	1
(36)	–	–	–	–	–	–	2	2	–	–	–	1	–	–	6	–	1	–	2
(38)	–	–	–	–	–	–	–	13	2	–	–	2	–	1	11	–	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–
(39)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	1	–	–	–	2	12	1	–	–	1	–	1	16	–	1	2	1
(41)	–	–	–	–	–	–	–	2	–	–	–	2	–	–	2	–	–	–	–
(42)	1	–	1	1	3	–	4	69	4	–	–	13	–	6	97	–	1	5	3
(42)	–	–	–	–	–	–	–	4	–	–	–	–	–	–	4	–	–	1	–
(42)	–	–	–	–	–	–	–	7	–	–	–	–	–	–	7	–	–	–	–
(42)	1	–	1	–	1	–	–	28	1	–	–	–	–	3	50	–	1	2	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	1	–	2	21	2	–	–	12	–	2	24	–	–	2	–
(42)	–	–	–	1	1	–	2	7	1	–	–	1	–	1	10	–	–	–	1
	3	1	2	4	10	–	5	96	5	–	–	17	2	6	161	4	2	16	8
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Stow.	Sturbridge.	Sudbury.	Sunderland.	Sutton.	Swampscott.	Swansea.	Taunton.	Templeton.	Tewksbury.
	All Causes.[2]	15	25	17	11	28	112	67	439	58	43
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	1	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	3	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	2	–	–
(8)	Influenza (11)	–	–	–	–	–	–	1	2	1	–
(10)	Tuberculosis of the respiratory system (23)	–	1	–	–	–	2	3	20	1	2
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	1	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	1	–	4	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	2	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	2	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	1	–	–
(15)	Cancer and other malignant tumors (45–53)	2	4	3	–	5	19	6	53	9	3
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	1	–	–	1	3	6	6	2	1
(19)	Alcoholism (acute or chronic) (75)										
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	3	1	1	1	2	8	9	34	6	2
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	2	1	–
(24)	Angina pectoris (94a)	1	–	–	–	–	3	–	4	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	6	9	4	3	7	34	17	130	12	11
(25)	Arteriosclerosis (97)	–	–	–	2	–	3	1	15	1	2
(26)	Bronchitis (106)	–	–	–	–	–	1	–	1	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	–	2	3	4	18	–	2
(27)	Lobar pneumonia (108)	–	1	1	3	2	4	6	16	2	4
(27)	Pneumonia (unspecified) (109)	–	1	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	1	4	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	4	–	1	1	–
(30)	Appendicitis (121)	–	–	–	–	–	1	–	2	–	1
(31)	Cirrhosis of the liver (124)	–	–	–	–	–	–	–	4	–	2
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	–	1	4	1	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	1	1	5	1	1
(33)	Nephritis (130–132)	–	2	3	–	3	3	2	22	5	1
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	1	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	1	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	1	–	–	–	–	1	–	–
(38)	Congenital malformations (157)	–	–	–	–	–	–	–	3	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	1	1	1	1	–	1	–	6	1	–
(41)	Homicide (172–175)	–	–	–	–	1	–	–	2	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	2	3	1	3	8	2	20	4	5
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	1	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	–	1	–
(42)	*Traumatism by fall (186a)*	–	–	–	–	2	5	1	7	–	4
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	1	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	1	1	–	1	2	–	5	2	–
(42)	*All others*	1	1	2	1	–	1	1	6	1	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	1	2	–	–	2	13	7	44	8	6
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1]The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1935.

Abridged Int. List No.	State Infirmary.	Tisbury.	Tolland.	Topsfield.	Townsend.	Truro.	Tyngsborough.	Tyringham.	Upton.	Uxbridge.	Wakefield.	Wales.	Walpole.	WALTHAM.	Ware.	Wareham.	Warren.	Warwick.	Washington.
	65	26	1	16	26	5	21	5	31	68	171	6	71	425	107	95	32	4	7
(1)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(3)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(4)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(5)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(6)	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	1	-	-	1	-	-	-	-	-	3	-	-	4	2	-	-	-	-
(10)	6	1	-	1	-	1	1	-	-	1	4	1	1	11	2	3	1	-	-
(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-
(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(15)	2	4	-	1	3	1	6	-	4	6	33	-	12	57	11	11	6	-	-
(17)	1	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-
(18)	-	1	-	-	-	-	-	-	-	2	8	1	-	12	4	2	2	1	-
(19)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
(22)	4	1	-	1	-	-	3	-	4	10	13	-	3	35	8	15	2	1	-
(24)	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-
(24)	-	-	-	1	1	-	-	-	1	3	6	-	1	2	2	1	-	-	-
(24)	9	6	-	2	12	1	3	2	7	15	39	2	13	113	23	24	11	1	2
(25)	17	4	-	-	-	-	1	1	1	2	2	-	2	9	8	3	-	-	-
(26)	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-
(27)	6	1	-	2	2	-	1	-	-	-	9	-	4	19	4	4	2	1	1
(27)	4	1	-	1	1	-	1	-	1	2	2	-	3	18	4	1	-	-	-
(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(28)	-	-	-	1	-	-	-	-	1	1	2	-	1	3	1	-	-	-	-
(29)	1	-	-	1	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-
(30)	1	-	-	-	-	-	-	-	-	2	2	-	-	5	3	-	-	-	1
(31)	-	-	-	-	-	1	1	-	-	-	-	-	2	1	2	-	1	-	-
(32)	1	-	-	-	-	-	-	-	-	-	1	-	1	4	1	1	-	-	-
(32)	1	-	-	-	1	-	-	-	-	-	3	-	2	5	2	1	-	-	-
(33)	-	3	-	3	1	-	-	-	3	11	7	-	3	22	5	2	1	-	2
(34)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
(36)	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-
(38)	1	-	-	-	-	-	-	-	2	2	1	-	1	6	3	-	-	-	-
(38)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(39)	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	1	-	-
(40)	1	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	-	-	-
(41)	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
(42)	3	-	1	1	1	-	1	1	1	6	13	1	8	37	9	11	-	-	1
(42)	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	3	-	-	-
(42)	3	-	-	-	-	-	-	1	-	2	4	-	1	13	3	1	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(42)	-	-	-	-	1	-	1	-	1	2	5	1	5	10	1	3	-	-	-
(42)	-	-	1	1	-	-	-	-	-	1	2	-	1	6	4	3	-	-	1
	7	2	-	1	1	1	2	1	6	3	15	-	7	37	7	10	4	-	-
(43)	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Watertown.	Wayland.	Webster.	Wellesley.	Wellfleet.	Wendell.	Wenham.	West Boylston.	West Bridgewater.	West Brookfield.
	All Causes.[2]	332	45	145	110	26	7	6	21	24	17
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	2	–	4	1	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	12	–	4	5	–	–	–	–	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	1	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	1	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	1	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	1	–	–	–	–	–	–	–	1	–
(15)	Cancer and other malignant tumors (45–53)	42	5	16	9	2	–	1	–	4	1
(17)	Rheumatism (56, 57, 58)	3	–	–	1	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	7	1	4	3	–	–	–	–	–	–
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	19	3	8	7	7	–	2	1	2	3
(24)	Acute endocarditis (91)	–	1	2	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	2	–	7	2	1	–	–	2	1	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	102	14	35	30	6	2	–	4	9	5
(25)	Arteriosclerosis (97)	8	–	2	3	2	1	–	2	–	–
(26)	Bronchitis (106)	2	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	10	3	2	3	3	1	–	1	1	–
(27)	Lobar pneumonia (108)	12	2	5	1	–	–	1	1	–	–
(27)	Pneumonia (unspecified) (109)	–	–	–	–	–	–	–	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	3	–	–	1	–	1	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	1	–	–	–	–	–	–	1	–	–
(30)	Appendicitis (121)	4	–	4	–	–	–	–	–	–	1
(31)	Cirrhosis of the liver (124)	4	–	2	–	–	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	–	–	–	1	–	1	–	–	1	–
(32)	Hernia, intestinal obstruction (122)	2	–	1	1	–	–	–	–	–	–
(33)	Nephritis (130–132)	24	5	13	7	3	–	1	1	1	5
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	1	1	1	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	1	1	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	1	–	1	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	2	–	1	2	–	–	–	1	1	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	1	–
(39)	Senility (162)	1	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	8	–	1	3	–	–	1	1	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	24	5	10	14	–	–	–	1	–	2
(42)	*Burns (conflagration excepted) (181)*	2	–	1	1	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	–	–	–
(42)	*Traumatism by fall (186a)*	8	2	3	2	–	–	–	1	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	1	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	10	2	3	5	–	–	–	–	–	2
(42)	*All others*	4	1	3	5	–	–	–	–	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	34	4	21	13	2	1	–	5	2	–
(43)	Cause of death not specified or ill-defined (199, 200)	1	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES ALLOCATED TO EACH MUNICIPALITY: 1935.

Abridged Int. List No.	West Newbury.	West Springfield.	West Stockbridge.	West Tisbury.	Westborough.	WESTFIELD.	Westford.	Westhampton.	Westminster.	Weston.	Westport.	Westwood.	Weymouth.	Whately.	Whitman.	Wilbraham.	Williamsburg.	Williamstown.	Wilmington.
	21	180	17	2	71	178	40	4	23	40	51	36	251	8	97	30	23	53	47
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(6)	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	2	1	–	–	–	–	–	–	2	1	1	1	–	2	–	–	–	–
(10)	–	3	1	1	1	9	–	–	–	2	2	–	5	–	2	–	2	–	2
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
(12)	1	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	1	–
(14)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(15)	4	26	2	–	11	22	8	–	2	4	3	3	34	–	8	9	3	7	2
(17)	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(18)	1	8	1	–	–	3	2	–	–	1	1	–	6	–	3	–	–	1	1
(19)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	2	10	–	–	12	18	2	–	–	1	7	5	32	2	12	4	1	5	5
(24)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	–	3	–	–	1	7	–	–	–	–	2	3	2	1	2	1	1	2	–
(24)	7	49	5	1	22	48	10	–	6	13	10	12	76	2	44	5	8	16	15
(25)	–	4	1	–	1	2	–	–	–	–	–	1	4	–	1	–	1	2	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(27)	–	7	–	–	1	1	2	1	2	3	4	–	10	–	1	–	–	–	5
(27)	1	7	–	–	1	5	3	–	–	2	–	–	10	1	5	1	–	2	1
(27)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(28)	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	2
(29)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(30)	–	1	–	–	2	3	–	–	–	2	1	–	6	–	–	1	–	1	–
(31)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–
(32)	–	2	–	–	1	2	–	–	–	–	1	–	3	–	–	2	–	–	–
(32)	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(33)	3	14	1	–	6	22	1	–	7	–	3	–	16	–	4	1	2	6	4
(34)	–	1	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	1	–	–	1	2	1	–	–	–	–	–	1	–	1	–	–	1	–
(38)	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(38)	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	4	1	–	–	1	1	–	–	–	–	–	2	–	–	–	–	–	–
(41)	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(42)	1	9	3	–	2	9	1	1	4	2	6	4	19	–	6	2	–	4	2
(42)	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(42)	1	1	2	–	2	3	–	–	–	1	1	2	5	–	3	2	–	1	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	4	–	–	–	3	–	1	3	–	2	1	8	–	2	–	–	1	1
(42)	–	3	1	–	–	3	–	–	1	1	2	–	5	–	1	–	–	2	–
	1	19	1	–	6	16	8	2	2	6	7	6	17	1	5	3	3	4	7
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–

[a] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Important Causes Allocated to Each Municipality: 1935.								
		Winchendon.	Winchester.	Windsor.	Winthrop.	Woburn.	Worcester.	Worthington.	Wrentham.	Yarmouth.
	All Causes.[2]	71	134	3	207	210	2,129	7	40	34
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	1	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	2	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	4	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	2	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	1	–	–	–
(8)	Influenza (11)	–	2	–	–	1	11	–	1	–
(10)	Tuberculosis of the respiratory system (23)	–	7	1	8	9	73	–	2	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	1	–	1	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	4	–	–	–
(12)	Syphilis (34)	–	–	–	2	–	4	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	2	–	3	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	2	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	8	–	–	–
(15)	Cancer and other malignant tumors (45–53)	7	24	–	33	26	256	2	6	4
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	4	–	–	–
(18)	Diabetes mellitus (59)	2	1	–	6	3	57	–	–	3
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	5	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	10	11	–	13	15	196	–	5	9
(24)	Acute endocarditis (91)	–	1	–	1	–	5	–	–	–
(24)	Angina pectoris (94a)	–	7	–	11	2	36	–	–	1
(24)	Other diseases of the heart, (90, 92, 93, 94b, 95)	23	32	1	66	56	520	4	12	6
(25)	Arteriosclerosis (97)	2	3	–	2	6	27	–	2	–
(26)	Bronchitis (106)	–	–	–	–	–	4	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	4	8	–	8	6	116	–	1	2
(27)	Lobar pneumonia (108)	5	1	–	5	10	79	–	4	1
(27)	Pneumonia (unspecified) (109)	–	–	–	1	–	–	–	–	1
(28)	Other respiratory diseases (104, 105, 110–114)	1	–	–	2	1	17	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	1	4	–	–	–
(30)	Appendicitis (121)	–	–	–	3	1	17	1	–	–
(31)	Cirrhosis of the liver (124)	1	1	–	1	1	16	–	–	–
(32)	Diseases of the stomach (117, 118)	1	1	–	–	–	10	–	1	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	22	–	–	–
(33)	Nephritis (130–132)	2	11	–	14	15	202	–	1	1
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	2	6	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	4	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	2	–	–	1	9	–	–	–
(38)	Congenital malformations (157)	–	1	–	2	2	14	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	1	–	–	–
(39)	Senility (162)	–	–	–	–	–	1	–	–	–
(40)	Suicide (163–171)	1	3	–	5	3	37	–	–	1
(41)	Homicide (172–175)	–	1	–	1	–	4	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	3	7	–	3	19	160	–	1	2
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	9	–	1	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	6	–	–	2
(42)	*Traumatism by fall (186a)*	1	4	–	–	4	68	–	–	–
(42)	*Railroad and automobile collisions (206)*	1	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	1	1	–	–	–	4	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	1	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	–	–	6	39	–	–	–
(42)	*All others*	–	2	–	3	9	33	–	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	9	9	1	17	30	184	–	4	
(43)	Cause of death not specified or ill-defined (199, 200)	–	1	–	–	–	–	–	–	

[1] The numbers of the titles of the detailed International List included in each title of the abridg[illegible] appear in parentheses.
[2] Exclusive of stillbirths.

Table 16. Deaths from Principal Causes: 1911 to 1935.

Years.	All causes.	Diseases of the heart. 90–95	Cancer. 45–53	Cerebral hemorrhage, embolism and thrombosis. 82	Pneumonia 107–109	Nephritis. 130–132	Tuberculosis of the respiratory system. 23	Diabetes. 59	Influenza. 11	Puerperal causes. 140–150
1911	53,062	5,879	3,199	3,824	5,991	3,567	4,418	631	163	506
1912	52,400	7,106	3,282	3,924	5,965	2,980	4,212	585	170	435
1913	53,402	7,310	3,526	3,802	6,112	3,356	4,180	621	204	467
1914	52,978	7,670	3,586	2,876	5,987	3,420	4,171	630	129	538
1915	53,131	7,164	3,708	3,691	6,448	3,530	4,194	673	232	462
1916	56,366	8,682	3,990	3,690	6,567	3,593	4,467	783	539	525
1917	56,628	8,889	4,057	4,152	6,293	3,591	4,559	776	494	616
1918	78,842	7,800	4,098	4,343	14.626	4,008	5,078	680	13,783	804
1919	52,345	6,941	4,112	4,461	5,279	3,743	4,145	633	2,872	622
1920	53,632	7,439	4,494	4,336	6,347	3,644	3,645	796	1,623	698
1921	47,780	7,757	4,645	4,389	4,200	3,250	3,272	777	153	580
1922	51,115	8,797	4,650	4,762	5,493	3,268	3,167	948	569	559
1923	52,380	9,132	4,775	4,847	5,835	3,466	3,062	852	742	498
1924	49,466	8,781	5,074	4,881	4,362	3,345	2,953	772	277	544
1925	51,890	9,747	5,196	5,050	5,244	3,153	2,883	806	519	501
1926	52,888	10,851	5,341	4,239	5,158	4,005	2,961	835	718	501
1927	49,324	10,309	5,454	4,113	4,088	3,763	2,774	844	326	486
1928	51,442	11,248	5,611	4,371	4,625	3,758	2,690	930	520	456
1929	52,171	11,528	5,672	4,299	4,906	3,565	2,561	997	1,185	453
1930	49,503	11,353	5,813	4,228	4,043	3,715	2,423	1,021	270	438
1931	48,743	11,959	5,859	4,363	3,844	3,488	2,306	1,060	432	408
1932	49,531	13,255	6,153	4,170	3,803	3,678	2,041	1,197	360	369
1933	50,832	14,119	6,382	4,359	4,039	3,518	2,059	1,234	584	389
1934	50,760	14,543	6,675	4,269	3,631	3,362	1,902	1,327	268	317
1935	49,634 [1]	14,835	6,351	4,167	3,992	3,307	1,813	1,303	322	325

[1] Allocated.

Table 16a. Deaths from Principal Communicable Diseases: 1911 to 1935.

Years.	Scarlet fever. 8	Whooping cough. 9	Diphtheria. 10	Poliomyelitis. 16	Measles. 7	Epidemic cerebrospinal meningitis. 18	Typhoid fever. 1	Encephalitis lethargica. 17	Dysentery. 13	Smallpox. 6
1911	184	292	563	–[1]	158	–[1]	302	–[1]	148	2
1912	118	225	473	76	286	2	269	–[1]	111	1
1913	293	239	628	69	315	3	280	–[1]	137	–
1914	246	225	652	45	149	5	268	–[1]	125	–
1915	182	283	720	32	149	9	246	–[1]	92	9
1916	127	346	629	452	392	10	172	–[1]	83	–
1917	120	243	838	51	371	13	178	–[1]	63	10
1918	78	729	608	37	532	115	160	–[1]	82	–
1919	122	323	593	15	183	71	107	–[1]	19	2
1920	214	546	591	144	352	39	95	–[1]	41	2
1921	191	201	607	48	179	49	119	81	41	–
1922	149	294	606	33	218	47	86	83	29	–
1923	155	493	579	35	321	41	70	85	14	–
1924	158	147	534	27	165	39	68	58	17	2
1925	117	269	333	52	337	35	73	99	19	–
1926	117	391	249	44	367	39	61	78	13	–
1927	144	149	268	169	87	43	44	61	19	–
1928	90	208	249	65	265	38	36	56	27	–
1929	71	137	256	21	121	79	41	44	18	1
1930	98	182	182	35	137	59	37	41	20	–
1931	101	88	130	114	64	30	30	24	15	–
1932	145	107	107	13	64	34	25	19	11	–
1933	108	97	86	32	27	25	22	16	9	–
1934	76	125	50	9	91	28	14	25	24	–
1935	57 [2]	67	26	61	37	55	10	16	9	–

[1] Not tabulated.
[2] Allocated.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Number of Deaths.[2] 1935.[3]	1934.	1933.	1932.	1931.	1930.	1929.
	All Causes.[2]	49,634	50,760	50,832	49,531	48,743	49,503	52,171
I	Infectious and parasitic diseases	2,954	3,127	3,590	3,476	3,913	4,163	5,244
II	Cancer and other tumors	6,590	6,917	6,630	6,403	6,106	–	–
III	Rheumatic diseases, nutritional diseases, diseases of the endocrine glands and other general diseases	1,573	1,602	1,566	1,516	1,373	–	–
IV	Diseases of the blood and blood-making organs	392	425	397	463	438	–	–
V	Chronic poisonings and intoxications	223	276	234	215	231	–	–
VI	Diseases of the nervous system and of the organs of special sense	4,911	5,094	5,167	4,993	5,173	5,211	5,451
VII	Diseases of the circulatory system	16,038	15,976	15,437	14,652	13,460	13,610	13,972
VIII	Diseases of the respiratory system	4,428	4,079	4,558	4,250	4,341	4,511	5,502
IX	Diseases of the digestive system	2,539	2,837	2,809	2,801	2,907	3,053	2,993
X	Diseases of the genitourinary system	3,922	4,019	4,141	4,340	4,113	–	–
XI	Diseases of pregnancy, childbirth and the puerperal state	325	317	389	369	408	437	453
XII	Diseases of the skin and cellular tissue	92	102	106	89	79	97	144
XIII	Diseases of the bones and organs of locomotion	44	55	55	70	57	49	51
XIV	Congenital malformations	393	444	473	500	543	621	578
XV	Diseases of early infancy	1,473	1,541	1,654	1,794	1,863	1,938	2,056
XVI	Senility	50	42	56	56	72	68	101
XVII	Violent and accidental deaths	3,650	3,836	3,505	3,485	3,582	3,499	3,584
XVIII	Ill-defined causes of death	37	71	65	59	84	70	70
1	Typhoid and paratyphoid fever (1, 2)	10	14	24	25	31	38	42
3	Smallpox (6)	–	–	–	–	–	–	1
4	Measles (7)	37	91	27	64	64	137	121
5	Scarlet fever (8)	57	76	108	145	101	98	71
6	Whooping cough (9)	67	125	97	107	88	182	137
7	Diphtheria (10)	26	50	86	107	130	182	256
8	Influenza (11)	322	268	584	360	432	270	1,185
10	Tuberculosis of the respiratory system (23)	1,813	1,902	2,059	2,041	2,306	2,423	2,561
11	Tuberculous meningitis (24)	51	74	74	100	100	108	122
11	Other forms of tuberculosis (25–32)	97	140	148	160	149	203	239
13	Malaria (38)	1	2	2	4	2	3	3
14	Acute poliomyelitis and polioencephalitis (16)	61	9	32	13	114	35	21
14	Epidemic cerebro-spinal meningitis (18)	55	28	25	34	30	59	79
15	Cancer and other malignant tumors (45–53)	6,351	6,675	6,382	6,153	5,859	5,813	5,672
18	Diabetes mellitus (59)	1,303	1,327	1,234	1,197	1,060	1,021	997
22	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	4,167	4,269	4,359	4,170	4,363	4,131	4,172
24	Acute endocarditis (91)	125	120	157	184	173	314[4]	304[4]
24	Angina pectoris (94a)	800	971	905	899	896	995	974
24	Other diseases of the heart (90, 92, 93, 94b, 95)	13,910	13,452	13,057	12,172[5]	10,890[5]	10,012	10,218
26	Acute bronchitis (106a)	63	47	68	60	62	75	120
26	Chronic bronchitis (106b)	39	50	72	47	68	76	76
27	Bronchopneumonia (including capillary bronchitis) (107)	2,232	2,005	2,166	2,054	2,063	2,160	2,704
27	Pneumonia (108, 109)	1,760	1,626	1,873	1,749	1,781	1,883	2,202
28	Other respiratory diseases (104, 105, 106c, 106d, 110–114)	334	351	379	340	367	254	331
29	Diarrhea and enteritis (under 2 years) (119)	219	194	161	229	275	410	394
30	Appendicitis (121)	484	588	623	601	614	606	620
31	Cirrhosis of the liver (124)	355	368	349	257	292	282	251
32	Diseases of the stomach (cancer excepted) (117,118)	312	355	333	349	333	417	384
32	Hernia, intestinal obstruction (122)	402	413	435	421	428	412	366
32	Acute nephritis and Bright's disease (130, 131)	3,222	3,247	3,394	3,575	3,375	3,617	3,460
16, 34	Diseases of the female genital organs (54a, 54b, 54c, 55a, 55b, 55c, 139)	187	188	182	202	206	231	219
35	Puerperal septicemia (140, 145)	104	93	103	96	119	141	147
36	Other diseases of pregnancy, childbirth, and the puerperal state (141–144, 146–150)	221	224	286	273	289	296	306
38	Congenital debility and malformations (157–159)	1,374	1,509	1,570	1,631	1,760	1,929	2,049
39	Senility (162)	50	42	56	56	72	68	101
40	Suicide (163–171)	570	598	597	639	601	547	540
41	Homicide (172–175)	74	93	110	91	89	79	70
42	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	3,006	3,145	2,798	2,755	2,892	2,873	2,972
42	Other diseases (3–5, 12–15, 17, 19–22, 33–37, 39–44, 54d, 54e, 55d, 55e–58, 60–81, 83–89, 96–103, 115, 116, 120, 123, 125–129, 132–138, 151–156, 160, 161)	5,336	5,960	5,852	6,112	6,185	7,089	7,677
42	Unknown or ill-defined diseases (199, 200)	37	71	65	59	84	69	70

[1]Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

Abridged Int. List No.	Death Rates[2] per 100,000 Population.							Per Cent Distribution.						
	1935.[3]	1934.	1933.	1932.	1931.	1930.	1929.	1935[3]	1934.	1933.	1932.	1931.	1930.	1929.
	1,140.8	**1,169.8**	**1,177.2**	**1,152.6**	**1,139.9**	**1,164.9**	**1,232.2**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**
I	67.9	72.1	83.1	80.9	91.5	98.0	123.9	6.0	6.2	7.0	7.0	8.0	8.4	10.1
II	151.5	159.4	153.5	149.0	142.8	–	–	13.3	13.6	13.0	12.9	12.5	–	–
III	36.1	36.9	36.3	35.2	32.2	–	–	3.2	3.2	3.1	3.1	2.8	–	–
IV	9.0	9.8	9.2	10.8	10.2	–	–	.8	.8	.8	.9	.9	–	–
V	5.1	6.4	5.4	5.0	5.4	–	–	.4	.6	.5	.4	.5	–	–
VI	112.9	117.4	119.6	116.2	121.0	122.6	128.7	9.9	10.0	10.2	10.1	10.6	10.5	10.5
VII	368.6	368.2	357.5	341.0	314.8	320.3	330.0	32.3	31.5	30.4	29.6	27.6	27.5	26.8
VIII	101.8	94.0	105.6	98.9	101.5	106.2	130.0	8.9	8.0	9.0	8.6	8.9	9.1	10.5
IX	58.4	65.4	65.1	65.2	68.0	71.9	70.7	5.1	5.6	5.5	5.7	6.0	6.2	5.7
X	90.1	92.6	95.9	101.0	96.2	–	–	7.9	7.9	8.1	8.8	8.4	–	–
XI	7.5	7.3	9.0	8.6	9.5	10.3	10.7	.6	.6	.8	.8	.8	.9	.9
XII	2.1	2.4	2.4	2.1	1.8	2.3	3.4	.2	.2	.2	.2	.2	.2	.3
XIII	1.0	1.3	1.3	1.6	1.3	1.1	1.2	.1	.1	.1	.1	.1	.1	.1
XIV	9.0	10.2	11.0	11.6	12.7	14.6	13.7	.8	.9	.9	1.0	1.1	1.3	1.1
XV	33.9	35.5	38.3	41.7	43.6	45.6	48.6	3.0	3.0	3.3	3.6	3.8	3.9	3.9
XVI	1.1	.9	1.3	1.3	1.7	1.6	2.4	.1	.1	.1	.1	.2	.1	.2
XVII	83.9	88.4	81.2	81.1	83.8	82.3	84.7	7.3	7.6	6.9	7.0	7.4	7.1	6.9
XVIII	.9	1.6	1.5	1.4	1.9	1.6	1.7	.1	.1	.1	.1	.2	.1	.1
1	.2	.3	.6	.6	.7	.8	1.0	–[6]	–[6]	–[6]	.1	.1	.1	.1
3	–	–	–	–	–	–	–[6]	–	–	–	–	–	–	–[6]
4	.9	2.1	.6	1.5	1.5	3.2	2.8	.1	.2	.1	.1	.1	.3	.2
5	1.3	1.7	2.5	3.4	2.4	2.3	1.6	.1	.2	.2	.3	.2	.2	.1
6	1.5	2.9	2.2	2.5	2.1	4.2	3.2	.1	.2	.2	.2	.2	.4	.3
7	.6	1.2	2.0	2.5	3.0	4.2	6.0	.1	.1	.2	.2	.3	.4	.5
8	7.4	6.2	13.6	8.4	10.1	6.3	27.9	.6	.5	1.1	.7	.9	.5	2.3
10	41.7	43.8	47.7	47.5	53.9	57.0	60.4	3.7	3.7	4.1	4.1	4.7	4.9	5.0
11	1.2	1.7	1.7	2.3	2.3	2.5	2.8	.1	.1	.1	.2	.2	.2	.2
11	2.2	3.2	3.4	3.7	3.5	4.7	5.6	.2	.3	.3	.3	.3	.4	.4
13	–[5]	–[5]	–[5]	.1	–[5]	–[5]	–[5]	–[6]	–[6]	–[6]	–[6]	–[6]	–[6]	–[6]
14	1.4	.2	.7	.3	2.7	.8	.5	.1	–[6]	1	–[6]	.2	.1	–[6]
14	1.3	.6	.6	.8	.7	1.3	1.8	.1	.1	–[6]	.1	.1	.1	.2
15	146.0	153.8	147.8	143.2	137.0	136.7	133.9	12.8	13.2	12.5	12.4	12.0	11.7	10.9
18	29.9	30.6	28.6	27.8	24.8	24.0	23.5	2.6	2.6	2.4	2.4	2.2	2.1	1.9
22	95.8	98.4	100.9	97.0	102.0	97.2	98.5	8.4	8.4	8.6	8.4	9.0	8.3	8.0
24	2.9	2.8	3.6	4.3	4.0	7.3	7.1	.3	.2	.3	.4	.4	.6	.6
24	18.4	22.4	21.0	20.9	21.0	23.4	23.0	1.6	1.9	1.8	1.8	1.8	2.0	1.9
24	319.7	310.0	302.4	283.3	254.7	235.6	241.3	28.0	26.5	25.7	24.6	22.3	20.2	19.6
26	1.4	1.1	1.6	1.4	1.5	1.8	2.8	.1	.1	.1	.1	.1	.2	.2
26	.9	1.2	1.7	1.1	1.6	1.8	1.8	.1	.1	.1	.1	.1	.2	.1
27	51.3	46.2	50.1	47.8	48.2	50.8	61.7	4.5	4.0	4.3	4.1	4.2	4.4	5.2
27	40.5	37.5	43.4	40.7	41.6	44.3	52.0	3.6	3.2	3.7	3.6	3.7	3.8	4.2
28	7.7	8.1	8.8	7.9	8.6	6.0	7.6	.7	.7	.7	.7	.7	.5	.6
29	5.0	4.5	3.7	5.3	6.4	9.6	9.3	.4	.4	.3	.5	.6	.8	.8
30	11.1	13.5	14.4	14.0	14.4	14.3	14.6	1.0	1.2	1.2	1.2	1.3	1.2	1.2
31	8.1	8.5	8.1	6.0	6.8	6.6	5.9	.7	.7	.7	.5	.6	.6	.5
32	7.2	8.2	7.7	8.1	7.8	9.8	9.0	.6	.7	.7	.7	.7	.8	.7
32	9.2	9.5	10.1	9.8	10.0	9.7	8.6	.8	.8	.9	.9	.9	.8	.7
32	74.1	74.8	78.6	83.2	78.9	85.1	81.7	6.5	6.4	6.7	7.2	6.9	7.3	6.6
16, 34	4.3	4.3	4.2	4.7	4.8	5.4	5.1	.4	.4	.4	.4	.4	.5	.4
35	2.4	2.1	2.4	2.2	2.8	3.3	3.4	.2	.2	.2	.2	.2	.3	.3
36	5.1	5.2	6.6	6.3	6.8	7.0	7.2	.4	.4	.6	.6	.6	.6	.6
38	31.6	34.8	36.4	38.0	41.2	45.4	48.4	2.8	3.0	3.1	3.3	3.6	3.9	3.9
39	1.1	1.0	1.3	1.3	1.7	1.7	2.4	.1	.1	.1	.1	.1	.1	.2
40	13.1	13.8	13.8	14.9	14.1	12.9	12.7	1.1	1.2	1.2	1.3	1.2	1.1	1.0
41	1.7	2.1	2.6	2.1	2.1	1.8	1.6	.1	.2	.2	.2	.2	.2	.1
42	69.1	72.5	64.8	64.1	67.6	67.8	70.2	6.1	6.2	5.5	5.6	5.9	5.8	5.7
42	122.6	137.4	135.5	142.2	144.6	166.7	181.3	10.8	11.7	11.5	12.3	12.8	14.3	14.7
42	.9	1.6	1.5	1.4	2.0	1.6	1.6	.1	.1	.1	.1	.2	.1	.1

[2] Exclusive of stillbirths.
[3] Allocated.
[4] Includes Acute Myocarditis.
[5] Less than one-tenth of 1 per 100,000.
[6] Less than one-tenth of 1 per cent.

Table 18

DEATHS RATES PER 100,000 POPULATION BASED ON ANNUAL AVERAGE NUMBER OF DEATHS FOR THE FIVE-YEAR PERIOD OF WHICH THE CENSUS YEAR IS THE MEDIAN YEAR:[1] CENSUS YEARS 1905 TO 1930.

YEARS.	All causes.[2]	Typhoid fever.* 1	Smallpox.* 6	Measles.* 7	Scarlet fever.* 8	Diphtheria and croup.* 10	Tuberculosis of the respiratory system.* 23	Cancer. 45-53	Nephritis, Bright's disease, etc. 130, 131, 132
1905 . .	1,677.0	15.8	.3	6.3	7.9	24.6	155.7	83.0	88.1
1910 . .	1,566.2	11.2	–[3]	6.9	7.0	18.1	130.0	89.9	89.6
1915 . .	1,475.7	6.2	.1	7.5	5.2	18.8	116.8	102.2	94.7
1920 . .	1,472.9	2.9	–[3]	7.6	3.9	15.6	100.2	114.2	93.0
1925 . .	1,235.2	1.5	–[3]	6.2	4.1	11.1	70.6	124.3	85.6
1930 . .	1,181.9	.8	–[3]	3.0	2.4	4.3	56.5	136.9	85.6

[1] This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000.

Table 19.

DEATHS PRODUCED BY EXTERNAL CAUSES: 1911 TO 1935.

YEARS.	Total.	Traumatism by fall. 186a	Automobile (including railroad and street car collisions). 206, 208 210	Drowning. 183, 213d	Burns (conflagration excepted) 181	Absorption of poisonous gas. 178	Excessive heat. 191	Excessive cold. 190	Suicide. 163–171	Homicide. 172–175
1911 . . .	3,418	305	97	301	315	108	614	18	449	85
1912 . . .	3,097	591	135	303	331	134	53	21	478	92
1913 . . .	3,222	588	165	364	311	168	25	7	486	111
1914 . . .	3,070	587	193	304	312	186	17	32	495	106
1915 . . .	3,206	621	265	362	274	197	17	11	515	113
1916 . . .	3,402	682	314	318	282	260	26	27	455	115
1917 . . .	3,584	630	415	315	309	272	91	27	493	106
1918 . . .	3,442	563	495	276	302	295	14	17	492	93
1919 . . .	3,242	535	532	292	296	207	26	13	445	102
1920 . . .	2,938	529	457	224	282	207	15	9	391	78
1921 . . .	2,996	523	526	301	202	140	31	9	472	116
1922 . . .	3,140	611	500	269	243	183	12	3	458	102
1923 . . .	3,392	646	638	260	265	192	32	4	452	106
1924 . . .	3,474	674	705	354	257	135	30	14	486	109
1925 . . .	3,573	643	743	273	215	151	135[1]	9	459	109
1926 . . .	3,343	700	682	225	219	157	63	1	473	87
1927 . . .	3,371	692	697	296	198	136	14	7	466	86
1928 . . .	3,567	746	734	318	204	127	34	8	550	82
1929 . . .	3,584	760	785	257	191	160	37	14	540	70
1930 . . .	3,499	817	799	238	189	123	25	7	547	79
1931 . . .	3,582	851	849	242	152	133	38	3	601	89
1932 . . .	3,485	859	804	261	179	94	12	6	639	91
1933 . . .	3,505	933	816	248	126	109	23	13	597	110
1934 . . .	3,142	982	1,016	238	137	71	24	28	598	93
1935 . . .	3,006[2]	1,109	824	232	143	72	21	28	570	74

[1] Deaths from heat for the year 1925 numbered 135. This is the nearest approach to the high mark since 1911 when the total number of deaths from this cause was 614.

The highest temperature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The highest temperature recorded in 1925 was 100 degrees on June 6.

The average monthly temperature for the months of June, July, and August, in 1911 and 1925, was as follows:

	June.	July.	August.
1911	65.6	77.1	69.0
1925	70.9	72.4	71.2

[2] Allocated.

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1935.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
45–53	**Cancer (all causes)**	6,351	371	1,752	608	37	3	606	1,575	1,358	40	1
	Under 20 years	40	19	–	–	–	–	21	–	–	–	–
	20 to 29 years	54	14	5	–	–	–	14	19	–	1	1
	30 to 39 years	192	10	44	1	1	–	27	101	5	3	–
	40 to 49 years	693	43	193	11	5	–	72	308	55	6	–
	50 to 59 years	1,293	81	410	53	9	1	133	435	163	8	–
	60 to 69 years	1,963	110	606	170	15	1	172	474	404	11	–
	70 to 79 years	1,605	75	424	269	4	–	116	215	495	7	–
	80 years and over	511	19	70	104	3	1	51	23	236	4	–
45	Cancer of the buccal cavity and pharynx	236	31	116	51	1	–	5	13	19	–	–
	Under 20 years	2	2	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	–	1	–	–	–	–	–	–	–	–
	30 to 39 years	2	–	2	–	–	–	–	–	–	–	–
	40 to 49 years	10	3	5	–	–	–	–	1	1	–	–
	50 to 59 years	49	7	27	8	1	–	1	4	1	–	–
	60 to 69 years	79	13	41	11	–	–	2	3	9	–	–
	70 to 79 years	71	5	35	20	–	–	2	5	4	–	–
	80 years and over	22	1	5	12	–	–	–	–	4	–	–
45*a*	Cancer of the lip	33	4	12	13	1	–	2	–	1	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	4	1	1	1	1	–	–	–	–	–	–
	60 to 69 years	11	1	6	3	–	–	–	–	1	–	–
	70 to 79 years	16	2	5	7	–	–	2	–	–	–	–
	80 years and over	2	–	–	2	–	–	–	–	–	–	–
45*b*	Cancer of the tongue	60	11	31	9	–	–	1	2	6	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	3	1	1	–	–	–	–	1	–	–	–
	50 to 59 years	14	5	7	1	–	–	–	–	1	–	–
	60 to 69 years	22	4	12	3	–	–	1	–	2	–	–
	70 to 79 years	13	1	7	3	–	–	–	1	1	–	–
	80 years and over	7	–	3	2	–	–	–	–	2	–	–
45*c*	Cancer of the mouth	27	4	10	7	–	–	–	2	4	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	1	–	1	–	–	–	–	–	–	–	–
	50 to 59 years	7	–	4	2	–	–	–	1	–	–	–
	60 to 69 years	6	2	1	1	–	–	–	–	2	–	–
	70 to 79 years	11	2	4	2	–	–	–	1	2	–	–
	80 years and over	2	–	–	2	–	–	–	–	–	–	–
45*d*	Cancer of the jaw	35	2	19	8	–	–	–	4	2	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	3	1	2	–	–	–	–	–	–	–	–
	50 to 59 years	6	–	3	2	–	–	–	1	–	–	–
	60 to 69 years	12	1	6	1	–	–	–	2	2	–	–
	70 to 79 years	14	–	8	5	–	–	–	1	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
45*e*	Cancer of other and unspecified parts of the buccal cavity	56	8	28	12	–	–	1	4	3	–	–
	Under 20 years	1	1	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	1	1	–	–	–	–	–	–	–	–	–
	50 to 59 years	10	–	6	2	–	–	–	2	–	–	–
	60 to 69 years	25	5	14	3	–	–	1	1	1	–	–
	70 to 79 years	12	–	7	3	–	–	–	1	1	–	–
	80 years and over	7	1	1	4	–	–	–	–	1	–	–

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1935.

Detailed Int. List No	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
45f	Cancer of the pharynx	25	2	16	2	–	–	1	1	3	–	–
	Under 20 years	1	1	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	–	1	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	2	–	1	–	–	–	–	–	1	–	–
	50 to 59 years	8	1	6	–	–	–	1	–	–	–	–
	60 to 69 years	3	–	2	–	–	–	–	–	1	–	–
	70 to 79 years	5	–	4	–	–	–	–	1	–	–	–
	80 years and over	4	–	1	2	–	–	–	–	1	–	–
46	Cancer of the digestive tract and peritoneum	3,174	198	1,019	362	23	2	253	631	672	14	–
	Under 20 years	5	4	–	–	–	–	1	–	–	–	–
	20 to 29 years	11	2	1	–	–	–	4	4	–	–	–
	30 to 39 years	63	5	25	1	1	–	6	25	–	–	–
	40 to 49 years	282	25	115	7	2	–	20	93	18	2	–
	50 to 59 years	600	51	239	30	6	1	48	168	56	1	–
	60 to 69 years	1,019	60	361	99	10	1	82	211	192	3	–
	70 to 79 years	911	42	240	165	2	–	62	118	277	5	–
	80 years and over	283	9	38	60	2	–	30	12	129	3	–
46a	Cancer of the esophagus	134	21	66	22	–	–	–	15	10	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	11	1	4	1	–	–	–	5	–	–	–
	50 to 59 years	27	9	11	2	–	–	–	4	1	–	–
	60 to 69 years	57	7	36	7	–	–	–	4	3	–	–
	70 to 79 years	31	4	13	9	–	–	–	2	3	–	–
	80 years and over	8	–	2	3	–	–	–	–	3	–	–
46b	Cancer of the stomach and duodenum	1,138	85	395	169	9	2	71	186	216	5	–
	Under 20 years	1	1	–	–	–	–	–	–	–	–	–
	20 to 29 years	2	–	–	–	–	–	1	1	–	–	–
	30 to 39 years	17	3	5	1	–	–	2	6	–	–	–
	40 to 49 years	114	14	49	4	1	–	7	35	3	1	–
	50 to 59 years	216	21	107	9	3	1	17	38	19	1	–
	60 to 69 years	373	27	134	51	4	1	23	67	65	1	–
	70 to 79 years	317	16	86	75	1	–	12	37	90	–	–
	80 years and over	98	3	14	29	–	–	9	2	39	2	–
46c	Cancer of the intestines (except duodenum, rectum and anus)	883	32	245	78	6	–	93	212	213	4	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	5	–	–	–	–	–	2	3	–	–	–
	30 to 39 years	27	2	12	–	1	–	1	11	–	–	–
	40 to 49 years	65	3	23	1	–	–	7	25	5	1	–
	50 to 59 years	160	7	52	9	2	–	16	55	19	–	–
	60 to 69 years	261	7	81	18	2	–	27	66	59	1	–
	70 to 79 years	268	11	65	38	1	–	24	44	83	2	–
	80 years and over	97	2	12	12	–	–	16	8	47	–	–
46d	Cancer of the rectum and anus	371	21	140	39	3	–	35	67	63	3	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	2	1	1	–	–	–	–	–	–	–	–
	30 to 39 years	9	–	3	–	–	–	–	6	–	–	–
	40 to 49 years	37	2	14	1	–	–	5	14	1	–	–
	50 to 59 years	68	3	27	1	1	–	6	23	7	–	–
	60 to 69 years	115	8	54	8	2	–	7	16	19	1	–
	70 to 79 years	112	6	37	21	–	–	13	8	26	1	–
	80 years and over	27	1	4	8	–	–	3	–	10	1	–
46e	Cancer of the liver and biliary passages	393	22	86	27	3	–	37	104	113	1	–
	Under 20 years	2	2	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	1	–	–	–	–	–	–	–	–	–
	30 to 39 years	5	–	1	–	–	–	3	1	–	–	–
	40 to 49 years	33	3	11	–	1	–	1	12	5	–	–
	50 to 59 years	77	6	22	4	–	–	5	31	9	–	–
	60 to 69 years	122	4	27	6	–	–	16	38	31	–	–
	70 to 79 years	116	4	21	12	–	–	10	21	47	1	–
	80 years and over	37	2	4	5	2	–	2	1	21	–	–

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1935.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
46f	Cancer of the pancreas	238	16	83	27	1	–	15	41	54	1	–
	Under 20 years	1	1	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	–	–	–	–	–	1	–	–	–	–
	30 to 39 years	3	–	2	–	–	–	–	1	–	–	–
	40 to 49 years	19	2	13	–	–	–	–	2	2	–	–
	50 to 59 years	46	5	20	5	–	–	3	12	1	–	–
	60 to 69 years	86	6	28	9	1	–	8	19	15	–	–
	70 to 79 years	66	1	18	10	–	–	3	6	27	1	–
	80 years and over	16	1	2	3	–	–	–	1	9	–	–
46g	Cancer of the mesentery and peritoneum	15	1	4	–	–	–	2	5	3	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	2	–	2	–	–	–	–	–	–	–	–
	40 to 49 years	3	–	1	–	–	–	–	–	2	–	–
	50 to 59 years	5	–	–	–	–	–	1	4	–	–	–
	60 to 69 years	4	1	1	–	–	–	1	1	–	–	–
	70 to 79 years	1	–	–	–	–	–	–	–	1	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
46h	Cancer of other organs under this title	2	–	–	–	1	–	–	1	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	1	–	–	–	–	–	–	1	–	–	–
	60 to 69 years	1	–	–	–	1	–	–	–	–	–	–
	70 to 79 years	–	–	–	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
47	Cancer of the respiratory system	294	34	143	27	5	–	19	35	30	1	–
	Under 20 years	2	–	–	–	–	–	2	–	–	–	–
	20 to 29 years	5	2	2	–	–	–	1	–	–	–	–
	30 to 39 years	7	2	1	–	–	–	1	3	–	–	–
	40 to 49 years	45	6	21	2	2	–	1	12	1	–	–
	50 to 59 years	75	7	46	3	–	–	8	6	4	1	–
	60 to 69 years	103	10	52	13	3	–	4	10	11	–	–
	70 to 79 years	50	7	20	8	–	–	1	4	10	–	–
	80 years and over	7	–	1	1	–	–	1	–	4	–	–
47a	Cancer of the larynx	60	7	30	9	–	–	1	7	5	1	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	4	1	3	–	–	–	–	–	–	–	–
	50 to 59 years	12	1	7	1	–	–	1	1	–	1	–
	60 to 69 years	22	2	9	6	–	–	–	3	2	–	–
	70 to 79 years	21	3	10	2	–	–	–	3	3	–	–
	80 years and over	1	–	1	–	–	–	–	–	–	–	–
47b	Cancer of the lungs and pleura	212	26	104	16	4	–	15	27	20	–	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	5	2	2	–	–	–	1	–	–	–	–
	30 to 39 years	6	2	1	–	–	–	1	2	–	–	–
	40 to 49 years	38	4	17	2	1	–	1	12	1	–	–
	50 to 59 years	56	6	33	2	–	–	6	5	4	–	–
	60 to 69 years	79	8	43	6	3	–	4	7	8	–	–
	70 to 79 years	22	4	8	5	–	–	–	1	4	–	–
	80 years and over	5	–	–	1	–	–	1	–	3	–	–
47c	Cancer of the other respiratory organs	22	1	9	2	1	–	3	1	5	–	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	–	–	–	–	–	1	–	–	–
	40 to 49 years	3	1	1	–	1	–	–	–	–	–	–
	50 to 59 years	7	–	6	–	–	–	1	–	–	–	–
	60 to 69 years	2	–	–	1	–	–	–	–	1	–	–
	70 to 79 years	7	–	2	1	–	–	1	–	3	–	–
	80 years and over	1	–	–	–	–	–	–	–	1	–	–

Detailed Int. List No.	Table 20 — Cause of Death and Age Period.	Deaths from Cancer by Sex, Age and Marital Condition: 1935. — Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
48	Cancer of the uterus	650	–	–	–	–	–	59	347	231	12	1
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	8	–	–	–	–	–	–	6	–	1	1
	30 to 39 years	42	–	–	–	–	–	2	35	2	3	–
	40 to 49 years	113	–	–	–	–	–	9	82	19	3	–
	50 to 59 years	155	–	–	–	–	–	15	98	41	1	–
	60 to 69 years	177	–	–	–	–	–	16	85	73	3	–
	70 to 79 years	124	–	–	–	–	–	15	39	70	–	–
	80 years and over	31	–	–	–	–	–	2	2	26	1	–
49	Cancer of other female genital organs	191	–	–	–	–	–	43	92	54	2	–
	Under 20 years	3	–	–	–	–	–	3	–	–	–	–
	20 to 29 years	3	–	–	–	–	–	1	2	–	–	–
	30 to 39 years	16	–	–	–	–	–	8	8	–	–	–
	40 to 49 years	37	–	–	–	–	–	11	21	5	–	–
	50 to 59 years	52	–	–	–	–	–	8	27	15	2	–
	60 to 69 years	49	–	–	–	–	–	9	25	15	–	–
	70 to 79 years	20	–	–	–	–	–	3	8	9	–	–
	80 years and over	11	–	–	–	–	–	–	1	10	–	–
49*a*	Cancer of the ovary and Fallopian tube	169	–	–	–	–	–	39	85	43	2	–
	Under 20 years	3	–	–	–	–	–	3	–	–	–	–
	20 to 29 years	3	–	–	–	–	–	1	2	–	–	–
	30 to 39 years	16	–	–	–	–	–	8	8	–	–	–
	40 to 49 years	35	–	–	–	–	–	10	20	5	–	–
	50 to 59 years	49	–	–	–	–	–	7	26	14	2	–
	60 to 69 years	43	–	–	–	–	–	8	22	13	–	–
	70 to 79 years	15	–	–	–	–	–	2	7	6	–	–
	80 years and over	5	–	–	–	–	–	–	–	5	–	–
49*b*	Cancer of the vagina and vulva	21	–	–	–	–	–	4	6	11	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	2	–	–	–	–	–	1	1	–	–	–
	50 to 59 years	3	–	–	–	–	–	1	1	1	–	
	60 to 69 years	5	–	–	–	–	–	1	2	2	–	–
	70 to 79 years	5	–	–	–	–	–	1	1	3	–	–
	80 years and over	6	–	–	–	–	–	–	1	5	–	–
49*c*	Cancer of other female genital organs	1	–	–	–	–	–	–	1	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	–	–	–	–	–	–	–	–	–	–	–
	60 to 69 years	1	–	–	–	–	–	–	1	–	–	–
	70 to 79 years	–	–	–	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
50	Cancer of the breast	674	–	5	3	1	–	139	305	216	5	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	4	–	–	–	–	–	–	4	–	–	–
	30 to 39 years	25	–	–	–	–	–	6	19	–	–	–
	40 to 49 years	101	–	1	–	–	–	25	65	9	1	–
	50 to 59 years	175	–	2	–	1	–	40	98	34	–	–
	60 to 69 years	199	–	2	–	–	–	42	87	65	3	–
	70 to 79 years	126	–	–	–	–	–	19	29	77	1	–
	80 years and over	44	–	–	3	–	–	7	3	31	–	–
51	Cancer of the male genito-urinary organs	496	60	306	125	4	1	–	–	–	–	–
	Under 20 years	4	4	–	–	–	–	–	–	–	–	–
	20 to 29 years	6	6	–	–	–	–	–	–	–	–	–
	30 to 39 years	7	1	6	–	–	–	–	–	–	–	–
	40 to 49 years	22	2	19	–	1	–	–	–	–	–	–
	50 to 59 years	81	7	63	11	–	–	–	–	–	–	–
	60 to 69 years	155	18	103	33	1	–	–	–	–	–	–
	70 to 79 years	178	16	96	64	2	–	–	–	–	–	–
	80 years and over	43	6	19	17	–	1	–	–	–	–	–

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1935.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
51a	Cancer of the kidneys and suprarenals (male)	44	8	29	7	–	–	–	–	–	–	–
	Under 20 years	3	3	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	2	1	1	–	–	–	–	–	–	–	–
	40 to 49 years	7	–	7	–	–	–	–	–	–	–	–
	50 to 59 years	13	2	10	1	–	–	–	–	–	–	–
	60 to 69 years	11	–	8	3	–	–	–	–	–	–	–
	70 to 79 years	8	2	3	3	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
51b	Cancer of the bladder (male)	133	13	87	32	1	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	2	–	2	–	–	–	–	–	–	–	–
	40 to 49 years	8	–	7	–	1	–	–	–	–	–	–
	50 to 59 years	34	4	27	3	–	–	–	–	–	–	–
	60 to 69 years	36	4	20	12	–	–	–	–	–	–	–
	70 to 79 years	40	4	24	12	–	–	–	–	–	–	–
	80 years and over	13	1	7	5	–	–	–	–	–	–	–
51c	Cancer of the prostate	290	28	176	82	3	1	–	–	–	–	–
	Under 20 years	1	1	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	2	–	2	–	–	–	–	–	–	–	–
	50 to 59 years	31	1	25	5	–	–	–	–	–	–	–
	60 to 69 years	101	13	71	16	1	–	–	–	–	–	–
	70 to 79 years	126	8	67	49	2	–	–	–	–	–	–
	80 years and over	29	5	11	12	–	1	–	–	–	–	–
51d	Cancer of the testes	13	8	5	–	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	6	6	–	–	–	–	–	–	–	–	–
	30 to 39 years	2	–	2	–	–	–	–	–	–	–	–
	40 to 49 years	4	1	3	–	–	–	–	–	–	–	–
	50 to 59 years	–	–	–	–	–	–	–	–	–	–	–
	60 to 69 years	1	1	–	–	–	–	–	–	–	–	–
	70 to 79 years	–	–	–	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
51e	Cancer of the scrotum	2	–	1	1	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	1	–	–	1	–	–	–	–	–	–	–
	60 to 69 years	1	–	1	–	–	–	–	–	–	–	–
	70 to 79 years	–	–	–	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
51f	Cancer of other male genitourinary organs	14	3	8	3	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	1	1	–	–	–	–	–	–	–	–	–
	50 to 59 years	2	–	1	1	–	–	–	–	–	–	–
	60 to 69 years	5	–	3	2	–	–	–	–	–	–	–
	70 to 79 years	4	2	2	–	–	–	–	–	–	–	–
	80 years and over	1	–	1	–	–	–	–	–	–	–	–
52	Cancer of the skin	88	8	24	11	1	–	9	12	23	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	–	–	–	–	–	1	–	–	–
	40 to 49 years	5	2	–	–	–	–	–	3	–	–	–
	50 to 59 years	4	1	2	–	–	–	–	1	–	–	–
	60 to 69 years	22	2	9	1	–	–	3	4	3	–	–
	70 to 79 years	31	3	10	5	–	–	3	2	8	–	–
	80 years and over	25	–	3	5	1	–	3	1	12	–	–

Detailed Int. List No.	Table 20 — Cause of Death and Age Period.	Deaths from Cancer by Sex, Age and Marital Condition: 1935. — Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
53	Cancer of other or unspecified organs	548	40	139	29	2	–	79	140	113	6	–
	Under 20 years	24	9	–	–	–	–	15	–	–	–	–
	20 to 29 years	16	4	1	–	–	–	8	3	–	–	–
	30 to 39 years	29	2	10	–	–	–	4	10	3	–	–
	40 to 49 years	78	5	32	2	–	–	6	31	2	–	–
	50 to 59 years	102	8	31	1	1	–	13	33	12	3	–
	60 to 69 years	160	7	38	13	1	–	14	49	36	2	–
	70 to 79 years	94	2	23	7	–	–	11	10	40	1	–
	80 years and over	45	3	4	6	–	–	8	4	20	–	–
53*a*	Cancer of the kidneys and suprarenals (female)	42	–	–	–	–	–	9	21	11	1	–
	Under 20 years	4	–	–	–	–	–	4	–	–	–	–
	20 to 29 years	1	–	–	–	–	–	1	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	5	–	–	–	–	–	1	4	–	–	–
	50 to 59 years	10	–	–	–	–	–	1	9	–	–	–
	60 to 69 years	15	–	–	–	–	–	1	6	7	1	–
	70 to 79 years	5	–	–	–	–	–	1	2	2	–	–
	80 years and over	2	–	–	–	–	–	–	–	2	–	–
53*b*	Cancer of the bladder (female)	73	–	–	–	–	–	16	20	36	1	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	–	–	–	–	1	–	–	–	–
	40 to 49 years	2	–	–	–	–	–	1	1	–	–	–
	50 to 59 years	13	–	–	–	–	–	5	3	4	1	–
	60 to 69 years	25	–	–	–	–	–	4	10	11	–	–
	70 to 79 years	22	–	–	–	–	–	3	4	15	–	–
	80 years and over	10	–	–	–	–	–	2	2	6	–	–
53*c*	Cancer of the brain	69	7	24	5	–	–	12	17	4	–	–
	Under 20 years	7	3	–	–	–	–	4	–	–	–	–
	20 to 29 years	5	2	–	–	–	–	2	1	–	–	–
	30 to 39 years	9	1	2	–	–	–	1	4	1	–	–
	40 to 49 years	21	1	12	1	–	–	–	6	1	–	–
	50 to 59 years	15	–	8	–	–	–	2	4	1	–	–
	60 to 69 years	6	–	1	2	–	–	1	2	–	–	–
	70 to 79 years	4	–	1	2	–	–	1	–	–	–	–
	80 years and over	2	–	–	–	–	–	1	–	1	–	–
53*d*	Cancer of the bones (except jaw)	43	5	14	1	–	–	8	9	6	–	–
	Under 20 years	6	3	–	–	–	–	3	–	–	–	–
	20 to 29 years	3	–	1	–	–	–	2	–	–	–	–
	30 to 39 years	2	1	1	–	–	–	–	–	–	–	–
	40 to 49 years	6	–	2	–	–	–	1	3	–	–	–
	50 to 59 years	3	–	1	–	–	–	–	1	1	–	–
	60 to 69 years	16	1	7	1	–	–	1	5	1	–	–
	70 to 79 years	6	–	2	–	–	–	1	–	3	–	–
	80 years and over	1	–	–	–	–	–	–	–	1	–	–
53*e*	Cancer of other or unspecified organs	321	28	101	23	2	–	34	73	56	4	–
	Under 20 years	7	3	–	–	–	–	4	–	–	–	–
	20 to 29 years	7	2	–	–	–	–	3	2	–	–	–
	30 to 39 years	17	–	7	–	–	–	2	6	2	–	–
	40 to 49 years	44	4	18	1	–	–	3	17	1	–	–
	50 to 59 years	61	8	22	1	1	–	5	16	6	2	–
	60 to 69 years	98	6	30	10	1	–	7	26	17	1	–
	70 to 79 years	57	2	20	5	–	–	5	4	20	1	–
	80 years and over	30	3	4	6	–	–	5	2	10	–	–

Table 21

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1935.		
		Total.	Males.	Females.
Infant Mortality Rate. The State.	47.8			
	1,834	3,014	1,760	1,254
Abington	2	3	3	–
Acton	–	1	1	–
Acushnet	5	7	4	3
Adams	7	9	6	3
Agawam	5	7	3	4
Alford	–	–	–	–
Amesbury	7	7	3	4
Amherst	4	6	5	1
Andover	5	7	4	3
Arlington	17	25	12	13
Ashburnham	–	–	–	–
Ashby	1	1	–	1
Ashfield	–	–	–	–
Ashland	1	1	1	–
Athol	2	4	2	2
Attleboro	13	17	8	9
Auburn	5	6	3	3
Avon	–	1	1	–
Ayer	1	3	2	1
Barnstable	3	8	8	–
Barre	2	2	1	1
Becket	–	–	–	–
Bedford	–	1	1	–
Belchertown	–	–	–	–
Bellingham	2	3	3	–
Belmont	3	4	3	1
Berkley	1	2	1	1
Berlin	1	2	1	1
Bernardston	1	3	3	–
Beverly	11	19	12	7
Billerica	1	6	2	4
Blackstone	2	4	2	2
Blandford	–	–	–	–
Bolton	–	1	1	–
Boston	365	607	345	262
Bourne	1	2	1	1
Boxborough	–	–	–	–
Boxford	1	1	1	–
Boylston	–	3	–	3
Braintree	3	8	5	3
Brewster	–	–	–	–
Bridgewater	1	3	2	1
Brimfield	1	1	1	–
Brockton	18	28	14	14
Brookfield	–	1	1	–
Brookline	5	6	1	5
Buckland	–	–	–	–
Burlington	–	2	2	–
Cambridge	84	135	79	56
Canton	1	1	1	–
Carlisle	–	–	–	–
Carver	1	4	3	1
Charlemont	–	–	–	–
Charlton	1	2	1	1
Chatham	1	1	1	–
Chelmsford	4	4	–	4
Chelsea	23	34	20	14
Cheshire	2	2	1	1
Chester	1	2	2	–
Chesterfield	–	–	–	–
Chicopee	23	38	23	15
Chilmark	–	–	–	–
Clarksburg	–	–	–	–
Clinton	5	8	6	2
Cohasset	–	–	–	–
Colrain	–	–	–	–
Concord	3	4	2	2
Conway	–	–	–	–
Cummington	–	–	–	–
Dalton	–	1	1	–
Dana	–	–	–	–
Danvers	–	3	1	2
Dartmouth	5	7	3	4
Dedham	9	15	10	5
Deerfield	–	1	1	–
Dennis	–	–	–	–
Dighton	–	2	–	2

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1935.		
		Total.	Males.	Females.
Douglas	–	–	–	–
Dover	–	–	–	–
Dracut	1	1	1	–
Dudley	3	4	3	1
Dunstable	1	1	–	1
Duxbury	1	4	3	1
East Bridgewater	1	2	1	1
East Brookfield	1	1	1	–
East Longmeadow	2	3	2	1
Eastham	–	–	–	–
Easthampton	5	5	4	1
Easton	–	1	1	–
Edgartown	–	1	–	1
Egremont	–	–	–	–
Enfield	–	–	–	–
Erving	1	1	–	1
Essex	–	–	–	–
Everett	18	28	20	8
Fairhaven	6	9	5	4
Fall River	50	103	61	42
Falmouth	2	8	6	2
Fitchburg	25	42	24	18
Florida	–	–	–	–
Foxborough	2	3	2	1
Framingham	10	15	8	7
Franklin	2	5	2	3
Freetown	–	1	1	–
Gardner	8	16	7	9
Gay Head	–	1	–	1
Georgetown	–	–	–	–
Gill	1	2	–	2
Gloucester	13	16	8	8
Goshen	–	–	–	–
Gosnold	–	–	–	–
Grafton	2	4	1	3
Granby	–	–	–	–
Granville	–	–	–	–
Great Barrington	1	2	1	1
Greenfield	7	11	4	7
Greenwich	–	–	–	–
Groton	3	3	1	2
Groveland	2	3	1	2
Hadley	1	1	1	–
Halifax	–	1	–	1
Hamilton	–	–	–	–
Hampden	2	2	2	–
Hancock	–	–	–	–
Hanover	–	–	–	–
Hanson	4	4	2	2
Hardwick	–	–	–	–
Harvard	–	–	–	–
Harwich	1	3	1	2
Hatfield	1	1	1	–
Haverhill	16	22	10	12
Hawley	–	–	–	–
Heath	–	1	–	1
Hingham	4	4	3	1
Hinsdale	–	–	–	–
Holbrook	–	–	–	–
Holden	4	5	4	1
Holland	–	–	–	–
Holliston	2	2	2	–
Holyoke	19	34	18	16
Hopedale	–	1	1	–
Hopkinton	–	–	–	–
Hubbardston	–	1	1	–
Hudson	5	9	5	4
Hull	2	2	1	1
Huntington	–	2	–	2
Ipswich	3	4	2	2
Kingston	–	2	2	–
Lakeville	–	–	–	–
Lancaster	2	2	2	–
Lanesborough	–	1	1	–
Lawrence	40	73	40	33
Lee	1	1	–	1
Leicester	3	4	4	–
Lenox	1	1	–	1
Leominster	15	27	17	10
Leverett	–	–	–	–

[1] Exclusive of stillbirths

Table 21

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1935.		
		Total.	Males.	Females.
Lexington	4	4	4	–
Leyden	–	–	–	–
Lincoln	1	2	2	–
Littleton	–	–	–	–
Longmeadow	1	1	1	–
Lowell	63	100	59	41
Ludlow	4	9	3	6
Lunenburg	–	–	–	–
Lynn	67	93	56	37
Lynnfield	1	2	–	2
Malden	20	32	20	12
Manchester	2	2	1	1
Mansfield	–	–	–	–
Marblehead	6	6	2	4
Marion	3	3	1	2
Marlborough	4	10	4	6
Marshfield	1	1	–	1
Mashpee	–	–	–	–
Mattapoisett	1	2	1	1
Maynard	4	5	3	2
Medfield	–	1	1	–
Medford	19	29	21	8
Medway	2	2	1	1
Melrose	11	14	9	5
Mendon	1	1	1	–
Merrimac	3	3	–	3
Methuen	6	12	8	4
Middleborough	3	4	3	1
Middlefield	–	–	–	–
Middleton	–	–	–	–
Milford	3	6	4	2
Millbury	3	5	2	3
Millis	–	1	–	1
Millville	1	1	–	1
Milton	5	8	4	4
Monroe	–	2	1	1
Monson	1	1	1	–
Montague	4	6	4	2
Monterey	1	1	1	–
Montgomery	–	–	–	–
Mount Washington	–	–	–	–
Nahant	1	1	1	–
Nantucket	4	6	5	1
Natick	8	12	10	2
Needham	1	3	2	1
New Ashford	–	–	–	–
New Bedford	46	87	48	39
New Braintree	–	1	1	–
New Marlborough	–	1	1	–
New Salem	–	–	–	–
Newbury	–	1	1	–
Newburyport	4	8	3	5
Newton	19	36	21	15
Norfolk	–	1	–	1
North Adams	12	19	11	8
North Andover	1	2	1	1
North Attleborough	5	6	5	1
North Brookfield	3	4	2	2
North Reading	–	–	–	–
Northampton	4	7	3	4
Northborough	3	3	3	–
Northbridge	3	5	4	1
Northfield	–	–	–	–
Norton	3	4	2	2
Norwell	1	1	–	1
Norwood	4	7	4	3
Oak Bluffs	2	3	2	1
Oakham	–	1	1	–
Orange	3	3	2	1
Orleans	–	–	–	–
Otis	–	–	–	–
Oxford	1	5	4	1
Palmer	4	8	6	2
Paxton	1	2	2	–
Peabody	16	24	15	9
Pelham	–	–	–	–
Pembroke	1	1	–	1
Pepperell	2	3	2	1
Peru	–	–	–	–
Petersham	–	1	1	–
Phillipston	–	–	–	–
Pittsfield	10	24	14	10
Plainfield	–	–	–	–
Plainville	–	–	–	–
Plymouth	3	6	1	5
Plympton	–	1	–	1
Prescott	–	–	–	–
Princeton	–	–	–	–
Provincetown	2	3	3	–
Quincy	23	42	22	20
Randolph	3	4	3	1
Raynham	1	1	–	1
Reading	1	1	–	1
Rehoboth	2	2	–	2
Revere	12	15	11	4
Richmond	–	–	–	–
Rochester	–	–	–	–
Rockland	4	5	3	2
Rockport	2	2	2	–
Rowe	–	–	–	–
Rowley	–	–	–	–
Royalston	–	–	–	–
Russell	–	1	1	–
Rutland	1	1	1	–
Salem	31	53	31	22
Salisbury	1	1	1	–
Sandisfield	–	–	–	–
Sandwich	–	–	–	–
Saugus	12	21	11	10
Savoy	–	–	–	–
Scituate	–	–	–	–
Seekonk	2	6	5	1
Sharon	2	4	2	2
Sheffield	2	2	1	1
Shelburne	–	–	–	–
Sherborn	1	1	1	–
Shirley	1	1	–	1
Shrewsbury	5	7	4	3
Shutesbury	–	–	–	–
Somerset	4	6	3	3
Somerville	50	72	41	31
South Hadley	2	5	4	1
Southampton	–	–	–	–
Southborough	–	–	–	–
Southbridge	6	7	6	1
Southwick	2	2	2	–
Spencer	2	4	2	2
Springfield	57	93	51	42
Sterling	1	2	2	–
Stockbridge	–	–	–	–
Stoneham	5	7	5	2
Stoughton	1	1	1	–
Stow	–	1	–	1
Sturbridge	1	1	–	1
Sudbury	–	–	–	–
Sunderland	–	–	–	–
Sutton	1	1	–	1
Swampscott	5	8	6	2
Swansea	2	4	2	2
Taunton	22	32	17	15
Templeton	2	3	3	–
Tewksbury	1	3	1	2
State Infirmary	2	3	1	2
Tisbury	1	1	–	1
Tolland	–	–	–	–
Topsfield	–	1	–	1
Townsend	–	–	–	–
Truro	–	–	–	–
Tyngsborough	2	2	2	–
Tyringham	–	–	–	–
Upton	2	4	1	3
Uxbridge	2	5	2	3
Wakefield	3	10	7	3
Wales	–	–	–	–
Walpole	3	5	3	2
Waltham	18	24	12	12
Ware	3	7	2	5
Wareham	2	4	1	3
Warren	1	2	1	1
Warwick	–	–	–	–

[1] Exclusive of stillbirths.

Table 21

Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1935.			Municipalities.	Total deaths under 1 month of age.	Allocated Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1935.		
		Total.	Males.	Females.			Total.	Males.	Females.
Washington	–	2	2	–	Weston	1	1	1	–
Watertown	12	18	11	7	Westport	4	4	4	–
Wayland	1	3	2	1	Westwood	1	3	2	1
Webster	10	12	9	3	Weymouth	6	9	7	2
Wellesley	8	10	5	5	Whately	–	–	–	–
Wellfleet	–	–	–	–	Whitman	2	2	2	–
Wendell	–	1	1	–	Wilbraham	–	–	–	–
Wenham	–	–	–	–	Williamsburg	2	2	1	1
West Boylston	2	4	3	1	Williamstown	–	1	–	1
West Bridgewater	1	3	2	1	Wilmington	5	7	6	1
West Brookfield	–	–	–	–	Winchendon	5	5	4	1
West Newbury	1	1	–	1	Winchester	4	8	6	2
West Springfield	11	14	7	7	Windsor	1	1	–	1
West Stockbridge	–	–	–	–	Winthrop	8	8	7	1
West Tisbury	–	–	–	–	Woburn	12	17	12	5
Westborough	–	–	–	–	Worcester	56	116	72	44
Westfield	3	4	1	3	Worthington	–	–	–	–
Westford	2	2	1	1	Wrentham	–	1	1	–
Westhampton	–	1	1	–	Yarmouth	–	–	–	–
Westminster	1	3	2	1					

[1] Exclusive of stillbirths.

Table 22

Years.	Infant Mortality: 1911 to 1935.			
	Live births.	Deaths[1] under 1 Year.		
		Number.	Per 1,000 live births.	Per cent of total deaths.
1911	88,327	10,543	119.4	19.9
1912	89,882	10,472	116.5	20.0
1913	91,644	10,086	110.1	18.9
1914	93,399	9,894	105.9	18.7
1915	93,155	9,490	101.9	17.9
1916	93,487	9,334	99.8	16.6
1917	95,731	9,325	97.4	16.5
1918	95,607	10,820	113.2	13.7
1919	87,827	7,769	88.5	14.8
1920	91,859	8,382	91.2	15.6
1921	92,245	7,005	75.9	14.7
1922	87,636	7,129	81.3	13.9
1923	89,210	6,968	78.1	13.3
1924	91,463	6,191	67.7	12.5
1925	86,014	6,294	73.1	12.1
1926	83,502	6,130	73.4	11.6
1927	82,273	5,320	64.7	10.7
1928	79,054	5,118	64.7	9.9
1929	74,122	4,592	62.0	8.8
1930	73,690	4,440	60.3	9.0
1931	69,385	3,803	54.8	7.8
1932	68,518	3,635	53.1	7.3
1933	63,457	3,294	51.9	6.5
1934	63,767	3,136	49.2	6.2
1935	62,416[2]	3,014	48.3	6.1

[1] Exclusive of stillbirths. [2] Allocated.

Table 23

INFANT DEATHS[1] PER 1,000 LIVE BIRTHS[2] IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1935: **1928 TO 1935.**

MUNICIPALITIES. (Grouped in order of population, 1935.)	1935.	1934.	1933.	1932.	1931.	1930.	1929.	1928.
The State.	**48**	**49**	**52**	**53**	**54**	**60**	**62**	**65**
OVER 100,000.								
Boston	49	55	59	59	61	70	69	77
Worcester	53	62	55	53	50	63	60	62
Springfield	45	52	52	56	49	54	59	60
Cambridge	73	47	48	57	50	47	57	55
Fall River	58	42	63	53	60	66	66	69
New Bedford	58	61	56	57	83	55	66	79
Lynn	69	33	49	43	45	57	56	69
Somerville	44	45	50	47	48	64	53	76
Lowell	68	63	62	67	77	78	70	77
50,000 TO 100,000.								
Lawrence	62	65	50	55	71	68	75	60
Quincy	38	50	57	53	40	47	48	59
Newton	40	31	21	40	49	31	46	42
Brockton	35	35	48	38	47	56	60	55
Medford	31	35	34	43	27	37	33	42
Malden	37	50	31	31	44	44	34	52
Holyoke	47	48	69	55	60	55	68	66
Brookline (town)	13	45	34	57	14	39	73	85
25,000 TO 50,000.								
Haverhill	32	52	48	42	37	47	44	59
Pittsfield	35	43	52	47	52	40	74	55
Everett	35	33	59	50	33	46	51	50
Salem	84	83	57	63	92	87	97	57
Chelsea	54	39	47	58	41	49	39	53
Chicopee	75	71	73	75	61	48	94	88
Fitchburg	63	52	59	52	74	65	74	65
Waltham	38	34	40	32	46	51	44	43
Arlington (town)	43	31	42	33	43	45	62	54
Taunton	55	56	73	60	59	86	62	68
Watertown (town)	33	47	41	59	42	63	39	58
Revere	32	65	42	46	34	35	26	52
Beverly	56	17	30	39	35	33	43	64
15,000 TO 25,000.								
Belmont (town)	12	21	52	85	111	53	34	85
Northampton	26	42	54	69	57	50	55	32
Melrose	51	41	49	35	28	53	42	46
Gloucester	46	56	37	57	43	57	79	54
Framingham (town)	43	31	57	56	48	34	34	56
North Adams	49	49	47	43	71	78	69	69
Peabody	69	37	32	35	61	36	79	57
Leominster	72	52	49	62	78	108	47	68
Attleboro	55	47	46	58	48	68	58	61
Weymouth (town)	27	38	43	45	26	36	27	41
Methuen (town)	52	32	52	54	71	65	50	71
Gardner	53	47	43	59	73	51	65	65
Woburn	57	37	35	26	49	43	56	45
Westfield	17	33	23	81	82	54	70	48
Milton (town)	40	52	48	–[3]	43	49	–	–
Braintree (town)	32	40	33	99	43	38	–	–
West Springfield (town)	67	43	52	43	51	87	85	103
Winthrop (town)	41	40	23	20	24	44	17	42
Wakefield (town)	48	44	56	61	20	48	47	36
Greenfield (town)	49	43	45	20	57	63	48	40
Southbridge (town)	27	–	–	–	–	–	–	–
Marlborough	53	39	38	44	41	36	29	30
Norwood (town)	29	24	47	56	36	52	–	–
Dedham (town)	68	23	51	70	43	116	–	–
Saugus (town)	101	–	–	–	–	–	–	–
Milford (town)	27	–	–	–	–	–	–	–

[1] Exclusive of stillbirths. [2] Allocated. [3] No deaths under 1 year of age.

Table 24

BIRTH RATES,[1] DEATH RATES,[1] NATURAL INCREASE, INFANT MORTALITY RATES, AND SURVIVORSHIP, IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1935: **1935.**

MUNICIPALITIES. (Grouped in order of population, 1935.)	Births[2] per 1,000 population.	Deaths[2] per 1,000 population.	Natural increase per 1,000 population.	Deaths[2] under 1 year per 1,000 births.[2]	SURVIVORS AT END OF FIRST YEAR OF LIFE. Number.	Per 1,000 births.[2]
The State.	**14.3**	**11.4**	**2.9**	**48.3**	**59,402**	**952**
OVER 100,000.						
Boston	15.1	12.5	2.6	49.1	11,764	952
Worcester	14.8	11.2	3.6	53.4	2,661	947
Springfield	13.9	10.6	3.3	44.6	1,993	955
Cambridge	15.7	11.7	4.0	72.7	1,722	927
Fall River	15.2	11.4	3.8	57.5	1,687	942
New Bedford	13.6	11.5	2.1	58.0	1,414	942
Lynn	13.3	11.3	2.0	69.4	1,248	931
Somerville	16.2	10.7	5.5	44.2	1,558	956
Lowell	14.7	13.0	1.7	68.1	1,368	932

[1] Allocated [2] Exclusive of stillbirths.

Table 24

BIRTH RATES[1], DEATH RATES[1], NATURAL INCREASE, INFANT MORTALITY RATES, AND SURVIVORSHIP, IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1935: 1935.—*Con.*

MUNICIPALITIES. (Grouped in order of population, 1935.)	Births[2] per 1,000 population.	Deaths[2] per 1,000 population.	Natural increase per 1,000 population.	Deaths[2] under 1 year per 1,000 births.[2]	SURVIVORS AT END OF FIRST YEAR OF LIFE. Number.	Per 1,000 births.[2]
50,000 TO 100,000.						
Lawrence	13.5	11.2	2.3	62.4	1,097	938
Quincy	14.6	9.6	5.0	37.5	1,078	963
Newton	13.6	10.2	3.4	40.1	862	960
Brockton	12.7	11.7	1.0	35.4	763	965
Medford	15.4	9.7	5.7	30.6	920	969
Malden	15.2	10.7	4.5	36.7	839	963
Holyoke	12.9	11.6	1.3	47.0	690	953
Brookline (town)	9.6	11.3	1.7[3]	12.5	475	988
25,000 TO 50,000.						
Haverhill	13.7	11.5	2.2	32.4	657	968
Pittsfield	14.6	10.7	3.9	34.5	672	966
Everett	17.0	10.9	6.1	34.9	775	965
Salem	14.5	11.5	3.0	83.9	579	916
Chelsea	14.8	10.0	4.8	53.9	597	946
Chicopee	12.1	9.1	3.0	74.8	470	925
Fitchburg	16.0	10.6	5.4	63.0	625	937
Waltham	15.7	10.5	5.2	37.8	611	962
Arlington (town)	15.3	9.6	5.7	42.5	563	957
Taunton	15.5	11.7	3.8	55.3	547	945
Watertown (town)	15.2	9.3	5.9	33.1	525	967
Revere	13.4	9.0	4.4	31.6	460	968
Beverly	13.1	13.1	–	55.9	321	944
15,000 TO 25,000.						
Belmont (town)	13.0	8.0	5.0	12.4	318	988
Northampton	11.1	10.4	.7	25.6	266	974
Melrose	11.3	11.3	–	51.3	259	949
Gloucester	14.4	12.4	2.0	45.9	332	954
Framingham (town)	15.5	9.8	5.7	42.7	336	957
North Adams	17.7	11.8	5.9	48.6	372	951
Peabody	15.7	11.6	4.1	69.2	323	931
Leominster	17.1	10.4	6.7	72.0	348	928
Attleboro	14.3	12.5	1.8	54.5	295	945
Weymouth (town)	15.3	11.5	3.8	27.0	324	973
Methuen (town)	11.1	11.4	.3[3]	51.5	221	948
Gardner	14.9	9.9	5.0	52.5	289	948
Woburn	15.2	10.7	4.5	56.9	282	943
Westfield	12.8	9.5	3.3	16.6	237	983
Milton (town)	11.0	10.9	.1	40.0	192	960
Braintree (town)	14.5	9.7	4.8	32.3	240	968
West Springfield (town)	12.2	10.5	1.7	67.3	194	933
Winthrop (town)	11.5	12.2	.7[3]	40.8	188	959
Wakefield (town)	12.7	10.4	2.3	47.8	199	952
Greenfield (town)	14.1	12.5	1.6	48.9	214	951
Southbridge (town)	16.4	10.6	5.8	27.0	252	973
Marlborough	11.9	10.0	1.9	53.2	178	947
Norwood (town)	15.3	8.6	6.7	29.3	232	971
Dedham (town)	14.3	11.3	3.0	68.2	205	932
Saugus (town)	13.9	11.7	2.2	100.5	188	900
Milford (town)	14.9	10.9	4.0	26.8	218	973

[1] Allocated. [2] Exclusive of stillbirths. [3] Decrease.

Table 25

INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER OF THE STATE OUTSIDE OF BOSTON: 1919 TO 1935.

YEARS.	MASSACHUSETTS. Live births.	Deaths under 1 year. Number.	Deaths under 1 year. Per 1,000 live births.	BOSTON. Live births.	Deaths under 1 year. Number.	Deaths under 1 year. Per 1,000 live births.	REMAINDER OF STATE OUTSIDE BOSTON. Live births.	Deaths under 1 year. Number.	Deaths under 1 year. Per 1,000 live births.
1919	87,827	7,769	88.5	18,799	1,814	96.5	69,028	5,955	86.3
1920	91,859	8,382	91.2	19,573	1,962	100.2	72,286	6,420	88.8
1921	92,245	7,005	75.9	19,397	1,497	77.2	72,848	5,508	75.6
1922	87,636	7,129	81.3	18,536	1,711	92.3	69,100	5,418	78.4
1923	89,210	6,968	78.1	19,056	1,570	82.4	70,154	5,398	76.9
1924	91,463	6,191	67.7	19,776	1,468	74.2	71,687	4,723	65.9
1925	86,014	6,294	73.1	18,636	1,585	85.1	67,378	4,709	69.9
1926	83,502	6,130	73.4	18,731	1,572	83.9	64,771	4,558	70.4
1927	82,273	5,320	64.7	17,079	1,459	85.4	65,194	3,861	59.2
1928	79,054	5,118	64.7	18,781	1,445	76.9	60,273	3,673	60 9
1929	74,122	4,592	62.0	17,942	1,236	68.9	56,180	3,356	59.7
1930	73,690	4,440	60.3	18,057	1,257	69.6	55,633	3,183	57.2
1931	69,385	3,803	54.8	17,137	1,039	60.6	52,248	2,764	52.9
1932	68,518	3,635	53.1	17,271	1,025	59.3	51,247	2,610	50.9
1933	63,457	3,294	51.9	16,249	958	58.9	47,208	2,436	51.6
1934	63,767	3,136	49.2	15,825	871	55.0	47,942	2,265	47.2
1935	62,416[1]	3,014	48.3	12,371[1]	607	49 1	50,045	2,407	48.1

[1] Allocated.

Table 26

Years.	Survivors at End of First Year of Life: 1910 to 1935. Per 1,000 population.	Per 1,000 live births.	Years.	Survivors at End of First Year of Life: 1910 to 1935. Per 1,000 population.	Per 1,000 live births.
1910	22.2	867	1923	20.7	922
1911	22.6	881	1924	21.3	932
1912	22.6	883	1925	19.2	927
1913	22.8	890	1926	18.4	927
1914	22.9	894	1927	18.0	935
1915	22.7	898	1928	17.1	935
1916	22.3	900	1929	15.9	938
1917	22.5	903	1930	16.3	940
1918	21.7	887	1931	15.5	945
1919	20.9	911	1932	11.9	946
1920	21.7	909	1933	13.9	948
1921	21.9	924	1934	14.0	951
1922	20.5	919	1935	13.7[1]	952[1]

[1] Allocated.

Table 27

Detailed Int. List No.	Causes.	Infant Deaths per 1,000 Live Births, by Causes: 1928 to 1935. 1935.[1]	1934.	1933.	1932.	1931.	1930.	1929.	1928.
	All Causes.	48.3	49.2	51.9	53.1	54.8	60.3	62.0	64.7
	Developmental and wasting diseases*	21.7	23.2	24.1	23.3	24.8	25.5	26.9	26.3
159	Premature birth*	15.0	16.0	15.8	15.6	16.1	15.7	17.5	16.8
157	Congenital malformations	5.8	6.5	6.9	6.8	7.3	7.8	7.1	7.3
158	Congenital debility, etc.*	.9	.7	1.4	.9	1.4	2.0	2.3	2.2
119	Diarrhea and enteritis*	3.1	2.7	2.2	2.9	3.4	5.0	4.5	5.9
107*a*	Bronchopneumonia*	7.3	7.0	7.5	7.8	7.1	8.5	9.0	9.7
108	Lobar pneumonia*	1.4	1.1	1.3	1.3	1.6	1.6	1.6	1.9
86	Convulsions	.1	.2	.3	.2	.2	.2	.5	.5
106*a*, 106*b*, 106*c*	Bronchitis*	.2	.2	.2	.2	.2	.4	.5	.6
9	Whooping cough*	.7	1.1	.9	.9	.7	1.3	.9	1.4
18, 79	Meningitis	.5	.2	.3	.3	.4	.5	.4	.5
24	Tuberculous meningitis	.1	.1	.2	.3	.2	.2	.3	.4
34	Syphilis	.3	.2	.3	.3	.4	.4	.3	.4
109	Pneumonia, undefined	.1	–	.2	.2	.2	.2	.2	.1
16	Acute anterior poliomyelitis	–	–	–	–	.1	–	–	–
	All other causes	12.7	13.2	14.4	15.4	15.5	16.5	16.9	17.0

[1] Allocated.

Table 28

Months.	Deaths under 2 Years of Age from Diarrhea and Enteritis (119)*, by Months: 1928 to 1935. 1935.[1]	1934.	1933.	1932.	1931.	1930.	1929.	1928.
The Year.	**219**	**194**	**161**	**229**	**275**	**410**	**394**	**520**
January	6	7	12	13	10	30	42	24
February	17	10	13	16	13	25	17	24
March	14	20	17	21	18	34	31	30
April	22	12	11	18	15	35	21	39
May	26	15	14	14	26	30	24	51
June	20	16	10	17	12	23	28	32
July	15	18	12	19	35	28	30	55
August	28	38	11	24	35	38	45	49
September	21	23	24	29	48	66	54	86
October	15	23	13	22	33	53	48	55
November	23	6	12	18	17	26	25	38
December	12	6	12	18	13	22	29	37
	Per Cent Distribution.							
The Year.	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**	**100.0**
January	2.7	3.6	7.5	5.6	3.6	7.3	10.7	4.6
February	7.8	5.1	8.0	7.0	4.7	6.1	4.3	4.6
March	6.4	10.3	10.6	9.2	6.5	8.3	7.9	5.8
April	10.1	6.2	6.8	7.9	5.5	8.5	5.3	7.5
May	11.9	7.7	8.7	6.1	9.5	7.3	6.0	9.8
June	9.1	8.2	6.2	7.4	4.4	5.6	7.1	6.2
July	6.8	9.3	7.5	8.3	12.7	6.8	7.6	10.6
August	12.8	19.6	6.8	10.5	12.7	9.3	11.5	9.4
September	9.6	11.9	14.9	12.6	17.5	16.1	13.7	16.5
October	6.8	11.9	8.0	9.6	12.0	12.9	12.2	10.6
November	10.5	3.1	7.5	7.9	6.2	6.4	6.3	7.3
December	5.5	3.1	7.5	7.9	4.7	5.4	7.4	7.1

[1] Allocated.

Table 29

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	The State[2]	T	3,014	889	205	148	258	1,500	155	97	82	1,834	215	165	366	240	194
		M	1,760	526	115	90	147	878	95	47	44	1,064	130	96	223	146	101
		F	1,254	363	90	58	111	622	60	50	38	770	85	69	143	94	93
7	Measles	M	4	–	–	–	–	–	–	–	–	–	–	–	1	1	2
		F	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–
8	Scarlet fever	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
9	Whooping cough	M	25	–	–	–	–	–	–	–	1	1	3	1	9	8	3
		F	20	–	–	–	–	–	–	–	–	–	5	1	4	5	5
10	Diphtheria	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	15	–	–	–	–	–	–	1	–	1	3	2	3	4	2
		F	9	–	–	–	–	–	–	–	1	1	–	–	4	2	2
13	Dysentery	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	6	–	–	–	–	–	1	–	–	1	3	1	1	–	–
		F	11	–	–	–	–	–	–	1	–	1	4	4	–	2	–
18	Epidemic cerebro-spinal meningitis	M	8	–	–	–	–	–	–	1	–	1	–	1	6	–	–
		F	5	–	–	–	–	–	–	–	–	–	1	–	1	1	2
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
34	Syphilis	M	9	–	–	–	2	2	–	–	–	2	1	3	2	1	–
		F	7	1	–	–	–	1	–	–	–	1	1	3	2	–	–
86	Convulsions	M	4	–	–	–	–	–	1	–	–	1	–	1	2	–	–
		F	2	–	1	–	–	1	–	–	–	1	–	1	–	–	–
106	Bronchitis	M	10	–	–	–	–	–	–	–	3	3	1	2	4	–	–
		F	6	–	–	–	–	–	–	–	–	–	3	–	1	–	2
107	Bronchopneumonia	M	252	–	2	1	5	8	5	8	7	28	32	33	75	47	37
		F	203	–	1	1	8	10	6	7	10	33	22	23	54	36	35
108, 109	Pneumonia	M	56	–	–	–	–	–	3	1	–	4	6	3	11	20	12
		F	35	–	–	–	–	–	–	2	1	3	2	2	6	10	12
117, 118	Diseases of the stomach	M	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1
119	Diarrhea and enteritis	M	107	–	–	–	–	–	7	6	8	21	18	13	33	17	5
		F	90	–	–	–	2	2	8	4	11	25	8	12	25	10	10
122b	Intestinal obstruction	M	6	–	–	–	–	–	–	–	–	–	1	2	1	1	1
		F	6	–	–	–	–	–	–	–	–	–	–	1	1	1	3
157	Congenital malformations	M	208	40	9	16	28	93	20	9	8	130	21	8	26	11	12
		F	152	44	12	10	29	95	10	5	2	112	15	6	8	7	4
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	34	3	4	1	8	16	1	1	2	20	4	4	4	1	1
		F	20	1	–	2	4	7	4	3	–	14	2	3	1	–	–
159	Premature birth	M	532	322	68	34	36	460	33	11	12	516	12	4	–	–	–
		F	410	237	52	25	26	340	24	21	8	393	13	2	1	–	1
160	Injuries at birth	M	185	83	21	25	37	166	10	3	–	179	3	–	1	–	2
		F	89	40	15	10	18	83	2	–	–	85	1	–	2	1	–
161*a*, *d*	Other diseases of early infancy	M	128	74	8	9	22	113	8	2	2	125	2	1	–	–	–
		F	73	35	9	8	18	70	1	1	1	73	–	–	–	–	–
172–198, 201–214	External causes	M	31	1	2	–	–	3	–	1	–	4	5	5	9	4	4
		F	27	2	–	–	2	4	1	–	–	5	1	4	10	3	4
199, 200	Unknown or ill-defined diseases	M	4	1	–	–	–	1	–	–	–	1	1	–	–	2	–
		F	6	1	–	–	–	1	–	–	1	2	–	2	1	1	–
	All other causes	M	126	2	1	4	9	16	6	3	1	26	13	10	34	26	17
		F	73	2	–	2	3	7	4	6	3	20	7	4	19	11	12

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29a

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BOSTON.[2]	T	607	174	42	26	48	290	21	24	30	365	53	37	67	52	33
		M	345	103	20	15	27	165	16	10	13	204	26	20	42	34	19
		F	262	71	22	11	21	125	5	14	17	161	27	17	25	18	14
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	4	-	-	-	-	-	-	-	-	-	-	-	1	3	-
		F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	5	-	-	-	-	-	-	1	-	1	-	4	-	-	-
18	Epidemic cerebrospinal meningitis	M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	2	-	-	-	1	1	-	-	-	1	-	1	-	-	-
		F	3	1	-	-	-	1	-	-	-	1	1	1	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
107	Bronchopneumonia	M	60	-	1	1	3	5	1	1	3	10	6	8	17	14	5
		F	42	-	-	-	2	2	-	-	6	8	8	2	10	10	4
108, 109	Pneumonia	M	17	-	-	-	-	-	-	-	-	-	3	1	3	5	5
		F	11	-	-	-	-	-	-	-	-	-	2	1	5	2	1
117, 118	Diseases of the stomach	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	21	-	-	-	-	-	-	-	1	1	5	4	8	2	1
		F	15	-	-	-	-	-	-	-	4	4	1	2	5	-	3
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	45	11	1	2	5	19	3	4	2	28	4	2	5	3	3
		F	23	8	3	1	3	15	1	-	1	17	4	1	-	1	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	2	-	-	1	-	1	-	1	-	2	-	-	-	-	-
		F	3	-	-	1	1	2	-	-	-	2	-	1	-	-	-
159	Premature birth	M	104	56	12	5	7	80	10	3	7	100	4	-	-	-	-
		F	96	42	13	5	8	68	4	10	6	88	6	1	-	-	1
160	Injuries at birth	M	33	17	3	4	7	31	-	1	-	32	1	-	-	-	-
		F	20	10	5	2	3	20	-	-	-	20	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	25	18	3	2	1	24	1	-	-	25	-	-	-	-	-
		F	15	8	1	2	3	14	-	1	-	15	-	-	-	-	-
172–198, 201–214	External causes	M	9	1	-	-	-	1	-	-	-	1	1	1	3	1	2
		F	6	1	-	-	-	1	-	-	-	1	-	2	1	1	1
199, 200	Unknown or ill-defined diseases	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	15	-	-	-	3	3	1	-	-	4	1	2	1	5	2
		F	19	1	-	-	1	2	-	2	-	4	3	2	4	3	3

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29b

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	WORCESTER.[2]	T	116	32	8	3	10	53	3	-	-	56	8	9	15	16	12
		M	72	19	3	2	8	32	3	-	-	35	3	5	10	11	8
		F	44	13	5	1	2	21	-	-	-	21	5	4	5	5	4
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
13	Dysentery	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	15	-	-	-	-	-	-	-	-	-	-	3	4	3	5
		F	11	-	-	-	1	1	-	-	-	1	2	1	2	2	3
108, 109	Pneumonia	M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	6	1	-	-	-	1	-	-	-	1	1	-	2	-	2
		F	6	1	2	-	1	4	-	-	-	4	1	1	-	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	4	-	-	-	3	3	-	-	-	3	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	20	12	3	1	1	17	1	-	-	18	1	1	-	-	-
		F	13	9	2	1	-	12	-	-	-	12	1	-	-	-	-
160	Injuries at birth	M	6	4	-	1	1	6	-	-	-	6	-	-	-	-	-
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	6	2	-	-	3	5	1	-	-	6	-	-	-	-	-
		F	3	2	1	-	-	3	-	-	-	3	-	-	-	-	-
172–198, 201–214	External causes	M	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	6	-	-	-	-	-	1	-	-	1	-	-	1	3	1
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29c

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 month but less than 9.	9 months but less than 12.
	SPRINGFIELD.[2]	T	93	31	6	4	8	49	1	6	1	57	6	8	10	6	6
		M	51	18	4	2	5	29	–	3	–	32	3	3	5	3	5
		F	42	13	2	2	3	20	1	3	1	25	3	5	5	3	1
7	Measles	M	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	9	–	–	–	–	–	–	–	–	–	1	1	3	–	4
		F	5	–	–	–	–	–	–	–	1	1	–	1	2	1	–
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
		F	4	–	–	–	–	–	–	–	–	–	–	2	1	1	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	4	3	–	–	–	3	–	–	–	3	1	–	–	–	–
		F	6	1	–	1	1	3	–	–	–	3	2	1	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	2	–	2	–	–	–	–	–
159	Premature birth	M	19	9	4	2	2	17	–	2	–	19	–	–	–	–	–
		F	14	10	1	–	1	12	1	–	–	13	–	–	1	–	–
160	Injuries at birth	M	8	5	–	–	3	8	–	–	–	8	–	–	–	–	–
		F	2	1	1	–	–	2	–	–	–	2	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	2	1	–	–	1	2	–	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–
		F	3	–	–	1	–	1	–	1	–	2	–	–	–	1	–

[1]Exclusive of stillbirths.
[2] Allocated.

Table 29d

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12
	CAMBRIDGE.[2]	T	135	32	9	1	11	53	19	8	4	84	9	7	16	11	8
		M	79	20	7	-	6	33	12	4	2	51	6	1	10	7	4
		F	56	12	2	1	5	20	7	4	2	33	3	6	6	4	4
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	13	-	-	-	-	-	2	-	1	3	1	1	3	4	1
		F	14	-	-	-	1	1	-	1	2	4	3	2	1	2	2
108, 109	Pneumonia	M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	6	-	-	-	-	-	1	-	-	1	1	-	2	1	1
		F	10	-	-	-	2	2	1	1	-	4	-	2	4	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	8	3	-	-	1	4	1	2	-	7	-	-	1	-	-
		F	5	-	-	1	1	2	2	1	-	5	-	-	-	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	1	1	-	2	-	1	-	-	-
159	Premature birth	M	25	14	7	-	1	22	2	-	-	24	1	-	-	-	-
		F	12	9	1	-	-	10	2	-	-	12	-	-	-	-	-
160	Injuries at birth	M	8	1	-	-	2	3	4	1	-	8	-	-	-	-	-
		F	5	3	1	-	1	5	-	-	-	5	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	7	1	-	-	2	3	1	1	1	6	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172–198, 201–214	External causes	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	4	1	-	-	-	1	1	-	-	2	-	-	2	-	-
		F	3	-	-	-	-	-	1	-	-	1	-	-	-	1	1

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29e

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	FALL RIVER.[2]	T	103	21	9	6	9	45	4	–	1	50	9	6	18	12	8
		M	61	12	4	3	6	25	2	–	1	28	4	4	10	9	6
		F	42	9	5	3	3	20	2	–	–	22	5	2	8	3	2
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
10	Diphtheria	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	2	–	–	–	–	–	–	–	1	1	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	15	–	–	–	–	–	–	–	–	–	2	3	2	6	2
		F	9	–	–	–	–	–	–	–	–	–	3	2	2	1	1
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	4	–	–	–	–	–	1	–	–	1	–	–	1	2	–
		F	5	–	–	–	–	–	–	–	–	–	1	–	4	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	6	–	–	–	2	2	–	–	–	2	1	–	2	–	1
		F	2	–	1	–	–	1	–	–	–	1	1	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	14	9	2	1	1	13	–	–	–	13	1	–	–	–	–
		F	13	5	3	2	1	11	2	–	–	13	–	–	–	–	–
160	Injuries at birth	M	8	1	2	2	2	7	1	–	–	8	–	–	–	–	–
		F	6	3	1	1	1	6	–	–	–	6	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	2	2	–	–	–	2	–	–	–	2	–	–	–	–	–
		F	2	1	–	–	1	2	–	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29f

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	NEW BEDFORD.[2]	T	87	24	2	5	7	38	5	1	2	46	7	7	12	8	7
		M	48	14	2	3	3	22	2	–	2	26	5	4	7	4	2
		F	39	10	–	2	4	16	3	1	–	20	2	3	5	4	5
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
107	Bronchopneumonia	M	7	–	–	–	–	–	–	–	1	1	2	1	1	2	–
		F	4	–	–	–	–	–	–	–	–	–	1	2	–	–	1
108, 109	Pneumonia	M	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
		F	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	–	1	1	–	1	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	5	3	–	–	–	3	–	–	–	3	1	1	–	–	–
		F	6	1	–	1	2	4	1	–	–	5	–	–	–	1	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
159	Premature birth	M	8	3	1	1	2	7	1	–	–	8	–	–	–	–	–
		F	12	8	–	–	1	9	2	1	–	12	–	–	–	–	–
160	Injuries at birth	M	6	2	1	2	1	6	–	–	–	6	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	6	5	–	–	–	5	1	–	–	6	–	–	–	–	–
		F	3	1	–	1	1	3	–	–	–	3	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	6	–	–	–	–	–	–	–	–	–	1	–	2	1	2
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	–	

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29g

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LYNN.[2]	T	93	21	7	5	4	37	12	9	9	67	7	-	13	5	1
		M	56	15	4	3	2	24	5	7	4	40	5	-	9	2	-
		F	37	6	3	2	2	13	7	2	5	27	2	-	4	3	1
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	6	-	-	-	1	1	-	-	1	2	-	-	3	1	-
		F	3	-	-	-	1	1	-	-	-	1	-	-	1	1	-
108, 109	Pneumonia	M	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	9	-	-	-	-	-	1	4	2	7	2	-	-	-	-
		F	10	-	-	-	-	-	3	-	3	6	2	-	2	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
157	Congenital malformations	M	7	2	1	-	-	3	1	-	-	4	2	-	1	-	-
		F	4	1	2	-	-	3	-	-	-	3	-	-	1	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
159	Premature birth	M	20	12	3	1	-	16	2	2	-	20	-	-	-	-	-
		F	13	5	1	1	-	7	3	2	1	13	-	-	-	-	-
160	Injuries at birth	M	2	-	-	1	1	2	-	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	4	-	-	1	-	1	-	1	-	2	1	-	1	-	-
		F	2	-	-	-	1	1	-	-	1	2	-	-	-	-	-

[1]Exclusive of stillbirths.
[2] Allocated.

Table 29h

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	SOMERVILLE.[2]	T	72	19	5	8	9	41	7	2	-	50	3	2	13	2	2
		M	41	10	3	3	6	22	2	1	-	25	3	1	9	2	1
		F	31	9	2	5	3	19	5	1	-	25	-	1	4	-	1
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	8	-	-	-	-	-	-	1	-	1	1	-	6	-	-
		F	7	-	-	-	-	-	2	-	-	2	-	1	3	-	1
108, 109	Pneumonia	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1
		F	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	9	1	-	2	2	5	2	-	-	7	1	-	1	-	-
		F	4	2	-	-	2	4	-	-	-	4	-	-	-	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	8	6	1	-	1	8	-	-	-	8	-	-	-	-	-
		F	10	5	1	3	-	9	1	-	-	10	-	-	-	-	-
160	Injuries at birth	M	6	2	1	1	2	6	-	-	-	6	-	-	-	-	-
		F	2	-	-	1	1	2	-	-	-	2	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	3	1	1	-	1	3	-	-	-	3	-	-	-	-	-
		F	2	2	-	-	-	2	-	-	-	2	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
		F	3	-	-	1	-	1	2	-	-	3	-	-	-	-	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 291

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LOWELL.[2]	T	100	42	4	6	3	55	3	2	3	63	3	5	8	12	9
		M	59	27	2	4	2	35	1	1	2	39	2	3	2	7	6
		F	41	15	2	2	1	20	2	1	1	24	1	2	6	5	3
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
9	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
107	Bronchopneumonia	M	8	-	-	-	-	-	-	-	1	1	-	-	-	3	4
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1
108, 109	Pneumonia	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	3	-	-	-	-	-	-	1	-	1	-	-	-	-	2
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	4	-	-	-	-	-	-	-	1	1	-	1	1	1	-
		F	3	-	-	-	-	-	-	-	1	1	-	-	-	2	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	4	3	-	1	-	4	-	-	-	4	-	-	-	-	-
		F	7	2	-	1	-	3	2	-	-	5	-	-	2	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	3	1	-	-	1	2	-	-	-	2	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
159	Premature birth	M	19	15	1	2	-	18	-	1	-	19	-	-	-	-	-
		F	11	8	1	1	1	11	-	-	-	11	-	-	-	-	-
160	Injuries at birth	M	8	5	1	1	1	8	-	-	-	8	-	-	-	-	-
		F	4	2	1	-	-	3	-	-	-	3	-	-	1	-	-
161*a*, *d*	Other diseases of early infancy	M	3	3	-	-	-	3	-	-	-	3	-	-	-	-	-
		F	2	2	-	-	-	2	-	-	-	2	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	1	-	-	-	1	-	-	-	1	-	2	-	-	-
	All other causes	M	7	-	-	-	-	-	1	-	-	1	1	-	1	2	2
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29j

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LAWRENCE.[2]	T	73	14	3	6	10	33	6	1	-	40	8	2	10	6	7
		M	40	6	2	3	5	16	2	-	-	18	6	2	8	3	3
		F	33	8	1	3	5	17	4	1	-	22	2	-	2	3	4
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	6	-	-	-	-	-	-	-	-	-	-	1	4	1	-
		F	8	-	-	-	1	1	-	-	-	1	1	-	1	2	3
108, 109	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	5	-	-	-	-	-	-	-	-	-	3	-	1	-	1
		F	2	-	-	-	-	-	1	-	-	1	-	-	-	1	-
122*b*	Intestinal obstruction	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	9	-	1	-	2	3	1	-	-	4	2	-	2	1	-
		F	5	1	-	1	3	5	-	-	-	5	-	-	-	-	-
158, 161*b*,*c*	Congenital debility, icterus, sclerema	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-
159	Premature birth	M	6	3	1	-	1	5	1	-	-	6	-	-	-	-	-
		F	9	4	1	-	-	5	3	1	-	9	-	-	-	-	-
160	Injuries at birth	M	4	1	-	2	1	4	-	-	-	4	-	-	-	-	-
		F	2	1	-	-	1	2	-	-	-	2	-	-	-	-	-
161*a*,*d*	Other diseases of early infancy	M	4	2	-	1	1	4	-	-	-	4	-	-	-	-	-
		F	3	2	-	1	-	3	-	-	-	3	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2
	All other causes	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29k — Deaths[1] from Important Causes for Certain Subdivisions of the First Year of Life, for the State and for Cities having 50,000 Inhabitants or More in 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	Quincy.[2]	T	42	15	4	2	1	22	–	1	–	23	2	1	10	2	4
		M	22	9	1	1	–	11	–	1	–	12	–	1	5	1	3
		F	20	6	3	1	1	11	–	–	–	11	2	–	5	1	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
		F	4	–	–	–	–	–	–	–	–	–	–	–	3	–	1
108, 109	Pneumonia	M	5	–	–	–	–	–	–	1	–	1	–	–	1	1	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122 *b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	2	1	–	1	–	2	–	–	–	2	–	–	–	–	–
		F	5	3	1	–	–	4	–	–	–	4	–	–	1	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	7	6	1	–	–	7	–	–	–	7	–	–	–	–	–
		F	4	2	1	1	–	4	–	–	–	4	–	–	–	–	–
160	Injuries at birth	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	2	1	–	–	1	2	–	–	–	2	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
172–198, 201–214	External causes	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	All other causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 291

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	NEWTON.[2]	T	36	14	2	1	-	17	1	1	-	19	6	2	5	2	
		M	21	7	1	1	-	9	1	-	-	10	4	2	2	2	
		F	15	7	1	-	-	8	-	1	-	9	2	-	3	-	1
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
108, 109	Pneumonia	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1
		F	4	3	-	-	-	3	-	1	-	4	-	-	-	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	7	5	1	-	-	6	1	-	-	7	-	-	-	-	-
		F	5	3	1	-	-	4	-	-	-	4	1	-	-	-	-
160	Injuries at birth	M	3	2	-	1	-	3	-	-	-	3	-	-	-	-	-
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29m

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BROCKTON.[2]	T	28	10	1	1	3	15	1	2	-	18	-	3	3	1	3
		M	14	6	1	-	2	9	1	1	-	11	-	2	-	-	1
		F	14	4	-	1	1	6	-	1	-	7	-	1	3	1	2
	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
108, 109	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
157	Congenital malformations	M	3	1	-	-	2	3	-	-	-	3	-	-	-	-	-
		F	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	6	3	1	-	-	4	1	1	-	6	-	-	-	-	-
		F	5	3	-	1	-	4	-	1	-	5	-	-	-	-	-
160	Injuries at birth	M	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29n — Deaths[1] from Important Causes for Certain Subdivisions of the First Year of Life, for the State and for Cities having 50,000 Inhabitants or More in 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	Medford.[2]	T	29	6	5	1	2	14	3	2	–	19	–	4	2	1	3
		M	21	4	3	1	1	9	3	–	–	12	–	4	2	1	2
		F	8	2	2	–	1	5	–	2	–	7	–	–	–	–	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	2	–	–	–	–	–	–	2	–	2	–	–	–	–	–
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	1	–	–	1	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	5	–	–	1	–	1	1	–	–	2	–	2	1	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	3	2	1	–	–	3	–	–	–	3	–	–	–	–	–
		F	3	1	1	–	1	3	–	–	–	3	–	–	–	–	–
160	Injuries at birth	M	2	–	1	–	1	2	–	–	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	3	1	1	–	–	2	1	–	–	3	–	–	–	–	–
		F	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	2	1	–	–	–	1	–	–	–	1	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29o

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	MALDEN.	T	32	11	1	1	4	17	1	-	2	20	1	-	3	2	6
		M	20	7	1	1	2	11	1	-	2	14	-	-	1	2	3
		F	12	4	-	-	2	6	-	-	-	6	1	-	2	-	3
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
		F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
108, 109	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	6	4	-	-	1	5	1	-	-	6	-	-	-	-	-
		F	5	4	-	-	1	5	-	-	-	5	-	-	-	-	-
160	Injuries at birth	M	5	2	1	1	1	5	-	-	-	5	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	1	-	-	-	1	-	-	1	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	4	-	-	-	-	-	-	-	1	1	-	-	1	1	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29p — Deaths[1] from Important Causes for Certain Subdivisions of the First Year of Life, for the State and for Cities having 50,000 Inhabitants or More in 1935: 1935.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	Holyoke.[2]	T	34	12	–	–	5	17	1	1	–	19	3	3	4	3	2
		M	18	8	–	–	2	10	1	1	–	12	2	1	1	2	–
		F	16	4	–	–	3	7	–	–	–	7	1	2	3	1	2
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
		F	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
157	Congenital malformations	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	2	–	–	–	1	1	–	–	–	1	–	–	1	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	7	5	–	–	–	5	1	1	–	7	–	–	–	–	–
		F	3	3	–	–	–	3	–	–	–	3	–	–	–	–	–
160	Injuries at birth	M	2	2	–	–	–	2	–	–	–	2	–	–	–	–	–
		F	4	1	–	–	2	3	–	–	–	3	1	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	2	–	–	–	2	2	–	–	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–

[1] Exclusive of stillbirths.
[2] Allocated.

Table 29q

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1935: 1935.

Detailed Int. List No.	Cause of Death	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BROOKLINE (Town)[2]	T	6	4	1	-	-	5	-	-	-	5	-	-	1	-	-
		M	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	5	3	1	-	-	4	-	-	-	4	-	-	1	-	-
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108, 109	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	4	3	1	-	-	4	-	-	-	4	-	-	-	-	-
160	Injuries at birth	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Exclusive of stillbirths.
[2] Allocated.

Maternal Mortality.

Table 30 — Deaths and Death Rates per 100,000 Population from Diseases caused by Pregnancy and Confinement*: 1911 to 1935.

Years.	Deaths.			Death rates — per 100,000 population.			Death rates — per 100,000 female population.		
	Total. 140-150.	Puerperal septicemia. 140, 145.	All others. 141-144, 146-150.	Total.	Puerperal septicemia.	All others.	Total.	Puerperal septicemia.	All others.
1911	506	143	363	14.7	4.2	10.6	29.0	6.0	23.0
1912	435	97	338	12.4	2.8	9.6	24.5	5.5	19.0
1913	467	101	366	13.1	2.8	10.2	25.9	5.6	20.3
1914	538	104	434	14.8	2.9	11.9	29.4	5.7	23.7
1915	462	106	356	12.5	2.9	9.6	24.9	5.7	19.2
1916	525	159	366	13.9	4.2	9.7	27.3	8.3	19.0
1917	616	194	422	16.0	5.0	11.0	31.5	9.9	21.6
1918	804	159	645	20.6	4.1	16.5	40.4	8.0	32.4
1919	622	163	459	16.2	4.2	12.0	31.8	8.3	23.5
1920	698	195	503	18.1	5.1	13.0	35.6	10.0	25.6
1921	580	178	402	14.9	4.6	10.3	29.3	9.0	20.3
1922	559	159	400	14.2	4.0	10.2	27.9	7.9	20.0
1923	498	128	370	12.5	3.2	9.3	24.6	6.3	18.3
1924	544	161	383	13.6	4.0	9.6	26.7	7.9	18.8
1925	501	140	361	12.1	3.4	8.7	24.1	6.7	17.4
1926	501	150	351	11.9	3.6	8.3	23.9	7.2	16.7
1927	486	141	345	11.4	3.3	8.1	22.9	6.6	16.3
1928	456	123	333	10.5	2.8	7.7	21.3	5.7	15.6
1929	453	147	306	10.4	3.4	7.0	21.0	6.8	14.2
1930	438	141	297	10.3	3.3	7.0	20.1	6.5	13.6
1931	408	119	289	9.5	2.8	6.7	18.5	5.4	13.1
1932	369	96	273	8.6	2.2	6.4	16.6	4.3	12.3
1933	389	103	286	9.0	2.4	6.6	17.3	4.6	12.7
1934	317	93	224	7.3	2.1	5.2	14.0	4.1	9.9
1935	325[1]	104	221	7.5	2.4	5.1	14.3	4.6	9.7

[1] Allocated.

Maternal Mortality.

Table 31

Death Rates per 10,000 Confinements and per 10,000 Births[1] from Diseases caused by Pregnancy and Confinement (140-150)*: 1911 to 1935.

Years.	Per 10,000 confinements.[1]			Per 10,000 births.[2]			Per 10,000 live births.			Per 10,000 confinements.[1] 140-150.	
	Total. 140-150.	Puerperal septicemia. 140, 145.	All others. 141-144,146-150.	Total. 140-150.	Puerperal septicemia. 140, 145.	All others. 141-144,146-150.	Total. 140-150.	Puerperal septicemia. 140, 145.	All Others. 141-144,146-150.	Three-year averages.	Five-year averages.
1911	56	16	40	55	16	39	57	16	41	49	
1912	47	11	36	47	10	37	48	11	37		
1913	50	11	39	49	11	38	51	11	40		51
1914	56	11	45	56	11	45	58	11	47	51	
1915	48	11	37	48	11	37	48	11	37		
1916	55	17	39	54	16	38	56	17	39		
1917	63	20	43	62	19	43	64	20	44	67	
1918	82	16	66	81	16	65	84	17	67		69
1919	69	18	51	68	18	50	71	19	52		
1920	74	21	53	73	20	53	76	21	55	68	
1921	61	19	42	60	18	42	63	19	44		
1922	62	18	44	61	17	44	64	18	46		
1923	54	14	40	54	14	40	56	14	41	58	58
1924	58	17	41	57	17	40	59	17	42		
1925	57	16	41	56	16	40	58	16	42		
1926	59	18	41	58	17	41	60	18	42	58	
1927	58	17	41	57	17	40	59	17	42		
1928	56	15	41	56	15	41	58	16	42		59
1929	62	20	42	59	19	40	61	20	41	59	
1930	58	19	39	57	18	39	59	19	40		
1931	57	17	40	57	17	40	59	17	42		
1932	53	14	39	52	14	38	54	14	40		
1933	60	16	44	59	16	43	61	16	45	57	54
1934	49	14	35	48	14	34	50	15	35		
1935[3]	51	16	35	50	16	34	52	17	35		

[1] Inclusive of stillbirths and making proper deductions for plural births.
[2] Inclusive of stillbirths.
[3] Allocated.

Deaths Investigated by Medical Examiners.

Table 32

Deaths (inclusive of Stillbirths) investigated by Medical Examiners, by Cause of Death, in Each County: 1935.

Line No.	Cause of Death.	The State. Number.	The State. Per Cent Distribution.	Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
1	**All Causes.**	**9,098**	**100.0**	**75**	**200**	**708**	**12**	**909**	**92**	**913**	**158**	**1,864**	**7**	**734**	**332**	**2,103**	**991**
2	Violence.	3,389	37.3	30	89	228	6	364	44	266	78	593	5	229	145	870	442
3	*Suicide.*	572	6.3	5	15	42	1	72	8	39	16	98	1	43	23	136	73
4	Poisons (163)	58	.6	–	–	4	–	5	2	4	2	9	–	2	–	20	10
5	Asphyxia by poisonous gas (164)	143	1.6	–	3	19	–	26	–	10	3	21	1	12	5	27	16
6	Hanging (165)	137	1.5	–	6	7	–	14	2	8	6	24	–	7	11	33	19
7	Drowning (166)	56	.6	2	2	1	1	6	2	4	2	13	–	9	–	8	6
8	Firearms (167)	101	1.1	3	2	8	–	17	2	8	3	23	–	6	5	11	13
9	Cutting or piercing instruments (168)	33	.4	–	1	1	–	3	–	2	–	7	–	5	2	5	7
10	Other means	44	.5	–	1	2	–	1	–	3	–	1	–	2	–	32	2
11	*Homicide.*	75	.8	1	2	3	1	8	–	8	–	6	–	1	1	35	9
12	Infanticide (172)	2	–[1]	–	–	–	–	1	–	–	–	–	–	–	–	1	–
13	Firearms (173)	23	.3	–	1	–	1	2	–	2	–	–	–	1	–	14	2
14	Cutting (174)	10	.1	–	1	–	–	1	–	–	–	1	–	–	–	6	1
15	Other means (175)	40	.4	1	–	3	–	4	–	6	–	5	–	–	1	14	6
16	*Accident or Negligence.*	2,742	30.2	24	72	183	4	284	36	219	62	489	4	185	121	699	360
17	Asphyxia, other than drowning (178, 182)	131	1.4	–	6	10	–	18	4	4	1	20	1	6	9	32	20
18	Poisons (179)	28	.3	–	–	1	–	5	–	5	1	2	–	2	–	11	1
19	Burns and scalds (180, 181)	172	1.9	1	4	14	1	28	4	12	1	26	–	9	6	47	19
20	Drowning (183)	216	2.4	3	4	13	2	31	5	20	5	32	–	15	19	47	20
21	Firearms and other weapons (184)	21	.2	–	1	5	–	1	–	3	–	5	2	–	2	–	2
22	Falls, blows and falling bodies (186, 194b)	1,042	11.5	6	19	66	–	90	5	89	28	176	–	71	47	318	127
23	Weather agencies (190–192)	32	.4	–	2	2	–	3	–	3	1	9	–	3	1	3	5
24	Machinery (202–205)	35	.4	–	–	1	–	5	–	5	1	4	–	1	–	11	7
25	Public travel (railroads, vehicles, etc.) (206–214)	991	10.9	13	32	64	1	97	16	72	23	205	1	74	34	213	146
26	Other accidental causes	74	.8	1	4	7	–	6	2	6	1	10	–	4	3	17	13
27	Causes Not Due to Violence.	4,768	52.4	44	110	472	6	518	47	465	74	991	1	452	185	869	534
28	Natural causes	4,532	49.8	43	109	451	6	501	45	453	73	963	–	442	182	744	520
29	Alcoholism	201	2.2	–	–	15	–	15	1	9	–	23	1	8	3	116	10
30	Unknown or ill-defined causes	35	.4	1	1	6	–	2	1	3	1	5	–	2	–	9	4
31	Cremations	886	9.7	1	1	3	–	23	–	177	3	268	1	44	–	355	10
32	Stillbirths.	55	.6	–	–	5	–	4	1	5	3	12	–	9	2	9	5
33	**Autopsies.**																
34	Number	797	–	5	6	62	1	51	1	32	4	76	2	11	6	442	98

[1]Less than one-tenth of 1 per cent.

Table 33

DEATHS DUE TO VIOLENCE AND OTHER AND MONTHS, AND BY

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	8,212[1]	–	–	–	–	–	–	–	–	–	–	–	–
		M	5,384	518	388	445	465	434	440	444	432	440	458	447	483
		F	2,828	274	236	239	252	247	199	212	192	204	267	217	289
	All Causes (exclusive of stillbirths).	T	8,157	–	–	–	–	–	–	–	–	–	–	–	–
		M	5,355	515	387	443	463	432	438	440	428	428	456	444	481
		F	2,802	272	235	238	252	244	195	209	189	202	261	217	288
	VIOLENCE.	T	3,389	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,375	169	158	180	192	190	216	239	215	199	198	196	223
		F	1,014	76	83	96	87	92	69	96	70	69	92	84	100
	Suicide.	T	572	–	–	–	–	–	–	–	–	–	–	–	–
		M	429	32	32	36	42	38	47	27	34	39	37	34	31
		F	143	4	16	12	14	14	11	10	7	15	16	16	8
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	58	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	2	2	2	2	3	6	3	4	2	2	3	3
		F	24	1	3	1	3	1	2	3	1	5	3	1	–
163*a*	Arsenic	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*b*	Hydrocyanic	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	1	1	–	2	2	1	1	–	1	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
163*c*	Opium, morphine, laudanum	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
163*d*	Strychnine	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
163*e*	Corrosive sublimate	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	–	–	–	2	1	–	–	–	1	2
		F	6	–	2	–	1	–	–	–	–	2	–	1	–
163*f*	Carbolic acid	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*g*	Lysol	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	1	–	1	1	–	–	1	–	–
163*h*	Others	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	–	1	1	1	2	1	2	2	1	2	–
		F	11	–	1	1	1	1	1	1	1	2	2	–	–
164	Suicide by poisonous gas	T	143	–	–	–	–	–	–	–	–	–	–	–	–
		M	101	9	11	7	11	6	11	7	7	8	9	9	6
		F	42	–	5	5	7	5	4	4	1	3	1	5	2
165	Suicide by hanging or strangulation	T	137	–	–	–	–	–	–	–	–	–	–	–	–
		M	116	5	10	9	10	8	15	8	9	14	10	8	10
		F	21	1	2	1	–	4	–	1	3	3	4	–	2
166	Suicide by drowning	T	56	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	2	–	7	5	9	4	2	1	5	2	2	1
		F	16	–	2	–	2	1	1	–	2	–	3	4	1
167	Suicide by firearms	T	101	–	–	–	–	–	–	–	–	–	–	–	–
		M	89	11	5	7	11	6	8	3	10	5	10	5	8
		F	12	–	2	2	–	1	1	1	–	1	2	2	–
168	Suicide by cutting or piercing instruments	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	1	–	1	1	3	1	2	2	3	3	4	2
		F	10	1	–	1	–	1	1	1	–	1	1	2	1
169	Suicide by jumping from high places	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	1	4	3	2	3	2	1	1	2	–	3	–
		F	15	1	2	2	2	1	1	–	–	2	2	2	–
170	Suicide by crushing	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	–	–	–	–	–	–	–	–	1	–	1
		F	2	–	–	–	–	–	–	–	–	–	–	–	2
171	Suicide by other means	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
	Homicide.	T	75	–	–	–	–	–	–	–	–	–	–	–	–
		M	48	1	6	4	5	5	1	6	3	6	2	3	6
		F	27	2	–	4	3	4	4	3	1	–	2	2	2
172	Infanticide (murder of infants less than 1 year of age)	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	1	–	–	–	–	–	–
172*a*	Immediately after birth	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	1	1	–	–	–	–	–	–
172*b*	Others under 1 year	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
173	Homicide by firearms	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	–	2	1	3	2	–	–	2	2	1	2	3
		F	5	–	–	–	1	–	1	1	–	–	–	–	2

[1] Not including 886 views for cremation.

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1935.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	43	114	84	111	95	128	306	409	801	1,030	1,183	788	292	–
	47	80	60	49	28	52	141	180	274	409	574	543	391	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14	114	84	111	95	128	306	409	801	1,030	1,183	788	292	–
	21	80	60	49	28	52	141	180	274	409	574	543	391	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	27	57	93	83	116	259	253	387	385	374	238	102	–
	4	24	36	32	21	34	98	85	94	108	153	174	151	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	4	46	67	106	95	63	38	10	–
	–	–	–	–	–	6	23	23	30	25	30	4	2	–
163	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	8	9	4	5	6	2	–	–
	–	–	–	–	–	2	8	4	5	2	2	–	1	–
163a	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163b	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	2	1	4	2	1	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–
163c	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–
163d	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–
163e	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	3	1	1	–	1	–	–	–
	–	–	–	–	–	–	2	1	1	–	1	–	1	–
163f	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
163g	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	1	1	1	–	–	–	–
163h	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	4	4	2	1	2	1	–	–
	–	–	–	–	–	1	5	2	2	1	–	–	–	–
164	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	10	16	25	28	19	1	1	–
	–	–	–	–	–	–	3	5	12	11	10	1	–	–
165	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	9	16	31	26	16	15	3	–
	–	–	–	–	–	–	1	6	3	4	4	2	1	–
166	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	2	4	11	8	6	7	1	–
	–	–	–	–	–	–	2	4	3	2	5	–	–	–
167	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	13	11	23	14	13	10	4	–
	–	–	–	–	–	1	6	–	2	2	1	–	–	–
168	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	4	1	11	2	3	1	–
	–	–	–	–	–	–	–	2	2	2	4	–	–	–
169	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	3	6	10	2	1	–	–	–
	–	–	–	–	–	3	2	1	3	2	4	–	–	–
170	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	1	1	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	1	–	–
171	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	11	13	10	10	2	–	–	–
	2	–	–	–	–	1	13	6	2	2	1	–	–	–
172	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–
172a	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	–	–	–	–	–	–	–	–	–
172b	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
173	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	4	6	3	3	–	–	–	–
	–	–	–	–	–	–	1	–	2	1	1	–	–	–

Table 33

Deaths Due to Violence and Other and Months, and by

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
174	Homicide by cutting or piercing instruments	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	3	2	2	–	–	1	–	1	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
175	Homicide by other means	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	1	1	1	–	3	1	5	1	3	1	1	3
		F	19	2	–	4	1	3	2	2	1	–	2	2	–
	Accidental.	T	2,742	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,898	136	120	140	145	147	168	206	178	154	159	159	186
		F	844	70	67	80	70	74	54	83	62	54	74	66	90
176	Attack by venomous animals	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
177	Poisoning by food	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	78	–	–	–	–	–	–	–	–	–	–	–	–
		M	53	6	4	6	3	11	2	2	3	2	4	5	5
		F	25	3	3	4	4	2	3	–	–	–	4	–	2
179	Other acute accidental poisonings (gas excepted)	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	–	1	–	–	2	2	4	–	3	1	3	–
		F	12	1	1	1	–	1	–	2	3	1	–	2	–
180	Conflagration	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	1	4	1	1	3	–	3	1	1	4	3	2
		F	20	1	2	3	1	7	–	1	1	–	1	1	2
181	Accidental burns (conflagration excepted)	T	128	–	–	–	–	–	–	–	–	–	–	–	–
		M	61	4	6	12	6	4	2	4	3	2	4	4	10
		F	67	4	5	9	6	8	3	6	4	5	7	3	7
182	Accidental mechanical suffocation	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	5	1	3	3	2	5	3	1	5	3	3	3
		F	16	3	2	1	2	3	2	–	1	–	1	–	1
183	Accidental drowning	T	216	–	–	–	–	–	–	–	–	–	–	–	–
		M	193	7	3	5	14	22	27	53	31	15	5	8	3
		F	23	–	–	2	–	3	6	5	2	1	3	–	1
184	Accidental traumatism by firearms (wounds of war excepted)	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	–	–	3	2	1	2	–	1	2	2	1	4
		F	3	–	–	–	–	1	–	–	–	–	1	1	–
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	2	–	1	2	–	1	2	1	2	–	1	1
		F	3	–	–	–	–	1	–	–	1	–	–	1	–
186	Accidental traumatism by fall, crushing, landslide	T	896	–	–	–	–	–	–	–	–	–	–	–	–
		M	499	35	37	45	42	35	44	42	40	44	46	39	50
		F	397	38	40	31	34	25	21	45	23	30	26	35	49
186a	Fall	T	891	–	–	–	–	–	–	–	–	–	–	–	–
		M	494	34	37	45	41	34	44	42	39	43	46	39	50
		F	397	38	40	31	34	25	21	45	23	30	26	35	49
186b	Crushing, landslide	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	–	–	1	1	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Cataclysm	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188	Injuries by animals	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	2	–	–	–	2	–	2	1	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
189	Hunger or thirst	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	7	6	2	2	–	–	–	–	–	–	–	3
		F	2	2	–	–	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	1	3	1	–	–	–	–
		F	2	–	–	–	–	–	–	1	1	–	–	–	–
192	Lightning	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	1	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
193	Accidents due to electric currents	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	–	1	–	1	–	–	5	3	–	3	5	–
		F	2	–	–	–	–	1	1	–	–	–	–	–	–
194	Other accidents	T	171	–	–	–	–	–	–	–	–	–	–	–	–
		M	118	8	12	10	6	8	8	16	4	10	14	4	18
		F	53	6	4	3	6	5	1	6	3	5	7	3	4
194a	Foreign bodies	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	1	1	3	3	2	–	3	1	2	–	–	2
		F	7	–	–	–	1	1	–	–	1	1	2	–	1
194b	Others	T	146	–	–	–	–	–	–	–	–	–	–	–	–
		M	100	7	11	7	3	6	8	13	3	8	14	4	16
		F	46	6	4	3	5	4	1	6	2	4	5	3	3

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1935.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
174	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	3	3	2	1	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-
175	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	4	4	5	6	2	-	-	-
	-	-	-	-	-	1	12	5	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	27	57	93	83	110	202	173	271	280	309	200	92	-
	2	24	36	32	21	27	62	56	62	81	122	170	149	-
176	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
178	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	-	-	-	3	5	11	9	12	8	3	-
	-	-	-	-	-	1	2	1	3	3	6	6	3	-
179	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	2	1	-	-	2	2	1	2	6	-	-	-
	-	-	-	-	-	-	2	4	4	1	-	1	-	-
180	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	-	-	-	-	3	6	2	4	4	3	-
	-	2	2	-	3	1	1	1	1	3	4	2	-	-
181	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	12	3	4	2	5	5	7	8	6	6	2	-
	-	4	7	11	2	-	3	4	6	6	10	9	5	-
182	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	17	-	1	2	-	2	1	3	7	1	3	-	-
	1	12	1	-	-	-	-	-	-	-	2	-	-	-
183	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	3	21	25	26	24	21	30	21	15	6	1	-
	-	1	3	1	7	2	1	1	1	2	2	1	1	-
184	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	5	4	5	-	2	1	1	-	-	-
	-	-	-	1	-	2	-	-	-	-	-	-	-	-
185	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	6	4	1	1	-
	-	-	-	-	-	-	-	-	1	1	-	1	-	-
186	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	12	10	4	5	23	28	67	87	107	95	60	-
	-	-	6	3	1	4	2	10	18	35	66	117	135	-
186a	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	12	10	4	5	21	28	65	86	107	95	60	-
	-	-	6	3	1	4	2	10	18	35	66	117	135	-
186b	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	-	2	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	2	1	-	-	-	1	-	-	4	-	1	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	4	2	3	6	3	1	-
	-	-	-	-	-	-	1	-	-	-	1	-	-	-
191	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	1	-	-	-	1	-	1	1	-	-
	-	1	1	-	-	-	-	-	-	-	-	-	-	-
192	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
193	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	1	4	5	4	1	1	-	-	-
	-	-	-	-	-	-	1	1	-	-	-	-	-	-
194	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	3	2	9	8	5	14	13	19	18	20	5	1	-
	1	2	2	2	1	-	16	16	4	2	3	4	-	-
194a	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	3	-	2	-	1	1	1	2	3	2	3	-	-
	1	1	2	-	-	-	2	-	-	1	-	-	-	-
194b	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	2	7	8	4	13	12	17	15	18	2	1	-
	-	1	-	2	1	-	14	16	4	1	3	4	-	-

Table 33

DEATHS DUE TO VIOLENCE AND OTHER AND MONTHS, AND BY

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	MONTHS. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
196	Wounds of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
197	Executions of civilians by belligerent armies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	1	–	–	–	3	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
201	Accidental traumatism in mines and quarries	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
202	Accidents from agricultural machinery	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203	Elevator accidents	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	3	–	–	–	1	–	1	–	1	4	1
		F	2	–	–	1	–	–	–	–	–	–	–	1	–
204	Accidents from machinery used for recreation	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	1	1	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205	Other machinery accidents	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	–	1	4	1	1	2	1	1	2	1	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
206	Railroad and automobile collisions	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	1	2	–	–	2	–	1	–	–	2	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
207	Other railroad accidents	T	79	–	–	–	–	–	–	–	–	–	–	–	–
		M	73	4	6	6	5	9	5	13	6	5	5	4	5
		F	6	–	–	1	–	–	1	2	1	–	1	–	–
208	Street car and automobile collisions	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
209	Other street car accidents	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	1	–	–	–	–	–	–
		F	5	–	1	1	–	1	–	1	1	–	–	–	1
210	Automobile accidents	T	830	–	–	–	–	–	–	–	–	–	–	–	–
		M	629	51	30	38	50	40	48	44	70	54	57	67	80
		F	201	12	8	23	17	17	16	12	20	12	22	19	23
211	Motorcycle accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	1	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
212	Other land transportation accidents	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	–	–	–	1	–	5	3	4	2	2	–	1
		F	3	–	1	–	–	–	–	1	–	–	1	–	–
213	Water transportation accidents	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	4	1	–	3	8	2	3	2	4	6	3	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
214	Air transportation accidents	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	1	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT DUE TO VIOLENCE	T	4,768	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,980	346	229	263	271	242	222	201	213	229	258	248	258
		F	1,788	196	152	142	165	152	126	113	119	133	169	133	188
	Stillbirths	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	3	1	2	2	2	2	4	4	2	2	3	2
		F	26	2	1	1	–	3	4	3	3	2	6	–	1

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1935.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over	Unknown.
195	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	4	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
201	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
202	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
203	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	1	1	3	1	2	1	1	1	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-
204	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	2	5	4	3	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	2	1	2	-	1	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-
207	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	2	1	7	6	6	13	25	10	2	1	-
	-	-	-	-	-	-	-	2	1	1	1	1	-	-
208	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	-	-	-	-	-	-	-	-	2	-	1	2	-	-
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	20	43	26	44	90	66	88	74	102	59	15	-
	-	2	13	14	7	16	32	15	20	26	25	26	5	-
211	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	2	2	1	-	2	2	2	4	2	-
	-	-	1	-	-	1	-	1	-	-	-	-	-	-
213	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	3	7	9	4	4	5	3	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-
214	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13	87	27	18	12	12	47	156	414	645	809	550	190	-
	17	56	24	17	7	18	43	95	180	301	421	369	240	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	29	-	-	-	-	-	-	-	-	-	-	-	-	-
	26	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 34

DEATHS (INCLUSIVE OF STILLBIRTHS) INVESTIGATED AND AUTOPSIES MADE BY MEDICAL EXAMINERS IN EACH COUNTY: 1926 TO 1935.

Line No.	Counties.	10 years, 1926 to 1935.			1935.		1934.		1933.		1932.	
		Views.	Autopsies. Number.	Autopsies. Per cent.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	**The State.**	82,452	6,329	7.7	9,098	797	9,145	787	8,587	688	8,377	605
2	Barnstable .	801	19	2.4	75	5	70	2	103	–	72	2
3	Berkshire .	1,817	41	2.3	200	6	227	6	171	2	184	3
4	Bristol .	6,784	518	7.6	708	62	754	71	733	72	757	66
5	Dukes . .	116	10	8.6	12	1	9	–	12	2	13	1
6	Essex . .	7,962	287	3.6	909	51	886	40	802	39	806	20
7	Franklin .	793	15	1.9	92	1	84	3	74	2	80	3
8	Hampden .	7,665	184	2.4	913	32	864	38	793	15	785	17
9	Hampshire .	1,430	26	1.8	158	4	179	4	152	1	130	1
10	Middlesex .	17,151	600	3.5	1,864	76	1,951	96	1,816	83	1,859	66
11	Nantucket .	87	16	18.4	7	2	12	6	8	1	10	2
12	Norfolk .	6,035	173	2.9	734	11	694	28	665	19	660	13
13	Plymouth .	3,183	97	3.0	332	6	367	5	327	10	332	9
14	Suffolk .	19,730	3,556	18.0	2,103	442	2,004	357	1,933	330	1,871	320
15	Worcester .	8,898	787	8.8	991	98	1,044	131	998	112	818	82

Deaths (inclusive of Stillbirths) investigated and Autopsies made by Medical Examiners in Each County: 1926 to 1935.

Line No.	1931.		1930.		1929.		1928.		1927.		1926.	
	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	8,028	578	7,982	551	8,097	585	8,021	639	7,469	534	7,648	565
2	88	2	79	2	77	2	87	3	80	–	70	1
3	158	3	183	6	189	4	197	5	151	6	157	–
4	694	53	630	46	637	45	637	50	574	24	660	29
5	8	–	10	1	15	–	14	2	11	1	12	2
6	790	31	821	29	787	22	773	12	672	19	716	24
7	81	1	63	1	94	3	83	1	76	–	66	–
8	755	11	787	17	742	15	682	11	654	9	690	19
9	140	3	147	–	141	2	128	6	131	–	124	5
10	1,736	56	1,622	57	1,610	39	1,581	46	1,547	34	1,565	47
11	13	–	12	1	4	1	11	–	5	1	5	2
12	567	11	567	23	604	25	570	16	483	13	491	14
13	351	14	333	12	303	10	307	16	260	8	271	7
14	1,910	336	1,817	280	2,047	357	2,078	421	1,969	355	1,998	358
15	737	57	911	76	847	60	873	50	856	64	823	57

PART II. A.

BIRTH STATISTICS

PAGE
Introduction 174-177
Birth registration 174-175
Allocation 175
Live births 175
Birth rates 175
Changes in birth rate 176
Stillbirths 176
Birth rates, highest 176
Sex proportion at birth 176
Nativity of parents 176
Plural births 176
Natural increase 176-177
Statistical tables 178-190

INTRODUCTION.

Birth Registration. — Birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau. The making of authentic birth records presents greater difficulties than that of either marriages or deaths, and probably no State claims 100 per cent birth registration; but the results in Massachusetts on the whole are considered to be far above the average and efforts are continually being made for its improvement.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk. Parents, within forty days, are required to give notice to the registration official of every child born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also provides that the clerk of each town may annually in January ascertain the facts required for record of all children born in his town during the preceding year and resident therein.

Returns are made in the first instance to the local registrars of the city or town in which the birth occurred, who are the city and town clerks, with the exception of Boston where the City Registrar is the official in charge.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with local officials. The law has required the filing at this central record office since 1841. During this time 5,340,229 births have been filed and indexed. Since the establishment of the office of State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. People are generally beginning to realize the importance of birth records, so complete registration should soon be an accomplished fact.

There is hardly a relation of life, social, legal, or economic, in which the evidence furnished by an accurate registration of births may not prove to be of the greatest value, not only to the individual, but also to the public at large. It is not only an act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by an alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence of legal age to marry;
6. As evidence to prove the pension claims of widows and orphans;

* Midwives are not recognized in Massachusetts. It has been held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practices midwifery is violating the medical registration laws.

7. As evidence to determine the liability of parents for the debts of a minor;

8. As evidence in the administration of estates, the settlement of insurance and pensions;

9. As evidence to prove the irresponsibility of children under age for crime and misdemeanor, and various other matters in the criminal statute;

10. As evidence in the enforcement of laws relating to education and to child labor;

11. As evidence to determine the relations of guardians and wards;

12. As proof of citizenship in order to obtain a passport;

13. As evidence in the claim for exemption from or the right to jury and militia service.

Copies of records of births occurring during the preceding year are required to be forwarded to the Division of Vital Statistics on or before March 1st, April 1st and May 1st of the year following; the time depending upon the population of the city or town making the return.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns or corrections are accepted unless by a deposition made by the parents, supported by written evidence at the time of birth, or by deposition of the attending physician at the time of birth, or at the discretion of the town clerk the depositions of responsible persons with knowledge of the facts, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are urged to exercise considerable care by requiring written evidence before accepting delayed returns, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimatized through the subsequent marriage of its parents; in these cases the record may be corrected in accordance with Chapter 281 of the Acts of 1925, so that the child will appear on the record as the legitimate offspring of its parents. Chapter 169, Acts of 1930 and Chapter 258, Acts of 1931 provide for correction of birth records of illegitimate children who have acquired new names by judicial decree.

As a means of eliminating errors from physicians' returns of births, many local registrars are sending a supplemental report of the physician's return to the parents for their approval; and when the certificate is returned properly signed by a parent, it is filed with the physician's certificate. Many cities and towns have already adopted this follow-up system, and an attempt is being made to institute this method throughout Massachusetts.

Allocation.—For the first time in the history of the State, births have been allocated to the place of residence of the parent, having been charged in previous years to the place of birth. This should insure as near a true rate as possible and has a marked effect on municipalities which are large hospital centers. These cities and towns have been charged with a high rate and small communities without hospital facilities have shown a low rate. The usual place of residence has been used as a basis for all births occurring outside the State as well as for those in the State. In the case of institutions, births have been allocated to the place of residence before entrance.

Live Births.—In the Commonwealth in 1935 there were 63,009 live births registered, a decrease of 758, or 1.2 per cent as compared with the number registered in 1934. There was an increase in 1935 of 972, or 2.4 per cent in the number of infants born to native parents; a decrease of 1,148, or 11.8 per cent to foreign-born parents; and also a decrease of 573, or 4.5 per cent, to mixed parents, namely, one parent native, the other foreign-born, as compared with 1934. The allocated births numbered 62,416 for 1935.

Birth Rate.—In proportion to the total population, the total births registered were equivalent to a rate of 14.5 per 1,000 population, and is the lowest rate ever recorded in the Commonwealth. This was .2 per 1,000 lower than that recorded in 1934, and 1.3 per 1,000 below the average for the five years 1930 to 1934. The allocated births for 1935 lowered the birth rate to 14.3.

Changes in Birth Rate.—The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a considerable decline, and a steady decline since 1924, notwithstanding an improvement in the registration. Although the birth rate has been smaller in recent years, the infant death rate has also declined, the infant mortality rate for 1935 being the lowest ever recorded, so that the number of babies who survived the dangers of infancy is becoming steadily greater. This fact is strikingly shown in the infant mortality tables.

Stillbirths.—The Legislature has enacted legislation (Chap. 100, Acts of 1936) defining stillborn children for the purposes of Vital Statistics: "A stillborn child shall be deemed to be a foetus born after a period of gestation of not less than five months, in which foetus there is no attempt at respiration, no action of heart and no movement of voluntary muscle—". In the past there has been no statute defining a stillbirth, consequently many returns have been made which, under this definition, would not have been returned. As the statute now clearly defines a stillbirth and precludes any misunderstanding as to what returns should be made, there should be fewer returns of stillbirths.

Stillbirths allocated in 1935 number 1,886. The rate per 1,000 live births registered was 31.3 in 1934; 34.2 in 1933; 34.3 in 1932; 35.2 in 1931 and 1930. The rate per 1,000 allocated births was 30.2 per cent in 1935.

Birth Rates, Highest.—The six municipalities having 15,000 inhabitants or more showing the highest registered birth rates in 1935 are: Norwood, 28.5; Stoneham, 26.8; Milford, 23.3; Framingham, 21.3; North Adams, 20.6 and Gardner, 20.4.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth. The allocated birth rates help to substantiate this statement. The five communities showing the highest rates are: North Adams, 17.7; Leominster, 17.1; Southbridge, 16.4; Somerville, 16.2 and Fitchburg, 16 per cent. Boston, which showed the highest registered rate (19.4 of any place in the State of over 100,000 population loses to Somerville (16.2) by the allocation of births.

Sex Proportion at Birth.—It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. Registered births of males in 1935 numbered 32,402 and those of females 30,607, corresponding to a ratio of 1,059 male births to 1,000 female births. Allocated births numbered 32,117 males and 30,299 females in 1935, with a ratio of 1,060 male to female births.

Nativity of Parents.—The number of registered births where both parents were native (42,323) exceeded the number of births where both parents were foreign-born (8,600) by 33,723, or 392.1 per cent in 1935. Children of mixed parents (one parent native and one parent foreign-born) numbered 12,080 in 1935 as compared with 12,653 in 1934. Allocated births numbered 41,837 children born of native parents; 8,565 of foreign parents, 12,009 of mixed parentage and 5 whose parent nativity was unknown.

The proportion of children born of native parents declined from 1890 until 1910, since then, the proportion has steadily increased. In 1935 the proportion was 67.2 for registered births and 67 per cent for allocated births.

The proportion of children born of parents one of whom was native and the other foreign-born was 19.2 for both the registered and allocated births in 1935 as compared with 19.8 in 1934.

Plural Births.—In 1935 there were 617 cases of plural births (allocated), 612 cases of twins and 5 cases of triplets, or 9.8 pairs of twins per 1,000 live births (allocated), and .1 case of triplets.

Natural Increase.—The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1935 was 2.9 per 1,000 population for registered

births and averaged 4.2 for the five years 1930 to 1934. The rate of increase is the same for allocated births.

Notwithstanding the decline in the birth rate in recent years, the number of births is greatly in excess of the number of deaths; and this fact, coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounted to 25.6 in 1934; 24.8 in 1933; 38.3 in 1932; 42.3 in 1931 and 48.9 in 1930. The excess of registered births over registered deaths in 1935 was 12,723 or 25.3 per cent, while the increase of allocated births over allocated deaths was 12,782 or 25.8 per cent.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of Vital Statistics of Massachusetts for the year ending December 31, 1919, Public Document No. 1.

Table 35

Live Births[2], by Sex and Parent Nativity, in Each County and Municipality; and Birth Rates: 1935.

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Sex. Unknown.	Parent nativity. Native.	Parent nativity. Foreign.	Parent nativity. Mixed.	Parent nativity. Unknown.	Birth rate per 1,000 population.
The State.	**63,009**	**32,402**	**30,607**	–	**42,323**	**8,600**	**12,080**	**6**	**14.5**
Counties.									
Barnstable	487	241	246	–	354	39	94	–	13.3
Berkshire	1,870	951	919	–	1,490	142	237	1	15.4
Bristol	5,446	2,777	2,669	–	3,613	682	1,151	–	14.9
Dukes	93	56	37	–	75	6	12	–	16.3
Essex	6,665	3,441	3,224	–	4,557	750	1,357	1	13.2
Franklin	691	357	334	–	575	33	83	–	13.5
Hampden	4,657	2,472	2,185	–	3,326	533	798	–	14.0
Hampshire	919	467	452	–	726	62	131	–	12.4
Middlesex	13,190	6,798	6,392	–	8,550	1,957	2,683	–	13.8
Nantucket	51	25	26	–	35	6	10	–	14.6
Norfolk	2,815	1,409	1,406	–	1,865	392	557	1	8.8
Plymouth	2,009	1,005	1,004	–	1,562	126	321	–	12.1
Suffolk	16,834	8,678	8,156	–	10,487	3,026	3,318	3	18.4
Worcester	7,282	3,725	3,557	–	5,108	846	1,328	–	14.7
Municipalities.									
Abington	16	7	9	–	13	–	3	–	–
Acton	5	1	4	–	2	–	3	–	–
Acushnet	100	53	47	–	66	14	20	–	–
Adams	219	116	103	–	166	16	37	–	17.0
Agawam	25	12	13	–	15	4	6	–	–
Alford	2	–	2	–	2	–	–	–	–
Amesbury	156	79	77	–	104	16	36	–	14.8
Amherst	27	12	15	–	24	1	2	–	–
Andover	64	37	27	–	40	9	15	–	6.1
Arlington	380	215	165	–	239	69	72	–	9.9
Ashburnham	13	8	5	–	13	–	–	–	–
Ashby	1	–	1	–	1	–	–	–	–
Ashfield	2	1	1	–	2	–	–	–	–
Ashland	10	5	5	–	4	3	3	–	–
Athol	130	69	61	–	94	19	17	–	12.1
Attleboro	421	218	203	–	303	35	83	–	19.3
Auburn	38	20	18	–	29	3	6	–	–
Avon	9	4	5	–	8	–	1	–	–
Ayer	73	34	39	–	60	3	10	–	–
Barnstable	234	119	115	–	184	15	35	–	–
Barre	13	3	10	–	9	1	3	–	–
Becket	7	6	1	–	7	–	–	–	–
Bedford	6	5	1	–	4	2	–	–	–
Belchertown	21	10	11	–	16	–	5	–	–
Bellingham	29	13	16	–	17	2	10	–	–
Belmont	30	15	15	–	13	8	9	–	1.2
Berkley	6	3	3	–	3	1	2	–	–
Berlin	6	3	3	–	4	1	1	–	–
Bernardston	12	7	5	–	12	–	–	–	–
Beverly	387	193	194	–	273	34	80	–	15.0
Billerica	42	23	19	–	28	3	11	–	–
Blackstone	48	23	25	–	31	7	10	–	–
Blandford	1	–	1	–	1	–	–	–	–
Bolton	–	–	–	–	–	–	–	–	–
Boston	15,848	8,167	7,681	–	9,883	2,855	3,108	2	19.4
Bourne	21	10	11	–	15	–	6	–	–
Boxborough	–	–	–	–	–	–	–	–	–
Boxford	3	2	1	–	3	–	–	–	–
Boylston	2	2	–	–	2	–	–	–	–
Braintree	62	25	37	–	58	7	17	–	3.6
Brewster	9	5	4	–	8	1	–	–	–
Bridgewater	57	27	30	–	40	5	12	–	–
Brimfield	6	3	3	–	4	–	2	–	–
Brockton	1,203	598	605	–	953	73	177	–	19.3
Brookfield	7	4	3	–	6	–	1	–	–
Brookline	174	89	85	–	94	42	37	1	3.5
Buckland	15	7	8	–	13	–	2	–	–
Burlington	16	8	8	–	8	2	6	–	–
Cambridge	2,236	1,168	1,068	–	1,369	409	458	–	18.9
Canton	32	14	18	–	21	9	2	–	–
Carlisle	2	–	2	–	2	–	–	–	–
Carver	14	7	7	–	3	4	7	–	–
Charlemont	7	2	5	–	5	1	1	–	–
Charlton	23	15	8	–	21	–	2	–	–
Chatham	5	3	2	–	4	–	1	–	–
Chelmsford	53	32	21	–	35	7	11	–	–
Chelsea	545	260	285	–	303	123	119	–	12.8
Cheshire	9	5	4	–	5	1	3	–	–
Chester	5	1	4	–	2	2	1	–	–
Chesterfield	3	1	2	–	3	–	–	–	–
Chicopee	317	172	145	–	208	47	62	–	7.6

[1] Cities are printed in small capitals. [2] Including nonresidents.

Table 35

LIVE BIRTHS[2], BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1935.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Chilmark	–	–	–	–	–	–	–	–	–
Clarksburg	4	2	2	–	4	–	–	–	–
Clinton	212	101	111	–	147	16	49	–	17.1
Cohasset	69	34	35	–	51	5	13	–	–
Colrain	12	7	5	–	8	–	4	–	–
Concord	199	96	103	–	157	15	27	–	–
Conway	5	2	3	–	5	–	–	–	–
Cummington	2	1	1	–	2	–	–	–	–
Dalton	4	3	1	–	3	–	1	–	–
Dana	1	1	–	–	1	–	–	–	–
Danvers	111	55	56	–	81	8	22	–	8.0
Dartmouth	82	45	37	–	42	23	17	–	–
Dedham	92	48	44	–	50	24	18	–	6.0
Deerfield	16	12	4	–	10	6	–	–	–
Dennis	13	9	4	–	12	1	–	–	–
Dighton	89	40	49	–	55	9	25	–	–
Douglas	15	10	5	–	8	5	2	–	–
Dover	1	1	–	–	1	–	–	–	–
Dracut	77	41	36	–	49	12	16	–	–
Dudley	34	15	19	–	17	5	12	–	–
Dunstable	4	2	2	–	4	–	–	–	–
Duxbury	6	3	3	–	4	–	2	–	–
East Bridgewater	21	8	13	–	16	3	2	–	–
East Brookfield	10	5	5	–	7	2	1	–	–
East Longmeadow	14	5	9	–	11	1	2	–	–
Eastham	4	3	1	–	3	–	1	–	–
Easthampton	65	31	34	–	45	7	13	–	6.2
Easton	37	15	22	–	22	6	9	–	–
Edgartown	4	3	1	–	2	1	1	–	–
Egremont	–	–	–	–	–	–	–	–	–
Enfield	–	–	–	–	–	–	–	–	–
Erving	7	5	2	–	7	–	–	–	–
Essex	3	2	1	–	3	–	–	–	–
EVERETT	771	394	377	–	454	138	179	–	16.3
Fairhaven	74	35	39	–	47	14	13	–	6.7
FALL RIVER	2,012	1,027	985	–	1,443	201	368	–	17.1
Falmouth	89	43	46	–	41	14	34	–	–
FITCHBURG	715	336	379	–	482	83	150	–	17.1
Florida	4	2	2	–	4	–	–	–	–
Foxborough	34	20	14	–	20	7	7	–	–
Framingham	482	265	217	–	342	47	93	–	21.3
Franklin	68	40	28	–	41	13	14	–	–
Freetown	4	1	3	–	1	1	2	–	–
GARDNER	417	210	207	–	294	39	84	–	20.4
Gay Head	–	–	–	–	–	–	–	–	–
Georgetown	15	10	5	–	12	–	3	–	–
Gill	8	6	2	–	4	1	3	–	–
GLOUCESTER	332	157	175	–	221	35	76	–	13.7
Goshen	1	–	1	–	1	–	–	–	–
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	38	26	12	–	27	3	8	–	–
Granby	2	1	1	–	2	–	–	–	–
Granville	6	2	4	–	6	–	–	–	–
Great Barrington	117	61	56	–	94	10	13	–	–
Greenfield	285	153	132	–	248	12	25	–	17.9
Greenwich	–	–	–	–	–	–	–	–	–
Groton	34	16	18	–	27	–	7	–	–
Groveland	11	6	5	–	9	–	2	–	–
Hadley	22	9	13	–	12	5	5	–	–
Halifax	6	2	4	–	4	1	1	–	–
Hamilton	4	4	–	–	3	–	1	–	–
Hampden	1	–	1	–	1	–	–	–	–
Hancock	3	2	1	–	3	–	–	–	–
Hanover	15	8	7	–	13	–	2	–	–
Hanson	10	5	5	–	7	2	1	–	–
Hardwick	9	3	6	–	6	3	–	–	–
Harvard	3	1	2	–	2	1	–	–	–
Harwich	17	6	11	–	9	3	5	–	–
Hatfield	11	3	8	–	8	2	1	–	–
HAVERHILL	733	344	389	–	565	56	112	–	14.8
Hawley	1	–	1	–	–	–	1	–	–
Heath	8	1	7	–	8	–	–	–	–
Hingham	51	25	26	–	36	–	15	–	–
Hinsdale	5	2	3	–	5	–	–	–	–
Holbrook	16	9	7	–	10	3	3	–	–
Holden	113	59	54	–	90	11	12	–	–
Holland	3	1	2	–	2	–	1	–	–
Holliston	11	8	3	–	5	2	4	–	–

[1] See footnote on page 178. [2] Including nonresidents.

Table 35

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1935.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
HOLYOKE	943	484	459	–	669	104	170	–	16.8
Hopedale	10	7	3	–	7	2	1	–	–
Hopkinton	4	2	2	–	4	–	–	–	–
Hubbardston	4	2	2	–	4	–	–	–	–
Hudson	38	19	19	–	27	5	6	–	–
Hull	3	3	–	–	2	1	–	–	–
Huntington	10	2	8	–	8	1	1	–	–
Ipswich	125	59	66	–	85	13	27	–	–
Kingston	16	10	6	–	13	1	2	–	–
Lakeville	8	3	5	–	7	–	1	–	–
Lancaster	13	10	3	–	10	–	3	–	–
Lanesborough	4	2	2	–	3	–	1	–	–
LAWRENCE	1,291	676	615	–	800	180	311	–	14.9
Lee	22	14	8	–	16	3	3	–	–
Leicester	32	16	16	–	24	3	5	–	–
Lenox	9	4	5	–	7	1	1	–	–
LEOMINSTER	364	185	179	–	229	63	72	–	16.6
Leverett	13	6	7	–	12	–	1	–	–
Lexington	28	13	15	–	18	4	6	–	2.6
Leyden	–	–	–	–	–	–	–	–	–
Lincoln	2	1	1	–	2	–	–	–	–
Littleton	7	3	4	–	7	–	–	–	–
Longmeadow	1	1	–	–	1	–	–	–	–
LOWELL	1,699	897	802	–	1,223	141	335	–	17.0
Ludlow	175	85	90	–	116	34	25	–	–
Lunenburg	6	3	3	–	2	3	1	–	–
LYNN	1,418	779	639	–	922	183	312	1	14.1
Lynnfield	6	2	4	–	6	–	–	–	–
MALDEN	742	385	357	–	429	128	185	–	13.0
Manchester	4	2	2	–	1	2	1	–	–
Mansfield	46	19	27	–	30	7	9	–	–
Marblehead	95	48	47	–	72	5	18	–	9.3
Marion	16	11	5	–	10	3	3	–	–
MARLBOROUGH	290	152	138	–	216	18	56	–	18.4
Marshfield	3	–	3	–	1	–	2	–	–
Mashpee	5	2	3	–	5	–	–	–	–
Mattapoisett	12	1	11	–	10	–	2	–	–
Maynard	27	12	15	–	15	8	4	–	–
Medfield	5	3	2	–	1	2	2	–	–
MEDFORD	895	446	449	–	602	104	189	–	14.6
Medway	15	7	8	–	9	–	6	–	–
MELROSE	423	231	192	–	305	34	84	–	17.4
Mendon	9	3	6	–	8	1	–	–	–
Merrimac	18	8	10	–	14	2	2	–	–
Methuen	218	112	106	–	149	23	46	–	10.3
Middleborough	117	66	51	–	101	3	13	–	–
Middlefield	1	1	–	–	1	–	–	–	–
Middleton	10	8	2	–	7	1	2	–	–
Milford	350	186	164	–	240	35	75	–	23.3
Millbury	69	40	29	–	49	5	15	–	–
Millis	18	9	9	–	11	3	4	–	–
Millville	11	7	4	–	9	2	–	–	–
Milton	88	45	43	–	62	10	16	–	4.8
Monroe	1	–	1	–	1	–	–	–	–
Monson	23	8	15	–	17	2	4	–	–
Montague	179	90	89	–	142	8	29	–	–
Monterey	2	2	–	–	2	–	–	–	–
Montgomery	–	–	–	–	–	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	2	–	2	–	2	–	–	–	–
Nantucket	51	25	26	–	35	6	10	–	–
Natick	233	125	108	–	156	34	43	–	16.2
Needham	63	29	34	–	42	8	13	–	5.3
New Ashford	1	1	–	–	1	–	–	–	–
NEW BEDFORD	1,737	895	842	–	1,018	268	451	–	15.8
New Braintree	2	2	–	–	1	1	–	–	–
New Marlborough	10	2	8	–	10	–	–	–	–
New Salem	2	–	2	–	2	–	–	–	–
Newbury	7	4	3	–	7	–	–	–	–
NEWBURYPORT	259	142	117	–	208	20	31	–	17.5
NEWTON	826	426	400	–	551	103	172	–	12.5
Norfolk	8	3	5	–	6	1	1	–	–
NORTH ADAMS	454	218	236	–	347	34	73	–	20.6
North Andover	37	13	24	–	26	2	9	–	–
North Attleborough	69	38	31	–	49	8	12	–	6.8
North Brookfield	23	11	12	–	20	1	2	–	–
North Reading	17	9	8	–	10	1	6	–	–
NORTHAMPTON	434	237	197	–	349	26	59	–	17.7

[1] See footnote on page 178. [2] Including nonresidents.

Table 35

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1935.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	PARENT NATIVITY. Native.	PARENT NATIVITY. Foreign.	PARENT NATIVITY. Mixed.	PARENT NATIVITY. Unknown.	Birth rate per 1,000 population.
Northborough	5	2	3	–	4	1	–	–	–
Northbridge	196	117	79	–	114	33	49	–	18.5
Northfield	40	16	24	–	34	1	5	–	–
Norton	18	7	11	–	15	2	1	–	–
Norwell	18	13	5	–	14	–	4	–	–
Norwood	444	219	225	–	306	49	89	–	28.5
Oak Bluffs	77	45	32	–	66	3	8	–	–
Oakham	–	–	–	–	–	–	–	–	–
Orange	53	31	22	–	43	1	9	–	–
Orleans	9	7	2	–	7	–	2	–	–
Otis	4	2	2	–	4	–	–	–	–
Oxford	46	17	29	–	38	2	6	–	–
Palmer	157	89	68	–	118	15	24	–	–
Paxton	–	–	–	–	–	–	–	–	–
PEABODY	358	173	185	–	229	66	63	–	16.2
Pelham	2	–	2	–	2	–	–	–	–
Pembroke	2	2	–	–	1	–	1	–	–
Pepperell	27	19	8	–	23	1	3	–	–
Peru	–	–	–	–	–	–	–	–	–
Petersham	–	–	–	–	–	–	–	–	–
Phillipston	5	4	1	–	4	1	–	–	–
PITTSFIELD	912	464	448	–	744	72	95	1	19.2
Plainfield	2	1	1	–	2	–	–	–	–
Plainville	6	3	3	–	4	–	2	–	–
Plymouth	224	115	109	–	169	17	38	–	17.0
Plympton	6	2	4	–	4	–	2	–	–
Prescott	–	–	–	–	–	–	–	–	–
Princeton	3	–	3	–	3	–	–	–	–
Provincetown	49	23	26	–	39	3	7	–	–
QUINCY	957	474	483	–	636	135	186	–	12.4
Randolph	34	17	17	–	20	7	7	–	–
Raynham	10	4	6	–	6	–	4	–	–
Reading	40	16	24	–	25	6	9	–	3.7
Rehoboth	25	13	12	–	21	1	3	–	–
REVERE	129	68	61	–	73	26	29	1	3.7
Richmond	4	2	2	–	3	1	–	–	–
Rochester	10	6	4	–	9	–	1	–	–
Rockland	38	23	15	–	32	3	3	–	–
Rockport	37	17	20	–	35	1	1	–	–
Rowe	3	1	2	–	3	–	–	–	–
Rowley	5	2	3	–	5	–	–	–	–
Royalston	5	2	3	–	2	–	3	–	–
Russell	5	3	2	–	4	1	–	–	–
Rutland	4	–	4	–	3	–	1	–	–
SALEM	687	366	321	–	481	62	144	–	15.8
Salisbury	13	5	8	–	11	–	2	–	–
Sandisfield	2	1	1	–	1	1	–	–	–
Sandwich	8	2	6	–	5	1	2	–	–
Saugus	103	58	45	–	62	16	25	–	6.8
Savoy	–	–	–	–	–	–	–	–	–
Scituate	23	12	11	–	12	3	8	–	–
Seekonk	46	24	22	–	28	10	8	–	–
Sharon	6	4	2	–	5	–	1	–	–
Sheffield	11	5	6	–	10	–	1	–	–
Shelburne	5	3	2	–	4	–	1	–	–
Sherborn	2	1	1	–	2	–	–	–	–
Shirley	25	14	11	–	21	2	2	–	–
Shrewsbury	23	12	11	–	17	4	2	–	–
Shutesbury	1	–	1	–	1	–	–	–	–
Somerset	57	30	27	–	40	9	8	–	–
SOMERVILLE	1,210	613	597	–	660	294	256	–	12.0
South Hadley	15	9	6	–	8	3	4	–	–
Southampton	6	–	6	–	4	1	1	–	–
Southborough	2	1	1	–	1	1	–	–	–
Southbridge	256	131	125	–	171	36	49	–	16.2
Southwick	6	3	3	–	5	–	1	–	–
Spencer	68	38	30	–	58	2	8	–	–
SPRINGFIELD	2,555	1,379	1,176	–	1,847	262	446	–	17.1
Sterling	3	1	2	–	2	–	1	–	–
Stockbridge	3	2	1	–	2	1	–	–	–
Stoneham	291	126	165	–	207	28	56	–	26.8
Stoughton	92	46	46	–	61	18	13	–	–
Stow	1	–	1	–	–	–	1	–	–
Sturbridge	18	10	8	–	14	–	4	–	–
Sudbury	5	4	1	–	4	–	1	–	–
Sunderland	5	2	3	–	2	2	1	–	–
Sutton	24	14	10	–	19	1	4	–	–
Swampscott	142	70	72	–	111	15	16	–	13.5

[1] See footnote on page 178. [2] Including nonresidents.

Table 35

LIVE BIRTHS,[2] BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1935.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Swansea	33	19	14	–	19	4	10	–	–
TAUNTON	545	270	275	–	380	64	101	–	14.6
Templeton	32	15	17	–	24	2	6	–	–
Tewksbury	26	18	8	–	21	2	3	–	–
State Infirmary	152	70	82	–	133	13	6	–	–
Tisbury	12	8	4	–	7	2	3	–	–
Tolland	–	–	–	–	–	–	–	–	–
Topsfield	5	4	1	–	4	1	–	–	–
Townsend	15	9	6	–	14	–	1	–	–
Truro	4	2	2	–	4	–	–	–	–
Tyngsborough	20	9	11	–	17	–	3	–	–
Tyringham	3	2	1	–	3	–	–	–	–
Upton	17	7	10	–	10	2	5	–	–
Uxbridge	69	42	27	–	51	4	14	–	–
Wakefield	114	59	55	–	68	20	26	–	6.9
Wales	2	1	1	–	2	–	–	–	–
Walpole	41	18	23	–	23	10	8	–	–
WALTHAM	825	423	402	–	473	165	187	–	20.3
Ware	277	139	138	–	224	15	38	–	–
Wareham	60	25	35	–	46	3	11	–	–
Warren	11	9	2	–	7	2	2	–	–
Warwick	1	1	–	–	1	–	–	–	–
Washington	7	6	1	–	7	–	–	–	–
Watertown	88	42	46	–	38	29	21	–	2.5
Wayland	15	9	6	–	11	2	2	–	–
Webster	266	135	131	–	221	14	31	–	19.2
Wellesley	11	6	5	–	2	5	4	–	.8
Wellfleet	6	3	3	–	6	–	–	–	–
Wendell	2	2	–	–	2	–	–	–	–
Wenham	1	–	1	–	1	–	–	–	–
West Boylston	6	3	3	–	2	4	–	–	–
West Bridgewater	17	6	11	–	13	1	3	–	–
West Brookfield	8	4	4	–	7	–	1	–	–
West Newbury	5	4	1	–	5	–	–	–	–
West Springfield	74	32	42	–	34	19	21	–	4.3
West Stockbridge	9	4	5	–	4	2	3	–	–
West Tisbury	–	–	–	–	–	–	–	–	–
Westborough	18	6	12	–	11	3	4	–	–
WESTFIELD	327	187	140	–	259	36	32	–	17.4
Westford	17	10	7	–	6	7	4	–	–
Westhampton	–	–	–	–	–	–	–	–	–
Westminster	4	2	2	–	2	–	2	–	–
Weston	2	1	1	–	1	1	–	–	–
Westport	35	21	14	–	25	5	5	–	–
Westwood	4	2	2	–	2	–	2	–	–
Weymouth	422	218	204	–	313	31	78	–	19.4
Whately	8	2	6	–	6	1	1	–	–
Whitman	37	18	19	–	29	3	5	–	–
Wilbraham	11	4	7	–	4	6	1	–	–
Williamsburg	15	7	8	–	12	1	2	–	–
Williamstown	39	21	18	–	33	–	6	–	–
Wilmington	43	23	20	–	29	3	11	–	–
Winchendon	112	63	49	–	85	6	21	–	–
Winchester	252	107	145	–	199	25	28	–	18.8
Windsor	–	–	–	–	–	–	–	–	–
Winthrop	312	183	129	–	228	22	62	–	18.4
WOBURN	357	176	181	–	230	59	68	–	18.1
WORCESTER	3,341	1,704	1,637	–	2,345	413	583	–	17.5
Worthington	3	3	–	–	3	–	–	–	–
Wrentham	15	9	6	–	11	1	3	–	–
Yarmouth	14	4	10	–	12	1	1	–	–

[1] See footnote on page 178. [2] Including nonresidents.

Table 35A

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1935.

COUNTIES AND MUNICIPALITIES.[1]	Total number.	Sex.			Parent Nativity.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
The State.	**62,416**	**32,117**	**30,299**	–	**41,837**	**8,565**	**12,009**	**5**	**14.3**
COUNTIES.									
Barnstable	577	292	285	–	417	44	116	–	15.7
Berkshire	1,842	939	903	–	1,469	141	231	1	15.2
Bristol	5,263	2,678	2,585	–	3,474	665	1,124	–	14.4
Dukes	94	56	38	–	77	6	11	–	16.5
Essex	6,794	3,522	3,272	–	4,658	760	1,375	1	13.5
Franklin	702	365	337	–	586	35	81	–	13.8
Hampden	4,414	2,347	2,067	–	3,134	520	760	–	13.2
Hampshire	936	463	477	–	731	65	140	–	12.6
Middlesex	14,298	7,345	6,953	–	9,323	2,126	2,849	–	14.9
Nantucket	57	29	28	–	41	6	10	–	16.3
Norfolk	4,228	2,145	2,083	–	2,945	492	790	1	13.2
Plymouth	2,147	1,084	1,063	–	1,680	130	337	–	12.9
Suffolk	13,673	7,075	6,598	–	8,100	2,727	2,844	2	15.0
Worcester	7,391	3,777	3,614	–	5,202	848	1,341	–	14.9
MUNICIPALITIES.									
Abington	56	25	31	–	50	–	6	–	–
Acton	44	18	26	–	31	3	10	–	–
Acushnet	57	29	28	–	32	12	13	–	–
Adams	195	102	93	–	149	15	31	–	15.2
Agawam	99	51	48	–	73	7	19	–	–
Alford	4	1	3	–	4	–	–	–	–
Amesbury	162	87	75	–	104	16	42	–	15.4
Amherst	88	48	40	–	79	2	7	–	–
Andover	130	72	58	–	87	12	31	–	12.3
Arlington	588	285	303	–	406	75	107	–	15.3
Ashburnham	31	18	13	–	28	–	3	–	–
Ashby	8	5	3	–	6	1	1	–	–
Ashfield	14	8	6	–	14	–	–	–	–
Ashland	48	31	17	–	35	4	9	–	–
Athol	184	104	80	–	136	23	25	–	17.1
ATTLEBORO	312	152	160	–	220	25	67	–	14.3
Auburn	97	51	46	–	77	6	14	–	–
Avon	23	11	12	–	19	1	3	–	–
Ayer	57	28	29	–	45	1	11	–	–
Barnstable	132	65	67	–	97	9	26	–	–
Barre	49	20	29	–	34	5	10	–	–
Becket	7	5	2	–	7	–	–	–	–
Bedford	25	13	12	–	18	2	5	–	–
Belchertown	39	17	22	–	32	–	7	–	–
Bellingham	42	20	22	–	27	3	12	–	–
Belmont	322	163	159	–	230	40	52	–	13.0
Berkley	7	3	4	–	4	1	2	–	–
Berlin	21	8	13	–	19	1	1	–	–
Bernardston	19	10	9	–	19	–	–	–	–
BEVERLY	340	183	157	–	247	33	60	–	13.1
Billerica	95	44	51	–	66	7	22	–	–
Blackstone	67	34	33	–	48	8	11	–	–
Blandford	5	2	3	–	5	–	–	–	–
Bolton	7	3	4	–	6	–	1	–	–
BOSTON	12,371	6,414	5,957	–	7,330	2,503	2,536	2	15.1
Bourne	54	27	27	–	39	2	13	–	–
Boxborough	2	1	1	–	2	–	–	–	–
Boxford	9	5	4	–	7	–	2	–	–
Boyslton	17	11	6	–	16	–	1	–	–
Braintree	248	115	133	–	183	15	50	–	14.5
Brewster	12	8	4	–	11	1	–	–	–
Bridgewater	98	45	53	–	77	5	16	–	–
Brimfield	16	10	6	–	13	–	3	–	–
BROCKTON	791	387	404	–	619	57	115	–	12.7
Brookfield	19	11	8	–	18	1	–	–	–
Brookline	481	243	238	–	318	77	85	1	9.6
Buckland	17	8	9	–	15	–	2	–	–
Burlington	34	16	18	–	24	2	8	–	–
CAMBRIDGE	1,857	966	891	–	1,086	395	376	–	15.7
Canton	84	47	37	–	60	13	11	–	–
Carlisle	12	8	4	–	11	–	1	–	–
Carver	28	15	13	–	14	4	10	–	–
Charlemont	11	6	5	–	8	1	2	–	–
Charlton	41	24	17	–	37	1	3	–	–
Chatham	28	15	13	–	25	–	3	–	–
Chelmsford	124	71	53	–	87	10	27	–	–
CHELSEA	631	293	338	–	336	143	152	–	14.8
Cheshire	29	16	13	–	19	2	8	–	–
Chester	19	11	8	–	14	3	2	–	–
Chesterfield	8	4	4	–	8	–	–	–	–
CHICOPEE	508	287	221	–	364	61	83	–	12.1

[1] Cities are printed in small capitals.

Table 35A.

Allocated Live Births, by Sex and Parent Nativity, in Each County and Municipality; and Birth Rates: 1935.

Counties and Municipalities.[1]	Total number.	Sex.			Parent Nativity.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Chilmark	2	–	2	–	2	–	–	–	–
Charksburg	20	6	14	–	15	1	4	–	–
Clinton	167	82	85	–	107	16	44	–	13.5
Cohasset	51	27	24	–	39	6	6	–	–
Colrain	28	14	14	–	23	–	5	–	–
Concord	88	47	41	–	72	5	11	–	–
Conway	7	4	3	–	7	–	–	–	–
Cummington	8	5	3	–	8	–	–	–	–
Dalton	56	28	28	–	50	–	5	1	–
Dana	3	2	1	–	3	–	–	–	–
Danvers	150	72	78	–	113	9	28	–	10.8
Dartmouth	137	73	64	–	81	28	28	–	–
Dedham	220	117	103	–	146	34	40	–	14.3
Deerfield	33	20	13	–	24	6	3	–	–
Dennis	26	16	10	–	23	2	1	–	–
Dighton	41	21	20	–	22	9	10	–	–
Douglas	34	21	13	–	23	6	5	–	–
Dover	15	7	8	–	12	–	3	–	–
Dracut	107	63	44	–	73	13	21	–	–
Dudley	63	28	35	–	42	7	14	–	–
Dunstable	7	2	5	–	6	1	–	–	–
Duxbury	34	18	16	–	29	1	4	–	–
East Bridgewater	57	25	32	–	45	7	5	–	–
East Brookfield	16	7	9	–	12	2	2	–	–
East Longmeadow	37	13	24	–	31	1	5	–	–
Eastham	4	3	1	–	3	–	1	–	–
Easthampton	142	74	68	–	102	12	28	–	13.5
Easton	80	36	44	–	55	8	17	–	–
Edgartown	23	11	12	–	18	2	3	–	–
Egremont	5	1	4	–	5	–	–	–	–
Enfield	12	5	7	–	10	–	2	–	–
Erving	17	10	7	–	17	–	–	–	–
Essex	22	12	10	–	18	–	4	–	–
Everett	803	414	389	–	477	139	187	–	17.0
Fairhaven	158	77	81	–	98	20	40	–	14.4
Fall River	1,790	918	872	–	1,265	189	336	–	15.2
Falmouth	133	70	63	–	70	18	45	–	–
Fitchburg	667	308	359	–	445	80	142	–	16.0
Florida	6	3	3	–	5	–	1	–	–
Foxborough	74	37	37	–	59	7	8	–	–
Framingham	351	185	166	–	240	42	69	–	15.5
Franklin	102	55	47	–	68	13	21	–	–
Freetown	22	10	12	–	17	1	4	–	–
Gardner	305	149	156	–	200	35	70	–	14.9
Gay Head	2	2	–	–	2	–	–	–	–
Georgetown	24	14	10	–	21	–	3	–	–
Gill	19	7	12	–	12	1	6	–	–
Gloucester	348	167	181	–	236	38	74	–	14.4
Goshen	3	1	2	–	3	–	–	–	–
Gosnold	2	1	1	–	2	–	–	–	–
Grafton	92	55	37	–	67	9	16	–	–
Granby	10	4	6	–	6	2	2	–	–
Granville	9	2	7	–	8	1	–	–	–
Great Barrington	76	39	37	–	56	9	11	–	–
Greenfield	225	116	109	–	193	13	19	–	14.1
Greenwich	3	2	1	–	2	–	1	–	–
Groton	28	10	18	–	20	–	8	–	–
Groveland	25	8	17	–	21	–	4	–	–
Hadley	35	14	21	–	22	7	6	–	–
Halifax	6	3	3	–	5	1	–	–	–
Hamilton	22	12	10	–	14	–	8	–	–
Hampden	11	5	6	–	9	–	2	–	–
Hancock	5	2	3	–	5	–	–	–	–
Hanover	35	23	12	–	30	–	5	–	–
Hanson	35	13	22	–	28	3	4	–	–
Hardwick	34	16	18	–	26	2	6	–	–
Harvard	13	5	8	–	10	1	2	–	–
Harwich	39	15	24	–	26	5	8	–	–
Hatfield	25	11	14	–	19	3	3	–	–
Haverhill	679	328	351	–	514	57	108	–	13.7
Hawley	2	1	1	–	1	–	1	–	–
Heath	12	3	9	–	12	–	–	–	–
Hingham	96	51	45	–	75	1	20	–	–
Hinsdale	13	7	6	–	12	–	1	–	–
Holbrook	40	26	14	–	31	4	5	–	–
Holden	64	34	30	–	50	7	7	–	–
Holland	8	5	3	–	4	–	4	–	–
Holliston	35	24	11	–	25	3	7	–	–

[1] See footnote on page 183.

Table 35A

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1935.

COUNTIES AND MUNICIPALITIES.[1]	Total number.	Sex.			Parent Nativity.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
HOLYOKE	724	366	358	–	499	90	135	–	12.9
Hopedale	32	21	11	–	23	3	6	–	–
Hopkinton	24	11	13	–	24	–	–	–	–
Hubbardston	12	9	3	–	11	–	1	–	–
Hudson	126	69	57	–	87	16	23	–	–
Hull	14	10	4	–	7	2	5	–	–
Huntington	18	4	14	–	16	1	1	–	–
Ipswich	93	37	56	–	60	14	19	–	–
Kingston	42	19	23	–	34	4	4	–	–
Lakeville	12	4	8	–	11	–	1	–	–
Lancaster	37	21	16	–	30	–	7	–	–
Lanesborough	16	4	12	–	15	–	1	–	–
LAWRENCE	1,170	612	558	–	714	181	275	–	13.5
Lee	71	41	30	–	60	7	4	–	–
Leicester	72	33	39	–	57	5	10	–	–
Lenox	35	17	18	–	28	2	5	–	–
LEOMINSTER	375	196	179	–	241	65	69	–	17.1
Leverett	18	8	10	–	17	–	1	–	–
Lexington	144	82	62	–	115	9	20	–	13.3
Leydon	3	3	–	–	1	1	1	–	–
Lincoln	26	15	11	–	20	3	3	–	–
Littleton	24	13	11	–	22	–	2	–	–
Longmeadow	48	25	23	–	44	1	3	–	–
LOWELL	1,468	782	686	–	1,056	123	289	–	14.7
Ludlow	117	61	56	–	75	28	14	–	–
Lunenburg	17	8	9	–	8	4	5	–	–
LYNN	1,341	735	606	–	879	176	285	1	13.3
Lynnfield	25	11	14	–	23	1	1	–	–
MALDEN	871	438	433	–	539	136	196	–	15.2
Manchester	34	12	22	–	20	4	10	–	–
Mansfield	85	43	42	–	59	12	14	–	–
Marblehead	153	81	72	–	127	6	20	–	15.0
Marion	35	23	12	–	27	4	4	–	–
MARLBOROUGH	188	95	93	–	144	9	35	–	11.9
Marshfield	30	15	15	–	21	1	8	–	–
Mashpee	5	3	2	–	5	–	–	–	–
Mattapoisett	22	8	14	–	19	–	3	–	–
Maynard	92	42	50	–	64	14	14	–	–
Medfield	34	19	15	–	24	3	7	–	–
MEDFORD	949	489	460	–	643	113	193	–	15.4
Medway	41	25	16	–	24	3	14	–	–
MELROSE	273	135	138	–	203	24	46	–	11.3
Mendon	21	10	11	–	19	–	2	–	–
Merrimac	30	14	16	–	25	2	3	–	–
Methuen	233	127	106	–	163	18	52	–	11.1
Middleborough	115	70	45	–	96	2	17	–	–
Middlefield	5	2	3	–	5	–	–	–	–
Middleton	18	10	8	–	13	1	4	–	–
Milford	224	113	111	–	143	30	51	–	14.9
Millbury	119	61	58	–	92	6	21	–	–
Millis	38	25	13	–	24	4	10	–	–
Millville	23	14	9	–	18	3	2	–	–
Milton	200	109	91	–	166	12	22	–	11.0
Monroe	4	2	2	–	2	1	1	–	–
Monson	59	27	32	–	50	1	8	–	–
Montague	110	60	50	–	85	6	19	–	–
Monterey	9	7	2	–	9	–	–	–	–
Montgomery	3	2	1	–	3	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	27	16	11	–	19	3	5	–	–
Nantucket	57	29	28	–	41	6	10	–	–
Natick	246	138	108	–	171	31	44	–	17.1
Needham	159	70	89	–	116	15	28	–	13.4
New Ashford	3	1	2	–	3	–	–	–	–
NEW BEDFORD	1,501	765	736	–	858	249	394	–	13.6
New Braintree	10	7	3	–	7	1	2	–	–
New Marlborough	21	10	11	–	20	–	1	–	–
New Salem	5	1	4	–	5	–	–	–	–
Newbury	18	14	4	–	17	–	1	–	–
NEWBURYPORT	191	102	89	–	147	17	27	–	12.9
NEWTON	898	460	438	–	626	100	172	–	13.6
NORFOLK	22	8	14	–	17	4	1	–	–
NORTH ADAMS	391	188	203	–	297	32	62	–	17.7
North Andover	81	36	45	–	61	4	16	–	–
North Attleborough	129	75	54	–	92	14	23	–	12.6
North Brookfield	44	25	19	–	38	1	5	–	–
North Reading	36	19	17	–	28	1	17	–	–
NORTHAMPTON	273	142	131	–	215	17	41	–	11.1

[1] See footnote on page 183.

Table 35A

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1935.

COUNTIES AND MUNICIPALITIES.[1]	Total number.	Sex.			Parent Nativity.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Northborough	32	20	12	–	27	–	5	–	–
Northbridge	163	96	67	–	87	33	43	–	15.4
Northfield	37	19	18	–	30	1	6	–	–
Norton	32	14	18	–	24	2	6	–	–
Norwell	20	8	12	–	13	2	5	–	–
Norwood	239	111	128	–	136	37	66	–	15.3
Oak Bluffs	31	20	11	–	26	1	4	–	–
Oakham	4	3	1	–	4	–	–	–	–
Orange	64	35	29	–	52	2	10	–	–
Orleans	17	12	5	–	14	–	3	–	–
Otis	4	3	1	–	4	–	–	–	–
Oxford	76	31	45	–	60	5	11	–	–
Palmer	133	73	60	–	99	15	19	–	–
Paxton	5	3	2	–	3	1	1	–	–
PEABODY	347	173	174	–	217	66	64	–	15.7
Pelham	8	2	6	–	8	–	–	–	–
Pembroke	14	11	3	–	11	–	3	–	–
Pepperell	55	33	22	–	47	1	7	–	–
Peru	3	1	2	–	3	–	–	–	–
Petersham	2	–	2	–	2	–	–	–	–
Phillipston	8	5	3	–	7	1	–	–	–
PITTSFIELD	696	358	338	–	553	66	77	–	14.6
Plainfield	4	2	2	–	4	–	–	–	–
Plainville	13	9	4	–	10	1	2	–	–
Plymouth	185	98	87	–	137	16	32	–	14.0
Plympton	8	2	6	–	6	–	2	–	–
Prescott	–	–	–	–	–	–	–	–	–
Princeton	11	1	10	–	11	–	–	–	–
Provincetown	53	26	27	–	43	3	7	–	–
QUINCY	1,120	557	563	–	765	148	207	–	14.6
Randolph	96	47	49	–	67	10	19	–	–
Raynham	18	8	10	–	11	1	6	–	–
Reading	130	56	74	–	97	10	23	–	12.1
Rehoboth	43	23	20	–	32	1	10	–	–
REVERE	475	253	222	–	296	61	118	–	13.4
Richmond	8	5	3	–	7	1	–	–	–
Rochester	15	11	4	–	13	–	2	–	–
Rockland	98	42	56	–	82	5	11	–	–
Rockport	43	22	21	–	37	1	5	–	–
Rowe	4	1	3	–	4	–	–	–	–
Rowley	31	18	13	–	28	–	3	–	–
Royalston	13	7	6	–	7	1	5	–	–
Russell	18	13	5	–	16	2	–	–	–
Rutland	18	4	14	–	10	2	6	–	–
SALEM	632	319	313	–	432	59	141	–	14.5
Salisbury	41	18	23	–	37	1	3	–	–
Sandisfield	4	1	3	–	3	1	–	–	–
Sandwich	23	10	13	–	17	3	3	–	–
Saugus	209	119	90	–	133	22	54	–	13.9
Savoy	7	4	3	–	6	–	1	–	–
Scituate	63	37	26	–	47	3	13	–	–
Seekonk	61	32	29	–	39	10	12	–	–
Sharon	40	21	19	–	34	1	5	–	–
Sheffield	26	13	13	–	23	1	2	–	–
Shelburne	26	16	10	–	23	–	3	–	–
Sherborn	11	6	5	–	10	–	1	–	–
Shirley	37	22	15	–	29	4	4	–	–
Shrewsbury	99	49	50	–	68	16	15	–	–
Shutesbury	1	–	1	–	1	–	–	–	–
Somerset	94	42	52	–	72	9	13	–	–
SOMERVILLE	1,630	825	805	–	863	403	364	–	16.2
South Hadley	87	45	42	–	64	7	16	–	–
Southampton	13	4	9	–	10	2	1	–	–
Southborough	25	16	9	–	9	4	12	–	–
Southbridge	259	125	134	–	174	35	50	–	16.4
Southwick	20	11	9	–	14	3	3	–	–
Spencer	107	59	48	–	88	3	16	–	–
SPRINGFIELD	2,086	1,110	976	–	1,452	248	386	–	13.9
Sterling	19	9	10	–	16	–	3	–	–
Stockbridge	19	13	6	–	14	2	3	–	–
Stoneham	130	65	65	–	96	12	22	–	12.0
Stoughton	131	67	64	–	92	18	21	–	–
Stow	23	12	11	–	19	–	4	–	–
Sturbridge	30	17	13	–	25	–	5	–	–
Sudbury	25	15	10	–	21	2	2	–	–
Sunderland	6	3	3	–	3	2	1	–	–
Sutton	46	25	21	–	38	2	6	–	–
Swampscott	123	60	63	–	88	17	18	–	11.7

[1] See footnote on page 183.

Table 35A

ALLOCATED LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1935.

MUNICIPALITIES.[1]	Total number.	Sex.			Parent Nativity.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Swansea	62	33	29	–	42	6	14	–	–
TAUNTON	579	289	290	–	408	62	109	–	15.5
Templeton	64	33	31	–	50	2	12	–	–
Tewksbury	43	25	18	–	33	3	7	–	–
State Infirmary	24	10	14	–	23	–	1	–	–
Tisbury	33	22	11	–	26	3	4	–	–
Tolland	1	1	–	–	1	–	–	–	–
Topsfield	15	12	3	–	11	1	3	–	–
Townsend	24	14	10	–	22	–	2	–	–
Truro	4	1	3	–	4	–	–	–	–
Tyngsborough	30	14	16	–	27	–	3	–	–
Tyringham	5	3	2	–	5	–	–	–	–
Upton	37	17	20	–	30	2	5	–	–
Uxbridge	101	62	39	–	75	7	19	–	–
Wakefield	209	110	99	–	141	25	43	–	12.7
Wales	8	3	5	–	8	–	–	–	–
Walpole	124	60	64	–	88	15	21	–	–
WALTHAM	635	313	322	–	355	131	149	–	15.7
Ware	110	51	59	–	81	9	20	–	–
Wareham	102	46	56	–	76	6	20	–	–
Warren	38	20	18	–	28	3	7	–	–
Warwick	3	2	1	–	3	–	–	–	–
Washington	9	8	1	–	9	–	–	–	–
Watertown	543	271	272	–	325	105	113	–	15.2
Wayland	56	33	23	–	41	3	12	–	–
Webster	231	117	114	–	194	8	29	–	16.7
Wellesley	185	95	90	–	131	17	37	–	13.8
Wellfleet	9	5	4	–	8	–	1	–	–
Wendell	3	3	–	–	3	–	–	–	–
Wenham	17	8	9	–	14	1	2	–	–
West Boylston	27	11	16	–	21	5	1	–	–
West Bridgewater	41	21	20	–	31	2	8	–	–
West Brookfield	18	13	5	–	17	–	1	–	–
West Newbury	11	6	5	–	11	–	–	–	–
West Springfield	208	109	99	–	140	24	44	–	12.2
West Stockbridge	14	7	7	–	9	2	3	–	–
West Tisbury	1	–	1	–	1	–	–	–	–
Westborough	49	21	28	–	35	5	9	–	–
WESTFIELD	241	145	96	–	186	29	26	–	12.8
Westford	61	30	31	–	29	18	14	–	–
Westhampton	5	3	2	–	4	1	–	–	–
Westminster	11	7	4	–	9	–	2	–	–
Weston	51	27	24	–	42	6	3	–	–
Westport	55	35	20	–	43	6	6	–	–
Westwood	43	28	15	–	31	2	10	–	–
Weymouth	333	171	162	–	233	28	72	–	15.3
Whately	14	5	9	–	12	1	1	–	–
Whitman	95	54	41	–	77	4	14	–	–
Wilbraham	36	15	21	–	26	6	4	–	–
Williamsburg	33	19	14	–	27	2	4	–	–
Williamstown	82	44	38	–	72	–	10	–	–
Wilmington	86	43	43	–	63	5	18	–	–
Winchendon	110	60	50	–	86	6	18	–	–
Winchester	196	91	105	–	149	24	23	–	14.7
Windsor	3	1	2	–	2	–	1	–	–
Winthrop	196	115	81	–	138	20	38	–	11.5
WOBURN	299	148	151	–	189	52	58	–	15.2
WORCESTER	2,811	1,437	1,374	–	1,930	379	502	–	14.8
Worthington	7	4	3	–	6	–	1	–	–
Wrentham	30	18	12	–	25	1	4	–	–
Yarmouth	38	16	22	–	32	1	5	–	–

[1] See footnote on page 183.

Table 36

Allocated Live Births, by Month of Birth, in Counties and in Cities having over 50,000 Inhabitants: 1935.

Counties and Cities having over 50,000 Inhabitants in 1935. (Grouped in order of population.)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	**62,416**	**5,223**	**4,985**	**5,431**	**5,187**	**5,472**	**5,411**	**5,498**	**5,447**	**5,146**	**4,997**	**4,737**	**4,882**
Average daily number of births	171	168	178	175	173	177	180	177	176	172	161	158	157
Counties.													
Middlesex	14,298	1,189	1,112	1,187	1,175	1,273	1,250	1,271	1,225	1,201	1,172	1,071	1,172
Suffolk	13,673	1,128	1,113	1,216	1,131	1,144	1,139	1,192	1,239	1,148	1,127	1,031	1,065
Essex	6,794	586	545	587	580	589	576	631	602	525	520	512	541
Worcester	7,391	597	578	660	606	668	667	648	670	596	587	544	570
Bristol	5,263	449	458	459	456	441	458	438	442	416	417	402	427
Hampden	4,414	377	348	392	373	393	378	406	381	369	344	333	320
Norfolk	4,228	357	326	374	351	371	391	364	360	365	337	314	318
Plymouth	2,147	188	161	187	170	207	173	185	183	180	191	163	159
Berkshire	1,842	139	160	158	144	182	171	173	133	155	153	148	126
Hampshire	936	78	78	75	80	80	83	81	77	79	53	96	76
Franklin	702	67	54	69	57	63	59	51	69	51	38	72	52
Barnstable	577	58	40	48	51	49	50	44	56	48	48	38	47
Dukes	94	8	8	10	8	5	12	8	9	6	4	8	8
Nantucket	57	2	4	9	5	7	4	6	1	7	6	5	1
Cities over 100,000													
Boston	12,371	1,027	1,005	1,102	999	1,033	1,036	1,081	1,116	1,044	1,032	943	953
Worcester	2,811	231	208	246	256	259	260	240	249	218	228	212	204
Springfield	2,086	173	166	175	189	186	192	193	167	172	158	166	149
Cambridge	1,857	160	130	153	144	164	167	152	179	168	158	133	149
Fall River	1,790	155	152	145	171	135	169	142	128	146	149	158	140
New Bedford	1,501	124	139	132	124	140	137	131	130	115	101	97	131
Lynn	1,341	102	101	116	106	127	128	126	116	111	113	111	84
Somerville	1,630	147	114	134	144	152	133	135	126	142	148	101	154
Lowell	1,468	139	128	131	119	126	117	124	113	121	109	114	127
Cities 50,000 to 100,000													
Lawrence	1,170	94	103	91	96	98	101	120	93	86	87	86	115
Quincy	1,120	94	88	99	89	88	102	95	99	111	81	85	89
Newton	898	63	71	70	67	88	98	80	72	83	65	74	67
Brockton	791	68	60	71	57	73	59	68	68	72	70	54	71
Medford	949	80	76	76	93	95	91	67	83	70	68	77	73
Malden	871	65	73	70	70	83	73	78	79	63	90	60	67
Holyoke	724	62	60	71	58	68	60	70	65	48	48	50	64
Brookline (town)	481	40	41	47	43	37	41	46	39	37	36	37	37

Table 37

Plural Births[1], by Sex, and Stillbirths[1], in Counties and in Cities having over 50,000 Inhabitants: 1935.

Counties and Cities having over 50,000 Inhabitants in 1935. (Grouped in order of population.)	Plural Births.						Stillbirths.[1]
	Twins.			Triplets.			
	Total.	Males.	Females	Total.	Males.	Females.	
The State.	**1,224**	**637**	**587**	**15**	**11**	**4**	**1,886**
Counties.							
Middlesex	250	128	122	3	1	2	424
Suffolk	280	154	126	3	2	1	354
Essex	148	81	67	–	–	–	237
Worcester	156	72	84	–	–	–	240
Bristol	98	51	47	–	–	–	187
Hampden	92	51	41	6	5	1	140
Norfolk	86	40	46	3	3	–	102
Plymouth	46	22	24	–	–	–	67
Berkshire	32	22	10	–	–	–	63
Hampshire	12	5	7	–	–	–	33
Franklin	16	8	8	–	–	–	26
Barnstable	8	3	5	–	–	–	13
Dukes	–	–	–	–	–	–	–
Nantucket	–	–	–	–	–	–	–
Cities over 100,000.							
Boston	250	135	115	3	2	1	314
Worcester	52	25	27	–	–	–	106
Springfield	44	29	15	3	3	–	62
Cambridge	28	16	12	–	–	–	44
Fall River	40	14	26	–	–	–	67
New Bedford	24	14	10	–	–	–	61
Lynn	44	18	26	–	–	–	56
Somerville	32	18	14	–	–	–	41
Lowell	22	15	7	–	–	–	54
Cities 50,000 to 100,000.							
Lawrence	22	11	11	–	–	–	53
Quincy	24	10	14	–	–	–	27
Newton	18	10	8	–	–	–	16
Brockton	20	11	9	–	–	–	24
Medford	18	9	9	–	–	–	24
Malden	14	11	3	–	–	–	24
Holyoke	12	3	9	–	–	–	23

[1] Allocated.

Table 38 — Live Births[1] and Birth Rates[1] for the State and Cities having over 100,000 Inhabitants in 1935: 1911 to 1935.

Years.	The State.	Cities having over 100,000 Inhabitants in 1935.								
		Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Somerville.	Lynn.	Lowell.
	Live Births									
1911	88,327	17,844	4,122	2,512	4,617	2,621	4,160	–	2,136	2,580
1912	89,882	18,745	4,167	2,779	4,714	2,605	3,594	–	2,111	2,748
1913	91,644	19,109	4,520	2,866	4,664	2,713	3,647	–	2,087	2,794
1914	93,399	19,467	4,667	2,986	4,703	2,745	3,574	–	2,083	2,914
1915	93,155	19,713	4,504	3,099	3,910	2,610	3,533	–	2,108	2,944
1916	93,487	19,604	4,941	3,281	3,690	2,691	3,497	–	2,205	3,289
1917	95,731	19,950	5,276	3,614	3,807	2,764	3,664	–	2,176	3,289
1918	95,607	20,092	5,239	3,770	3,645	2,672	3,920	–	2,143	3,279
1919	87,827	18,799	4,596	3,268	3,421	2,757	3,386	–	1,935	3,064
1920	91,859	19,573	4,812	3,419	3,537	2,862	3,507	–	2,024	3,154
1921	92,207	19,397	4,838	3,392	3,710	3,048	3,649	–	2,064	3,157
1922	87,636	18,536	4,357	3,089	3,537	3,007	3,344	–	2,057	2,923
1923	89,210	19,056	4,517	3,358	3,645	3,033	3,295	–	1,964	2,902
1924	91,463	19,776	4,551	3,520	3,594	3,144	3,170	–	2,077	3,011
1925	86,014	18,636	4,340	3,385	3,324	2,932	3,009	–	1,972	2,705
1926	83,502	18,731	4,312	3,298	3,050	2,933	2,762	–	1,887	2,466
1927	82,273	19,079	4,310	3,158	2,872	2,902	2,432	–	1,903	2,404
1928	79,054	18,781	3,997	2,991	2,707	2,724	2,394	–	1,912	2,177
1929	74,122	17,942	3,759	3,040	2,255	2,597	2,033	–	1,866	1,968
1930	73,690	18,057	3,638	3,106	2,201	2,524	1,988	1,677	1,813	1,999
1931	69,385	17,137	3,611	2,939	2,083	2,477	1,861	1,428	1,588	1,812
1932	68,518	17,271	3,435	2,643	2,099	2,462	1,728	1,342	1,559	1,932
1933	63,457	16,249	3,101	2,414	1,977	2,169	1,666	1,220	1,477	1,734
1934	63,767	15,825	3,237	2,431	2,072	2,190	1,775	1,233	1,493	1,740
1935	62,416	12,371	2,811	2,086	1,790	1,857	1,501	1,630	1,341	1,468
	Birth Rates per 1,000 Population: Census Years 1915 to 1935.									
1915	25.2	26.4	27.7	30.1	31.3	24.0	32.2	–	22.0	27.3
1920	23.8	26.2	26.8	26.4	29.4	26.1	28.9	–	20.4	28.0
1925	20.8	23.9	22.8	23.8	25.8	24.5	25.2	–	19.1	24.5
1930	17.3	23.1	18.6	20.7	19.1	22.2	17.7	16.1	17.7	19.9
1935	14.3[1]	15.1	14.8	13.9	15.2	15.7	13.6	16.2	13.3	14.7

[1] Allocated for 1935.

Table 39 — Live Births by Sex and Parent Nativity: 1911 to 1935.

Years.	Population.	Sex.					Parent nativity.			
		Total number.	Males.	Females.	Unknown.	Males to 1,000 females.	Native.	Foreign.	Mixed.	Unknown.
1911	3,446,079	88,327	45,352	42,961	14	1,056	27,390	45,741	15,054	142
1912	3,512,007	89,882	46,436	43,440	6	1,069	28,424	45,861	15,497	100
1913	3,577,935	91,644	47,099	44,541	4	1,057	29,387	46,737	15,430	90
1914	3,643,863	93,399	47,671	45,725	3	1,043	30,127	47,824	15,378	70
1915	3,709,792	93,155	47,786	45,363	6	1,053	31,325	46,347	15,401	82
1916	3,775,720	93,487	48,256	45,227	4	1,067	31,971	45,920	15,525	71
1917	3,841,648	95,731	49,017	46,714	–	1,049	34,129	45,753	15,786	63
1918	3,907,576	95,607	49,138	46,465	4	1,058	35,913	43,419	16,222	53
1919	3,835,614	87,827	44,713	43,113	1	1,037	33,295	39,194	15,302	36
1920	3,852,356	91,859	47,288	44,569	2	1,061	38,395	37,236	16,207	21
1921	3,885,836	92,207	47,414	44,791	2	1,059	39,254	36,553	16,378	22
1922	3,936,056	87,636	45,035	42,595	6	1,057	38,355	33,701	15,551	29
1923	3,969,536	89,210	45,631	43,572	7	1,047	40,035	33,049	16,106	20
1924	4,003,016	91,463	46,957	44,500	6	1,055	42,393	32,380	16,653	37
1925	4,144,205	86,014	44,082	41,930	2	1,051	40,905	28,968	16,112	29
1926	4,170,560[1]	83,502	42,681	40,821	–	1,046	40,898	26,229	16,345	30
1927	4,191,644[1]	82,273	42,270	40,003	–	1,057	41,722	24,294	16,214	43
1928	4,212,728[1]	79,054	40,518	38,536	–	1,051	41,552	21,818	15,657	27
1929	4,233,812[1]	74,122	38,125	35,994	–	1,059	39,783	19,299	15,026	14
1930	4,249,614	73,690	37,687	36,002	1	1,047	41,140	17,621	14,913	16
1931	4,275,969	69,385	35,534	33,850	1	1,050	40,384	14,946	14,051	4
1932	4,297,053	68,518	35,080	33,437	–	1,049	41,292	13,180	14,039	7
1933	4,318,137	63,457	32,462	30,995	–	1,047	39,907	10,818	12,716	16
1934	4,339,221	63,767	32,815	30,952	–	1,060	41,351	9,748	12,653	15
1935	4,350,910	62,416[2]	32,117	30,299	–	1,060	41,837	8,565	12,009	5

[1] Revised figures. [2] Allocated for 1935.

Table 40

Years.	Live Births: 1911 to 1935.					Stillbirths: 1911 to 1935.					
	Birth rate per 1,000 population.	Excess of births over deaths.[1]	Excess of births over deaths per 1,000 population.	Cases of plural births.[2]		Total number.	Per 1,000 live births.	Sex.			
				Twins.	Triplets.			Males.	Females.	Unknown.	Males. to 1,000 females.
1911 . .	25.6	35,265	10.2	915	14	3,280		1,825	1,408	47	1,296
1912 . .	25.6	37,482	10.7	996	8	3,188		1,871	1,263	29	1,456
1913 . .	25.6	38,242	10.7	996	13	3,175	35	1,872	1,275	28	1,468
1914 . .	25.6	40,426	11.1	1,008	15	3,349		1,936	1,369	44	1,414
1915 . .	25.2	40,045	10.8	952	9	3,161		1,815	1,312	34	1,383
1916 . .	24.8	37,121	9.9	942	13	3,300		1,916	1,334	50	1,436
1917 . .	24.9	39,103	10.2	1,065	7	3,324		1,937	1,330	57	1,456
1918 . .	24.5	16,765	4.3	1,054	10	3,779	36	2,173	1,570	36	1,384
1919 . .	22.9	35,482	9.3	986	7	3,092		1,750	1,332	10	1,314
1920 . .	23.8	38,227	9.9	1,006	6	3,336		1,948	1,374	14	1,418
1921 . .	23.7	44,427	11.4	1,059	13	3,428		1,983	1,429	16	1,388
1922 . .	22.3	36,521	9.3	916	11	3,268		1,886	1,373	9	1,374
1923 . .	22.5	36,830	9.3	976	8	3,332	37	1,891	1,413	28	1,338
1924 . .	22.8	41,997	10.4	1,003	13	3,548		1,965	1,490	93	1,319
1925 . .	20.8	34,124	8.3	869	17	3,141		1,807	1,317	17	1,372
1926 . .	20.0[3]	30,614	7.3[3]	898	10	2,997		1,675	1,313	9	1,276
1927 . .	19.6[3]	32,949	7.8[3]	894	10	2,969		1,606	1,356	7	1,184
1928 . .	18.8[3]	27,612	6.6[3]	857	9	2,821	35	1,605	1,207	9	1,330
1929 . .	17.5[3]	21,951	5.2[3]	804	4	2,540		1,414	1,123	3	1,259
1930 . .	17.3	24,187	5.7	783	15	2,597		1,442	1,148	7	1,256
1931 . .	16.2	20,642	4.8	731	13	2,440		1,350	1,079	11	1,251
1932 . .	15.9	18,987	4.4	735	6	2,350		1,317	1,025	8	1,285
1933 . .	14.7	12,625	2.9	645	4	2,173	33	1,206	959	8	1,257
1934 . .	14.7	13,007	3.0	635	7	1,997		1,108	889	–	1,246
1935 . .	14.3[4]	12,782	2.9	612	5	1,886		1,000	885	1	1,130

[1] Exclusive of stillbirths. [2] There was one case of quadruplets in 1926. [3] Revised rate.
[4] Allocated for 1935.

PART II. B.
MARRIAGE STATISTICS

PAGE
Introduction 191, 192
Marriage registration 191
Source of data 191
Solemnization 191
Accuracy 191–192
Purpose, marriage requirements 192
Statistical tables 193–203

INTRODUCTION.

Marriage Registration. — The public registration of marriages has been required for many years in Massachusetts. Records of marriage are made in the first instance in the cities and towns of the State where the contracting parties dwell and if the ceremony is solemnized in a town other than where the parties reside, in the town where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth and from 1841 to 1935, inclusive, there have been 4,926,195 marriages reported, recorded and tabulated in this department.

Source of Data. — The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by each of the parties to the marriage. If a marriage is performed in a town other than the town issuing the license, a copy of the license must be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention is filed the marriage license may be issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses must be returned to the office or offices issuing the same.

Solemnization. — A marriage may be solemnized in any place within the Commonwealth by a minister of the gospel who resides in the Commonwealth, or, who if a nonresident is the pastor of a church or denomination duly established in the Commonwealth and who is recognized by his church or denomination as duly ordained and in good and regular standing as a minister of such church or denomination; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the city or town where such congregation is established a certificate of the establishment of the synagogue therein, the date of his appointment thereto, and of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a city or town, or a registrar or assistant registrar, in the city or town where he holds such office, or, if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or, if he has been designated as a justice of the peace to solemnize marriages in the city or town where he resides; and it may be solemnized among Friends or Quakers according to the usage of their societies; and a specified marriage may be performed by a nonresident clergyman commissioned by the Governor in accordance with the provisions of Chap. 102 of the Acts of 1926; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

When Massachusetts residents go into another state to be married and return to live in this Commonwealth they are required within seven days after their return to file a declaration of their marriage with the clerk of the town where either of them resided at the time of their marriage. A penalty is provided by statute for non-compliance with the law.

Accuracy. — The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

Every precaution has been taken to see that the statutes pertaining to the solemnization of marriage are strictly enforced, but as there is no public registration of ministers of the gospel in Massachusetts, it is not always possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid because of lapse of time, a circular setting forth the requirements before and after solemnizing a marriage has been prepared, together with a copy of the marriage laws and these are forwarded, upon request, to all persons interested, and are sent to the city and town clerks, together with posters setting forth the legal impediments to marriage, which are required to be posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

Marriage licenses issued to residents are valid throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized and the marriage must be solemnized in that particular municipality.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. Therefore, it sometimes happens that records for the same marriage coming from different towns do not contain the same information. Names and other facts will be at variance. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

Purpose. — The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.
3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.
5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

The following tables contain the number of marriages solemnized:

Table 41

Counties and Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in each County and Municipality: 1935. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in each County and Municipality: 1935. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
The State.	**30,019**	**22,626**	**1,827**	**2,503**	**3,063**	**15,609**	**1,709**	**7,265**	**5,436**
COUNTIES.									
Barnstable	264	220	7	14	23	90	25	45	104
Berkshire	664	551	21	37	55	389	31	152	92
Bristol	3,044	2,349	156	203	336	1,714	94	553	683
Dukes	45	39	–	4	2	19	4	12	10
Essex	3,199	2,459	166	254	320	1,702	206	845	446
Franklin	325	291	5	10	19	101	20	90	114
Hampden	2,066	1,616	103	136	211	1,161	117	534	254
Hampshire	440	383	15	17	25	172	21	160	87
Middlesex	6,306	4,664	451	524	667	2,642	430	1,948	1,286
Nantucket	25	22	1	1	1	17	–	2	6
Norfolk	2,203	1,652	155	184	212	701	166	681	655
Plymouth	1,183	996	36	54	97	561	101	267	254
Suffolk	6,799	4,635	559	850	755	4,374	318	1,128	979
Worcester	3,456	2,749	152	215	340	1,966	176	848	466
MUNICIPALITIES.[1]									
Abington	28	23	–	3	2	7	7	8	6
Acton	15	10	1	1	3	6	–	3	6
Acushnet	19	14	–	1	4	7	1	7	4
Adams	104	93	2	4	5	73	3	26	2
Agawam	32	30	–	1	1	14	–	16	2
Alford	–	–	–	–	–	–	–	–	–
Amesbury	67	48	3	8	8	41	2	19	5
Amherst	34	32	–	1	1	7	4	11	12
Andover	58	50	3	3	2	21	2	25	10
Arlington	194	155	15	11	13	47	21	93	33
Ashburnham	20	16	–	2	2	8	2	7	3
Ashby	6	5	–	–	1	–	–	1	5
Ashfield	5	4	–	–	1	1	–	3	1
Ashland	20	13	1	3	3	7	1	2	10
Athol	81	67	2	7	5	43	4	26	8
ATTLEBORO	203	163	6	14	20	88	4	65	46
Auburn	55	45	–	3	7	16	4	13	22
Avon	13	11	–	–	2	2	2	4	5
Ayer	29	25	–	1	3	12	1	7	9
Barnstable	65	52	5	3	5	22	6	10	27
Barre	27	17	1	5	4	16	1	5	5
Becket	5	5	–	–	–	3	1	–	1
Bedford	7	5	1	1	–	2	–	3	2
Belchertown	21	17	2	–	2	4	–	6	11
Bellingham	36	29	2	1	4	7	6	18	5
Belmont	132	88	19	12	13	25	13	52	42
Berkley	5	3	–	1	1	3	–	1	1
Berlin	4	4	–	–	–	2	1	1	–
Bernardston	13	13	–	–	–	3	–	2	8
BEVERLY	114	95	2	8	9	50	13	37	14
Billerica	42	34	1	2	5	14	2	14	12
Blackstone	45	37	1	4	3	12	5	22	6
Blandford	4	4	–	–	–	–	1	2	1
Bolton	3	3	–	–	–	–	2	–	1
BOSTON	6,114	4,126	507	798	683	4,083	289	946	796
Bourne	16	14	–	1	1	4	1	4	7
Boxborough	3	3	–	–	–	–	1	2	–
Boxford	3	3	–	–	–	1	1	1	–
Boylston	4	1	–	2	1	–	–	3	1
Braintree	87	70	5	6	6	31	10	30	16
Brewster	6	6	–	–	–	–	1	1	4
Bridgewater	49	36	2	3	8	14	7	14	14
Brimfield	3	3	–	–	–	1	–	1	1
BROCKTON	474	408	15	17	34	294	26	98	56
Brookfield	9	7	–	1	1	4	–	1	4
Brookline	553	377	73	58	45	82	28	165	278
Buckland	13	12	–	1	–	1	–	2	10
Burlington	1	1	–	–	–	1	–	–	–
CAMBRIDGE	886	604	90	77	115	391	69	220	206
Canton	31	26	–	1	4	19	–	12	–
Carlisle	1	1	–	–	–	–	–	–	1
Carver	9	7	2	–	–	4	1	1	3
Charlemont	1	1	–	–	–	1	–	–	–
Charlton	8	6	–	–	2	5	–	2	1
Chatham	14	13	–	1	–	4	1	7	2
Chelmsford	49	41	–	3	5	13	3	11	22
CHELSEA	283	189	37	27	30	135	11	84	53
Cheshire	6	6	–	–	–	2	–	2	2
Chester	2	2	–	–	–	–	–	2	–
Chesterfield	3	2	–	–	1	–	–	1	2
CHICOPEE	294	225	16	22	31	179	3	98	14
Chilmark	–	–	–	–	–	–	–	–	–

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1935. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1935. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Clarksburg	–	–	–	–	–	–	–	–	–
Clinton	91	81	2	1	7	53	2	26	10
Cohasset	31	25	1	–	5	9	2	11	9
Colrain	5	5	–	–	–	2	1	–	2
Concord	38	32	3	2	1	12	2	11	13
Conway	4	4	–	–	–	–	–	4	–
Cummington	2	2	–	–	–	–	–	1	1
Dalton	26	20	1	2	3	5	–	17	4
Dana	3	3	–	–	–	1	–	–	2
Danvers	56	48	1	6	1	16	4	22	14
Dartmouth	37	29	1	3	4	11	3	10	13
Dedham	89	67	7	4	11	37	6	29	17
Deerfield	42	39	–	–	3	4	3	8	27
Dennis	13	11	–	1	1	2	1	2	8
Dighton	32	28	1	1	2	9	1	8	14
Douglas	22	20	1	–	1	4	2	10	6
Dover	5	5	–	–	–	2	–	–	3
Dracut	28	23	1	2	2	5	1	13	9
Dudley	4	4	–	–	–	2	1	–	1
Dunstable	4	2	1	–	1	–	–	1	3
Duxbury	19	16	–	2	1	2	2	3	12
East Bridgewater	14	14	–	–	–	5	1	6	2
East Brookfield	7	6	–	–	1	1	1	1	4
East Longmeadow	9	9	–	–	–	4	1	2	2
Eastham	2	2	–	–	–	–	–	–	2
Easthampton	66	55	4	3	4	36	4	22	4
Easton	25	22	–	1	2	10	1	10	4
Edgartown	12	11	–	–	1	8	–	2	2
Egremont	5	5	–	–	–	–	–	–	5
Enfield	–	–	–	–	–	–	–	–	–
Erving	3	3	–	–	–	1	–	1	1
Essex	2	1	–	–	1	1	–	–	1
Everett	351	247	30	28	46	166	18	114	53
Fairhaven	62	46	5	2	9	23	2	24	13
Fall River	944	742	44	58	100	687	11	154	92
Falmouth	58	43	2	4	9	35	5	7	11
Fitchburg	259	182	11	29	37	168	9	53	29
Florida	2	1	–	1	–	–	1	–	1
Foxborough	33	28	1	3	1	14	2	10	7
Framingham	162	131	4	13	14	73	26	43	20
Franklin	60	44	2	6	8	31	3	21	5
Freetown	6	6	–	–	–	3	–	1	2
Gardner	137	103	9	11	14	94	6	28	9
Gay Head	3	3	–	–	–	–	1	1	1
Georgetown	14	11	–	1	2	–	2	4	8
Gill	2	2	–	–	–	–	–	1	1
Gloucester	131	107	2	6	16	93	4	27	7
Goshen	1	1	–	–	–	1	–	–	–
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	56	44	2	7	3	19	4	20	13
Granby	5	5	–	–	–	–	1	2	2
Granville	–	–	–	–	–	–	–	–	–
Great Barrington	28	23	–	1	4	10	–	8	10
Greenfield	100	88	2	4	6	42	5	34	19
Greenwich	–	–	–	–	–	–	–	–	–
Groton	22	20	–	2	–	8	1	6	7
Groveland	10	10	–	–	–	1	1	4	4
Hadley	17	15	1	–	1	4	–	11	2
Halifax	4	3	–	–	1	–	–	1	3
Hamilton	21	15	1	4	1	9	1	5	6
Hampden	4	4	–	–	–	1	1	1	1
Hancock	–	–	–	–	–	–	–	–	–
Hanover	11	10	1	–	–	2	1	3	5
Hanson	12	9	1	1	1	6	1	1	4
Hardwick	18	13	1	–	4	5	1	8	4
Harvard	5	5	–	–	–	2	–	2	1
Harwich	27	23	–	2	2	4	2	5	16
Hatfield	11	11	–	–	–	2	–	6	3
Haverhill	223	175	7	17	24	143	7	61	12
Hawley	1	1	–	–	–	1	–	–	–
Heath	1	1	–	–	–	–	–	–	1
Hingham	50	33	4	7	6	19	5	12	14
Hinsdale	5	4	1	–	–	1	1	1	2
Holbrook	21	16	–	4	1	5	4	8	4
Holden	26	23	1	1	1	8	2	8	8
Holland	–	–	–	–	–	–	–	–	–
Holliston	20	18	1	–	1	3	2	7	8
Holyoke	367	288	13	25	41	221	15	106	25

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1935. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1935. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Hopedale	8	5	1	1	1	3	1	1	3
Hopkinton	15	12	1	2	–	5	3	7	–
Hubbardston	8	6	1	–	1	3	–	2	3
Hudson	54	41	2	8	3	23	4	18	9
Hull	11	10	–	–	1	5	–	3	3
Huntington	12	12	–	–	–	2	1	3	6
Ipswich	48	42	2	3	1	20	3	13	12
Kingston	21	21	–	–	–	4	2	7	8
Lakeville	10	10	–	–	–	5	2	1	2
Lancaster	21	20	–	–	1	7	1	5	8
Lanesborough	10	9	–	–	1	3	1	2	4
LAWRENCE	758	543	54	73	88	463	56	168	71
Lee	18	14	–	1	3	9	–	6	3
Leicester	26	23	1	1	1	5	4	9	8
Lenox	19	15	1	2	1	3	3	7	6
LEOMINSTER	130	98	8	8	16	90	3	31	6
Leverett	1	1	–	–	–	–	1	–	–
Lexington	60	47	4	3	6	19	7	26	8
Leyden	–	–	–	–	–	–	–	–	–
Lincoln	6	6	–	–	–	2	–	1	3
Littleton	14	9	2	2	1	4	1	3	6
Longmeadow	15	13	–	1	1	2	–	6	7
LOWELL	748	589	32	50	77	482	33	142	91
Ludlow	35	31	–	2	2	13	3	11	8
Lunenburg	12	11	–	1	–	1	2	4	5
LYNN	703	508	55	60	80	444	36	159	64
Lynnfield	7	6	–	1	–	1	–	5	1
MALDEN	432	308	35	44	45	193	19	115	105
Manchester	26	19	1	4	2	10	1	8	7
Mansfield	48	38	2	1	7	14	1	14	19
Marblehead	44	34	–	6	4	22	2	12	8
Marion	15	13	–	–	2	4	4	3	4
MARLBOROUGH	102	90	3	5	4	57	7	29	9
Marshfield	11	10	–	–	1	4	1	1	5
Mashpee	2	2	–	–	–	2	–	–	–
Mattapoisett	11	10	1	–	–	5	–	3	3
Maynard	46	36	1	4	5	19	3	19	5
Medfield	15	8	2	2	3	4	2	5	4
MEDFORD	377	295	21	30	31	144	19	136	78
Medway	42	32	2	5	3	4	2	12	24
MELROSE	138	109	5	9	15	49	8	61	20
Mendon	2	1	1	–	–	1	–	1	–
Merrimac	19	18	–	1	–	7	3	3	6
Methuen	113	87	3	5	18	36	6	32	39
Middleborough	74	66	1	3	4	36	9	16	13
Middlefield	1	1	–	–	–	–	–	–	1
Middleton	8	7	–	–	1	3	1	1	3
Milford	109	90	5	5	9	54	6	34	15
Millbury	60	50	1	3	6	27	4	16	13
Millis	22	19	1	1	1	1	1	3	17
Millville	13	11	1	–	1	1	2	7	3
Milton	74	62	5	4	3	14	7	28	25
Monroe	–	–	–	–	–	–	–	–	–
Monson	27	22	–	2	3	6	2	7	12
Montague	67	60	2	1	4	23	2	24	18
Monterey	6	4	–	1	1	–	–	–	6
Montgomery	1	1	–	–	–	–	–	1	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	12	9	–	1	2	1	–	3	8
Nantucket	–	–	–	–	–	–	–	–	–
Natick	95	75	3	4	13	39	10	29	17
Needham	68	50	4	8	6	18	9	26	15
New Ashford	–	–	–	–	–	–	–	–	–
NEW BEDFORD	814	554	74	65	121	576	33	127	78
New Braintree	–	–	–	–	–	–	–	–	–
New Marlborough	2	1	–	–	1	–	2	–	–
New Salem	3	3	–	–	–	–	1	–	2
Newbury	8	7	–	–	1	–	3	3	2
NEWBURYPORT	83	73	1	7	2	38	3	18	24
NEWTON	499	360	49	44	46	133	36	196	134
Norfolk	6	4	–	–	2	1	–	3	2
NORTH ADAMS	145	122	5	11	7	98	12	27	8
North Andover	41	35	2	3	1	13	4	21	3
North Attleborough	129	104	1	15	9	46	9	32	42
North Brookfield	25	22	–	2	1	12	1	8	4
North Reading	6	5	1	–	–	1	1	3	1
NORTHAMPTON	141	123	2	8	8	69	4	54	14
Northborough	12	9	–	2	1	2	2	3	5

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1935. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1935. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Northbridge	73	53	7	3	10	27	5	26	15
Northfield	18	13	–	3	2	4	1	3	10
Norton	57	46	1	4	6	13	3	7	34
Norwell	5	5	–	–	–	1	1	–	3
Norwood	99	81	6	4	8	42	4	29	24
Oak Bluffs	15	13	–	1	1	7	2	6	–
Oakham	2	1	–	–	1	–	–	–	2
Orange	31	28	1	–	2	14	3	5	9
Orleans	14	12	–	1	1	1	2	6	5
Otis	2	2	–	–	–	1	–	–	1
Oxford	22	19	–	2	1	13	–	8	1
Palmer	70	63	–	3	4	32	8	15	15
Paxton	2	2	–	–	–	–	–	2	–
PEABODY	113	80	11	8	14	44	8	49	12
Pelham	2	2	–	–	–	–	1	–	1
Pembroke	10	7	1	1	1	1	1	2	6
Pepperell	37	29	1	4	3	5	–	6	26
Peru	–	–	–	–	–	–	–	–	–
Petersham	7	6	–	–	1	1	–	1	5
Phillipston	1	1	–	–	–	1	–	–	–
PITTSFIELD	225	181	11	11	22	167	4	39	15
Plainfield	–	–	–	–	–	–	–	–	–
Plainville	9	7	–	1	1	2	3	3	1
Plymouth	120	89	2	9	20	71	7	21	21
Plympton	1	1	–	–	–	–	–	1	–
Prescott	–	–	–	–	–	–	–	–	–
Princeton	1	1	–	–	–	–	1	–	–
Provincetown	15	13	–	–	2	10	–	2	3
QUINCY	488	366	25	38	59	254	36	137	61
Randolph	41	34	1	3	3	11	10	14	6
Raynham	14	13	–	–	1	4	2	3	5
Reading	74	65	2	3	4	26	5	26	17
Rehoboth	15	10	2	–	3	1	–	4	10
REVERE	329	263	13	20	33	120	14	75	120
Richmond	1	1	–	–	–	–	–	–	1
Rochester	7	7	–	–	–	2	1	2	2
Rockland	55	47	1	5	2	13	5	23	14
Rockport	28	28	–	–	–	10	2	8	8
Rowe	–	–	–	–	–	–	–	–	–
Rowley	5	5	–	–	–	2	1	2	–
Royalston	7	6	–	–	1	2	2	2	1
Russell	8	7	–	–	1	3	–	–	5
Rutland	4	3	–	1	–	–	1	2	1
SALEM	322	259	14	21	28	156	25	89	52
Salisbury	15	15	–	–	–	1	1	1	12
Sandisfield	–	–	–	–	–	–	–	–	–
Sandwich	8	7	–	–	1	3	–	–	5
Saugus	71	56	2	3	10	37	6	15	13
Savoy	1	1	–	–	–	1	–	–	–
Scituate	25	24	–	–	1	8	3	4	10
Seekonk	247	218	3	14	12	18	7	10	212
Sharon	46	32	3	3	8	4	2	2	38
Sheffield	7	7	–	–	–	3	1	–	3
Shelburne	10	9	–	1	–	3	1	2	4
Sherborn	1	1	–	–	–	1	–	–	–
Shirley	11	7	–	2	2	1	–	6	4
Shrewsbury	38	33	1	1	3	12	3	15	8
Shutesbury	–	–	–	–	–	–	–	–	–
Somerset	44	33	4	2	5	25	–	14	5
SOMERVILLE	580	398	45	61	76	279	37	177	87
South Hadley	41	34	2	1	4	7	3	17	14
Southampton	3	3	–	–	–	2	–	–	1
Southborough	3	3	–	–	–	–	1	–	2
Southbridge	152	121	8	9	14	97	6	33	16
Southwick	2	2	–	–	–	–	–	2	–
Spencer	44	38	1	2	3	25	3	14	2
SPRINGFIELD	986	733	68	73	112	598	69	195	124
Sterling	4	3	–	1	–	–	–	1	3
Stockbridge	10	10	–	–	–	1	–	5	4
Stoneham	47	37	1	3	6	18	5	16	8
Stoughton	49	41	3	3	2	15	7	19	8
Stow	3	3	–	–	–	1	1	1	–
Sturbridge	13	12	–	1	–	1	1	6	5
Sudbury	17	12	1	1	3	6	–	5	6
Sunderland	2	2	–	–	–	–	1	–	1
Sutton	19	17	–	–	2	5	–	5	9
Swampscott	60	52	2	4	2	14	6	24	16
Swansea	35	28	4	–	3	7	6	6	16

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1935. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1935. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
TAUNTON	285	233	7	20	25	163	8	53	61
Templeton	44	36	3	2	3	18	5	7	14
Tewksbury	15	14	–	–	1	5	2	3	5
Tisbury	11	9	–	2	–	3	–	3	5
Tolland	2	–	–	1	1	–	–	1	1
Topsfield	6	5	–	1	–	1	1	1	3
Townsend	17	16	–	1	–	1	1	5	10
Truro	3	3	–	–	–	1	–	–	2
Tyngsborough	33	26	–	3	4	–	2	2	29
Tyringham	2	1	–	–	1	1	–	–	1
Upton	10	9	–	1	–	4	1	5	–
Uxbridge	55	48	–	3	4	16	4	19	16
Wakefield	100	66	9	9	16	33	13	36	18
Wales	4	4	–	–	–	–	–	–	4
Walpole	42	33	1	4	4	14	4	15	9
WALTHAM	265	172	31	32	30	150	16	81	18
Ware	59	48	4	3	4	33	1	15	10
Wareham	53	40	3	2	8	27	5	7	14
Warren	33	29	1	2	1	15	2	14	2
Warwick	1	–	–	–	1	1	–	–	–
Washington	–	–	–	–	–	–	–	–	–
Watertown	192	131	18	18	25	54	8	75	55
Wayland	15	13	–	–	2	9	2	3	1
Webster	180	164	2	3	11	69	18	60	33
Wellesley	62	43	6	7	6	18	3	27	14
Wellfleet	9	9	–	–	–	1	3	–	5
Wendell	1	1	–	–	–	–	–	1	–
Wenham	2	2	–	–	–	1	–	1	–
West Boylston	12	9	–	2	1	1	2	4	5
West Bridgewater	7	6	–	–	1	3	–	3	1
West Brookfield	3	2	–	–	1	2	–	1	–
West Newbury	8	6	–	–	2	2	1	4	1
West Springfield	78	68	2	3	5	28	11	28	11
West Stockbridge	7	6	–	–	1	1	1	2	3
West Tisbury	4	3	–	1	–	1	1	–	2
Westborough	36	32	1	1	2	18	1	13	4
WESTFIELD	117	102	4	3	8	55	3	39	20
Westford	29	22	5	1	1	14	3	11	1
Westhampton	1	1	–	–	–	–	–	–	1
Westminster	8	7	1	–	–	3	–	1	4
Weston	14	11	1	2	–	1	3	9	1
Westport	23	19	1	1	2	6	2	3	12
Westwood	17	16	–	–	1	5	2	7	3
Weymouth	128	96	4	15	13	51	10	37	30
Whately	1	1	–	–	–	–	1	–	–
Whitman	77	71	2	1	3	19	9	23	26
Wilbraham	6	5	–	–	1	4	–	1	1
Williamsburg	17	16	–	1	–	4	2	10	1
Williamstown	26	20	–	3	3	7	1	10	8
Wilmington	38	33	–	2	3	10	5	10	13
Winchendon	56	37	7	3	9	21	2	22	11
Winchester	92	69	5	9	9	15	4	50	23
Windsor	2	–	–	–	2	–	–	–	2
Winthrop	73	57	2	5	9	36	4	23	10
WOBURN	124	99	5	10	10	58	11	38	17
WORCESTER	1,317	1,024	70	82	141	946	45	230	96
Worthington	3	3	–	–	–	1	–	1	1
Wrentham	36	30	1	3	2	4	1	6	25
Yarmouth	12	10	–	1	1	1	3	1	7

[1] Cities are printed in small capitals.

Table 42

Age at Marriage	Marriages, by Sex, Age, and Marital Condition: 1935. Both sexes.	Males. Total	Males. Single.	Males. Widowed.	Males. Divorced.	Females. Total.	Females. Single.	Females. Widowed.	Females. Divorced.
The State									
13 Years and Over.	**60,038**	**30,019**	**27,049**	**1,787**	**1,183**	**30,019**	**27,419**	**1,198**	**1,402**
Under 20 years	5,741	826	826	–	–	4,915	4,910	–	5
20 to 29 years	39,984	20,193	19,854	104	235	19,791	19,131	132	528
30 to 39 years	10,002	6,318	5,387	399	532	3,684	2,827	314	543
40 to 49 years	2,643	1,580	800	490	290	1,063	424	381	258
50 to 59 years	1,088	670	139	435	96	418	107	258	53
60 to 69 years	474	345	36	282	27	129	19	96	14
70 to 79 years	98	79	5	71	3	19	1	17	1
80 years and over	8	8	2	6	–	–	–	–	–

Line No.	Table 43 — Months	Marriages, by Months in Counties — The State: Total number.	The State: Average daily number.	Counties: Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.
1	**The Year**	**30,019**	**82**	**264**	**664**	**3,044**	**45**	**3,199**	**325**	**2,066**	**440**	**6,306**
2	January	1,414	46	11	24	165	–	147	18	89	22	298
3	February	1,624	58	10	19	161	3	152	12	101	27	354
4	March	1,369	44	15	23	147	1	137	18	82	20	265
5	April	2,123	71	12	49	224	2	224	15	135	24	485
6	May	1,996	64	16	47	241	1	221	29	158	27	388
7	June	4,919	164	29	124	462	3	574	40	321	78	1,109
8	July	2,349	76	37	56	240	2	232	26	132	36	472
9	August	2,862	92	30	73	279	6	319	29	194	56	580
10	September	3,315	111	39	72	329	10	333	40	237	39	703
11	October	3,216	104	33	78	303	7	361	50	253	49	684
12	November	3,213	107	21	76	385	7	345	34	272	48	606
13	December	1,619	52	11	23	144	3	154	14	92	14	362

Line No.	Table 44 — Counties and Sex.	Marriages in Each County: All ages.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
	The State.									
1	**Grooms**	**30,019**	–	–	–	**3**	**51**	**232**	**540**	**10,306**
2	**Brides**	**30,019**	**1**	**8**	**66**	**346**	**702**	**1,679**	**2,113**	**12,550**
	Barnstable:									
3	Grooms	264	–	–	–	–	1	4	6	98
4	Brides	264	–	2	–	5	9	16	17	116
	Berkshire:									
5	Grooms	664	–	–	–	–	2	4	10	219
6	Brides	664	–	–	1	8	21	35	48	267
	Bristol:									
7	Grooms	3,044	–	–	–	–	7	32	50	1,295
8	Brides	3,044	–	–	10	59	96	217	252	1,383
	Dukes:									
9	Grooms	45	–	–	–	–	1	1	–	16
10	Brides	45	–	–	–	1	–	2	2	16
	Essex:									
11	Grooms	3,199	–	–	–	–	10	30	68	1,140
12	Brides	3,199	–	1	12	43	80	164	238	1,359
	Franklin:									
13	Grooms	325	–	–	–	–	–	2	10	118
14	Brides	325	–	–	2	5	16	26	32	134
	Hampden:									
15	Grooms	2,066	–	–	–	–	8	14	29	709
16	Brides	2,066	–	–	2	25	55	122	146	838
	Hampshire									
17	Grooms	440	–	–	–	–	–	1	5	166
18	Brides	440	–	–	–	5	15	28	39	171
	Middlesex									
19	Grooms	6,306	–	–	–	2	4	47	111	2,021
20	Brides	6,306	1	–	15	57	113	317	407	2,530
	Nantucket:									
21	Grooms	25	–	–	–	–	–	1	–	7
22	Brides	25	–	–	1	–	2	1	1	8
	Norfolk:									
23	Grooms	2,203	–	–	–	–	3	13	30	632
24	Brides	2,203	–	–	2	12	34	98	130	904
	Plymouth:									
25	Grooms	1,183	–	–	–	–	2	7	25	426
26	Brides	1,183	–	–	3	22	42	67	85	498
	Suffolk:									
27	Grooms	6,799	–	–	–	1	8	48	117	2,086
28	Brides	6,799	–	–	13	60	122	326	411	2,845
	Worcester:									
29	Grooms	3,456	–	–	–	–	5	28	79	1,373
30	Brides	3,456	–	5	5	44	97	260	305	1,481

AND IN CITIES HAVING OVER 100,000 INHABITANTS: 1935.

Line No.	Counties — Con.					Cities having over 100,000 inhabitants.								
	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.	Boston.	Worcester.	Springfield.	Cambridge.	Fall River.	New Bedford.	Lynn.	Somerville.	Lowell.
1	**25**	**2,203**	**1,183**	**6,799**	**3,456**	**6,114**	**1,317**	**986**	**886**	**944**	**814**	**703**	**580**	**748**
2	–	89	57	379	115	334	49	47	50	60	38	35	27	30
3	–	130	59	442	154	399	66	48	56	55	45	42	34	39
4	5	111	50	344	151	310	63	37	40	42	44	39	39	25
5	1	141	100	487	224	440	80	66	68	67	64	54	51	59
6	2	137	87	379	263	339	84	62	51	82	58	48	25	58
7	1	377	168	1,098	571	997	227	149	160	151	98	117	97	124
8	3	182	93	534	304	484	117	63	65	71	70	53	37	53
9	3	223	132	600	338	531	131	98	75	72	82	64	52	79
10	4	249	125	772	363	693	150	117	92	98	107	72	61	70
11	4	225	114	664	391	599	145	116	103	82	83	75	56	75
12	1	214	124	667	413	595	146	133	83	121	96	63	61	98
13	1	125	74	433	169	393	59	50	43	43	29	41	40	38

Line No.	BY SEX AND AGE: 1935.											
	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 yrs. and over.
1	**9,887**	**4,348**	**1,970**	**970**	**610**	**372**	**298**	**211**	**134**	**58**	**21**	**8**
2	**7,241**	**2,598**	**1,086**	**657**	**406**	**246**	**172**	**91**	**38**	**14**	**5**	**–**
3	75	30	18	7	4	4	6	5	4	2	–	–
4	52	10	11	15	2	3	3	1	2	–	–	–
5	221	89	45	22	20	10	7	7	3	3	2	–
6	151	68	20	18	6	11	4	2	2	2	–	–
7	919	344	156	77	48	36	38	23	12	7	–	–
8	573	199	86	63	44	29	19	7	4	3	–	–
9	15	6	2	1	–	1	1	1	–	–	–	–
10	14	4	4	2	–	–	–	–	–	–	–	–
11	1,036	443	193	99	60	36	36	26	13	5	3	1
12	758	253	119	63	46	29	16	13	5	–	–	–
13	109	36	21	9	6	4	5	2	2	–	–	1
14	65	19	7	10	1	4	1	2	–	1	–	–
15	742	274	115	64	37	28	19	13	7	7	–	–
16	527	156	75	48	30	20	10	7	4	1	–	–
17	140	61	27	10	10	5	4	2	6	2	–	1
18	98	40	12	7	12	3	5	2	2	1	–	–
19	2,137	1,014	430	187	137	71	58	45	24	11	6	1
20	1,698	606	233	137	81	42	40	18	10	–	1	–
21	9	3	2	–	1	1	–	1	–	–	–	–
22	7	3	–	1	–	–	–	1	–	–	–	–
23	812	351	161	77	48	35	14	13	7	6	1	–
24	607	210	94	59	17	16	13	2	3	2	–	–
25	389	153	63	53	22	16	10	6	7	2	1	1
26	260	91	51	24	16	11	7	6	–	–	–	–
27	2,204	1,107	561	261	158	86	77	42	29	9	4	1
28	1,705	674	268	153	104	57	38	17	3	2	1	–
29	1,079	437	176	103	59	39	23	25	20	4	4	2
30	726	265	106	57	47	21	16	13	3	2	3	–

Table 45

MARRIAGES, BY SEX AND AGE: 1935.

Age of Grooms.	Age of brides. All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**30,019**	**4,915**	**12,550**	**7,241**	**2,598**	**1,086**	**657**	**406**	**246**	**172**	**91**	**38**	**14**	**5**	–
Under 20	826	595	219	11	1	–	–	–	–	–	–	–	–	–	–
20 to 24	10,306	3,214	6,072	941	68	10	1	–	–	–	–	–	–	–	–
25 to 29	9,887	902	4,758	3,618	527	68	10	3	1	–	–	–	–	–	–
30 to 34	4,348	143	1,117	1,803	1,008	214	51	10	2	–	–	–	–	–	–
35 to 39	1,970	41	284	610	596	319	96	20	4	–	–	–	–	–	–
40 to 44	970	12	72	166	237	210	202	56	9	5	1	–	–	–	–
45 to 49	610	2	22	58	100	149	117	108	34	17	2	–	1	–	–
50 to 54	372	3	3	21	30	71	88	75	61	16	3	1	–	–	–
55 to 59	298	1	1	9	18	29	51	71	59	43	11	5	–	–	–
60 to 64	211	1	1	2	8	12	20	31	44	47	35	8	2	–	–
65 to 69	134	1	1	–	3	3	17	24	20	27	25	9	3	1	–
70 to 74	58	–	–	2	–	–	4	5	8	12	11	9	5	2	–
75 to 79	21	–	–	–	1	1	–	3	4	5	1	5	1	–	–
80 and over	8	–	–	–	1	–	–	–	–	–	2	1	2	2	–

Table 46

FIRST MARRIAGES, BY SEX AND AGE: 1935.

Age of Grooms (Bachelors).	Age of brides (maids). All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**25,769**	**4,821**	**12,003**	**6,326**	**1,850**	**499**	**182**	**49**	**19**	**14**	**4**	**1**	**1**	–	–
Under 20	821	595	216	10	–	–	–	–	–	–	–	–	–	–	–
20 to 24	10,113	3,202	5,985	871	48	6	1	–	–	–	–	–	–	–	–
25 to 29	9,256	866	4,567	3,357	420	41	4	1	–	–	–	–	–	–	–
30 to 34	3,609	121	975	1,553	798	139	18	4	1	–	–	–	–	–	–
35 to 39	1,289	26	208	422	420	173	35	3	2	–	–	–	–	–	–
40 to 44	410	9	40	78	112	83	71	14	2	1	–	–	–	–	–
45 to 49	161	2	10	22	35	44	28	16	1	2	–	–	1	–	–
50 to 54	56	–	1	10	9	9	13	8	6	–	–	–	–	–	–
55 to 59	30	–	1	2	7	2	6	2	4	5	1	–	–	–	–
60 to 64	18	–	–	–	1	2	4	1	2	6	2	–	–	–	–
65 to 69	3	–	–	–	–	–	2	–	–	–	1	–	–	–	–
70 to 74	3	–	–	1	–	–	–	–	1	–	–	1	–	–	–
75 to 79	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
80 and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 47

FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1935.

Age of Grooms (Bachelors).	Age of brides (widows).[1] All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**1,280**	**5**	**140**	**366**	**303**	**198**	**132**	**75**	**27**	**22**	**7**	**3**	**1**	**1**	–
Under 20	5	–	3	1	1	–	–	–	–	–	–	–	–	–	–
20 to 24	150	4	58	65	19	4	–	–	–	–	–	–	–	–	–
25 to 29	335	1	54	164	84	24	5	2	1	–	–	–	–	–	–
30 to 34	296	–	19	84	114	52	22	4	1	–	–	–	–	–	–
35 to 39	193	–	2	37	50	61	32	9	2	–	–	–	–	–	–
40 to 44	139	–	3	12	21	36	43	16	5	3	–	–	–	–	–
45 to 49	90	–	1	1	11	15	19	28	8	5	2	–	–	–	–
50 to 54	35	–	–	1	2	5	7	10	6	4	–	–	–	–	–
55 to 59	18	–	–	1	1	1	2	5	1	5	1	1	–	–	–
60 to 64	12	–	–	–	–	–	1	–	3	5	2	1	–	–	–
65 to 69	3	–	–	–	–	–	1	1	–	–	1	–	–	–	–
70 to 74	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
75 to 79	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
80 and over	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–

[1] Includes divorced.

Table 48

REMARRIAGES OF GROOMS AND FIRST MARRIAGES OF BRIDES, BY AGE: 1935.

Age of Grooms (Widowers).[1]	Age of brides (maids). All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**1,650**	**89**	**382**	**420**	**290**	**187**	**128**	**66**	**51**	**23**	**11**	**3**	–	–	–
Under 20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	35	8	23	3	1	–	–	–	–	–	–	–	–	–	–
25 to 29	261	35	131	76	19	–	–	–	–	–	–	–	–	–	–
30 to 34	344	22	115	133	62	9	3	–	–	–	–	–	–	–	–
35 to 39	336	15	70	115	81	43	11	1	–	–	–	–	–	–	–
40 to 44	234	3	28	55	68	40	33	6	1	–	–	–	–	–	–
45 to 49	151	–	11	23	34	44	21	11	7	–	–	–	–	–	–
50 to 54	106	3	2	8	12	31	26	11	8	4	1	–	–	–	–
55 to 59	73	1	–	4	6	12	17	13	16	4	–	–	–	–	–
60 to 64	56	1	1	2	4	6	9	12	10	8	3	–	–	–	–
65 to 69	35	1	1	–	2	1	7	9	3	5	4	2	–	–	–
70 to 74	11	–	–	1	–	–	1	2	3	1	2	1	–	–	–
75 to 79	7	–	–	–	1	1	–	1	3	1	–	–	–	–	–
80 and over	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–

[1] Includes divorced.

Table 49

REMARRIAGES OF BOTH PARTIES, BY AGE: 1935.

Age of Grooms (Widowers).[1]	Age of brides (widows).[1] All Ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	**1,320**	–	**25**	**129**	**155**	**202**	**215**	**216**	**149**	**113**	**69**	**31**	**12**	**4**	–
Under 20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	8	–	6	2	–	–	–	–	–	–	–	–	–	–	–
25 to 29	35	–	6	21	4	3	1	–	–	–	–	–	–	–	–
30 to 34	99	–	8	33	34	14	8	2	–	–	–	–	–	–	–
35 to 39	152	–	4	36	45	42	18	7	–	–	–	–	–	–	–
40 to 44	187	–	1	21	36	51	55	20	1	1	1	–	–	–	–
45 to 49	208	–	–	12	20	46	49	53	18	10	–	–	–	–	–
50 to 54	175	–	–	2	7	26	42	46	41	8	2	1	–	–	–
55 to 59	177	–	–	2	4	14	26	51	38	29	9	4	–	–	–
60 to 64	125	–	–	–	3	4	6	18	29	28	28	7	2	–	–
65 to 69	93	–	–	–	1	2	7	14	17	22	19	7	3	1	–
70 to 74	43	–	–	–	–	–	3	3	4	11	8	7	5	2	–
75 to 79	13	–	–	–	–	–	–	2	1	4	1	4	1	–	–
80 and over	5	–	–	–	1	–	–	–	–	–	1	1	1	1	–

[1] Includes divorced

Table 50

FIRST MARRIAGES AND REMARRIAGES: 1935.

Grooms.	Brides: Total number of marriages	First marriage	Second marriage	Third marriage	Fourth marriage	Fifth marriage
Total Number	**30,019**	**27,419**	**2,445**	**150**	**5**	–
First marriage	27,049	25,769	1,229	50	1	–
Second marriage	2,767	1,584	1,105	75	3	–
Third marriage	191	61	105	24	1	–
Fourth marriage	12	5	6	1	–	–
Fifth marriage	–	–	–	–	–	–

Table 51

MARRIAGES, MARRIAGE RATES, AND NATIVITY OF PERSONS MARRIED: 1911 TO 1935.

Years.	Total Number.	Rates — persons married per 1,000 population.		Nativity — percentages.			
		Annual.	Five-year averages.	Bride and groom — both —		Native groom and foreign bride.	Foreign groom and native bride.
				Native.	Foreign.		
1911	32,051	18.6		44.5	35.1	9.8	10.6
1912	30,898	17.6		43.5	36.2	9.6	10.6
1913	31,403	17.6	17.7	43.4	36.4	9.6	10.6
1914	32,588	17.9		44.4	36.4	9.2	10.0
1915	31,301	17.0		45.3	35.0	9.1	10.6
1916	34,386	18.2		47.0	33.3	9.3	10.3
1917	37,945	19.8		50.8	28.6	9.8	10.8
1918	29,163	14.9	18.1	52.3	26.6	9.8	11.3
1919	34,329	17.9		54.8	23.9	9.9	11.6
1920	38,048	19.7		56.8	21.7	9.8	11.7
1921	33,590	17.3		55.5	24.0	9.1	11.4
1922	32,683	16.6		57.3	21.5	9.3	11.9
1923	35,200	17.7	16.5	57.2	20.7	9.8	12.3
1924	32,080	16.0		57.4	20.0	9.6	13.0
1925	31,238	15.1		58.0	19.0	9.7	13.3
1926	30,584	14.5		59.2	17.6	9.8	13.4
1927	30,408	14.2		60.7	16.6	9.2	13.5
1928	29,082	13.4	13.8	62.3	14.7	9.2	13.8
1929	30,568	14.0		63.3	13.9	9.6	13.2
1930	27,431	12.9		65.4	12.6	9.0	13.0
1931	26,296	12.3		67.2	11.3	9.0	12.5
1932	22,817	10.6		68.8	10.1	8.6	12.5
1933	25,949	12.0	12.5	71.4	8.5	8.1	12.0
1934	30,241	13.9		74.0	7.3	7.7	11.0
1935	30,019	13.8		75.4	6.1	8.3	10.2

Table 52

PROPORTIONS OF FIRST MARRIAGES AND REMARRIAGES PER 1,000 MARRIAGES: 1911 TO 1935.

Years.	Males.		Females.		Bachelors who married —		Widowers[1] who married —	
	Bachelors.	Widowers.[1]	Maids.	Widows.[1]	Maids.	Widows.[1]	Maids.	Widows.[1]
1911	89.0	11.0	90.5	9.5	84.0	5.0	6.5	4.5
1912	89.7	10.3	91.8	8.2	85.4	4.2	6.4	4.0
1913	89.5	10.5	91.7	8.3	85.4	4.1	6.3	4.2
1914	89.6	10.4	91.7	8.3	85.3	4.2	6.4	4.1
1915	89.6	10.4	91.7	8.3	85.3	4.2	6.4	4.1
1916	89.8	10.2	91.3	8.7	85.3	4.6	6.1	4.1
1917	89.8	10.2	90.9	9.1	84.9	4.9	6.0	4.2
1918	86.7	13.3	88.0	12.0	80.6	6.1	7.4	5.9
1919	85.9	14.1	88.0	12.0	80.2	5.7	7.9	6.2
1920	86.1	13.9	88.0	12.0	80.3	5.9	7.7	6.1
1921	85.2	14.8	87.3	12.7	79.2	6.0	8.1	6.7
1922	86.4	13.6	88.0	12.0	80.5	5.9	7.5	6.1
1923	86.9	13.1	88.4	11.6	81.2	5.7	7.2	5.9
1924	86.9	13.1	88.3	11.7	81.3	5.6	7.1	6.0
1925	87.4	12.6	88.8	11.2	82.1	5.4	6.7	5.8
1926	87.5	12.5	89.0	11.0	82.3	5.2	6.8	5.7
1927	87.6	12.4	89.1	10.9	82.5	5.1	6.6	5.8
1928	87.9	12.1	89.2	10.8	83.0	5.0	6.2	5.8
1929	87.8	12.2	89.8	10.2	83.2	4.5	6.6	5.7
1930	87.8	12.2	89.7	10.3	83.3	4.6	6.4	5.7
1931	87.6	12.4	89.5	10.5	82.7	4.8	6.8	5.7
1932	87.8	12.2	89.7	10.3	83.0	4.8	6.8	5.4
1933	88.6	11.4	90.7	9.3	84.3	4.3	6.4	5.0
1934	89.7	10.3	91.7	8.3	85.7	4.0	6.0	4.3
1935	90.1	9.9	91.3	8.7	85.8	4.3	5.5	4.4

[1] Includes divorced.

Table 53

MARRIAGES AND MARRIAGE RATES IN THE STATE AND IN CITIES HAVING OVER 100,000 INHABITANTS IN 1935: 1911 TO 1935.

Years.	The State.	Cities having over 100,000 inhabitants in 1935.								
		Boston.	Worcester.	Springfield.	Cambridge.	Fall River.	New Bedford.	Lynn.	Somerville.	Lowell
1911 . .	32,051	8,110	1,457	986	1,230	1,193	955	983	–	983
1912 . .	30,898	7,896	1,404	732	1,146	1,056	997	966	–	1,003
1913 . .	31,403	8,130	1,495	887	1,126	1,166	1,023	959	–	1,016
1914 . .	32,588	8,522	1,411	871	1,141	1,229	1,017	856	–	1,058
1915 . .	31,301	8,141	1,408	828	1,121	1,118	1,035	832	–	986
1916 . .	34,386	8,552	1,687	1,062	1,163	1,207	1,166	1,043	–	1,113
1917 . .	37,945	9,191	1,836	1,265	1,297	1,451	1,280	1,044	–	1,243
1918 . .	29,163	7,396	1,325	1,081	973	1,102	1,091	837	–	1,111
1919 . .	34,329	8,122	1,569	1,257	1,296	1,248	1,206	1,036	–	1,132
1920 . .	38,048	8,545	1,811	1,403	1,372	1,565	1,238	1,092	–	1,271
1921 . .	33,590	8,241	1,466	1,136	1,221	1,211	996	954	–	1,051
1922 . .	32,683	7,816	1,414	1,104	1,350	1,176	895	897	–	1,070
1923 . .	35,200	8,243	1,505	1,181	1,340	1,255	1,004	1,001	–	1,164
1924 . .	32,080	7,688	1,375	1,148	1,114	978	880	894	–	1,093
1925 . .	31,238	7,263	1,420	1,080	1,015	1,052	1,028	808	–	843
1926 . .	30,584	7,151	1,287	1,024	1,062	1,027	912	879	–	795
1927 . .	30,408	6,944	1,240	904	963	1,106	842	848	–	771
1928 . .	29,082	6,691	1,195	1,012	986	848	659	827	–	737
1929 . .	30,568	6,828	1,378	1,044	1,039	925	860	878	–	767
1930 . .	27,431	6,238	1,122	983	1,008	831	698	747	666	648
1931 . .	26,296	5,863	1,027	787	948	937	660	606	638	625
1932 . .	22,817	5,193	840	659	769	769	528	558	492	582
1933 . .	25,949	5,366	989	769	823	961	740	638	539	678
1934 . .	30,241	6,288	1,318	991	958	1,085	912	729	621	739
1935 . .	30,019	6,114	1,317	986	886	944	814	703	580	748
	MARRIAGE RATES — PERSONS MARRIED PER 1,000 POPULATION, CENSUS YEARS 1910 TO 1935.									
1910 . .	18.2	22.1	19.1	20.3	20.8	22.6	18.8	19.9	–	17.8
1915 . .	17.0	21.8	17.3	16.1	18.0	20.4	19.2	17.4	–	18.1
1920 . .	19.8	22.8	20.1	21.7	22.8	25.8	21.9	22.0	–	23.2
1925 . .	15.1	18.6	14.9	15.2	17.0	16.3	17.2	15.7	–	15.3
1930 . .	12.9	16.0	11.5	13.1	17.7	14.4	12.4	14.6	12.8	12.9
1935 . .	13.8	15.0	13.8	13.2	15.0	16.1	14.8	13.9	11.5	14.9

PART II. C.
DIVORCE STATISTICS

	PAGE
Introduction	204, 205
Causes for divorce	204
Source of data	204
Applications for divorce	204
Contested cases	204
Number of divorces	204
Divorce rates	204, 205
Party to which granted	205
Divorces classified by causes	205
Annulment classified as divorce	205
Duration of marriages	205
Statistical tables	206–224

INTRODUCTION.

Causes for Divorce. — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of chapter 208, Sections 1 and 2 of the General Laws, are as follows: —

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data. — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

In Massachusetts there is no central record office for divorces, the statistics only being returned as stated above. The records remain with the clerks or registers.

Previous to 1922 the superior court only had jurisdiction in such matters. Under the provisions of General Laws, Tercentenary Edition, Chapter 208, the probate court now has concurrent jurisdiction with the superior court to hear libels for divorce and to determine the same in a similar manner.

Applications for Divorce. — The courts granted over 4 petitions out of every 5 filed. This proportion fluctuated considerably during the twenty-five years from 1911 to 1935, the highest proportion of applications being granted in 1924 (89.5 per cent), and the lowest proportion in 1929 (71.1 per cent). During this entire period 83.1 per cent of all applications were granted, .6 per cent were refused, and 16.3 per cent were dismissed.

Contested Cases. — Of the total number of applications for divorces during the twenty-five years from 1911 to 1935, only 18.7 per cent were contested. In 1935 of the 4,727 applications for divorce, only 1,317, or 27.9 per cent, were contested, and of the 4,081 divorces granted, 962, or 23.6 per cent, were contested. The proportion of contested cases is larger for divorces granted to the wife (24.2 per cent) than for those granted to the husband (20.9 per cent).

Number of Divorces. — Divorces granted in 1935 numbered 4,081, an increase of 436, or 10.7 per cent more than the number granted in 1934, and 527 more than the average number granted for the five-year period 1930 to 1934.

Divorce Rates. — The number of divorces granted per 100,000 population was 93.8, as compared with 84.0 in 1934, 74.3 in 1933, 82.5 in 1932, and 84.8 in 1931.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 58, page 221, for the census

years 1905 to 1930. In this table the number of divorces shown for the census years 1905 to 1930 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce and makes the figures more typical of the period as a whole.

Party to Which Granted. — Over two-thirds (73.1 per cent) of the total number of divorces in the period 1911 to 1935 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. It may be that husbands more often than wives give occasion for divorce but the difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has more legal grounds for divorce than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, neglect to provide, a common legal cause for divorce on the part of the wife and cruelty, in so far as it is physical cruelty, are not ordinarily available grounds for a husband, although men are sometimes granted divorces on the ground of cruelty.

Moreover, where each party desires divorce, it is more likely that the wife, more often than the husband will make the application, since a cause for which the wife would be granted a divorce might reflect less favorably upon the parties than would a cause for which the husband might be granted a divorce.

The proportion of divorces granted to the wife fluctuated between 69.3 per cent in 1913, and 75.3 in 1931, as compared with 73.1 per cent for the entire period of 1911 to 1935.

Divorces Classified by Causes. — The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have nearly doubled in the twenty-five-year period 1911 to 1935, while the number of divorces granted for adultery has decreased slightly.

The most common ground on which divorce was granted by the courts was desertion, which accounted for 45.7 per cent of all the divorces granted in the period 1911 to 1935, for 38.8 per cent of all those granted to the husband in this period, and for 61.2 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-five-year period 1911 to 1935, are shown in Table 60, page 222.

Annulled Cases. — Among the less important classes of cases appears the term "Annulments." In 861 cases, or 1.1 per cent of the total number of divorces granted during the period 1911 to 1935, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

Duration of Marriages. — The average number of years libellants were married at the time of application for divorce has fluctuated between 10.6 years in 1935 and 11.2 years in 1909. The average number of years the libellants were married in 1935 was 10.6.

Of the total libellants in Massachusetts for whom the number of years married was reported in 1935, 55.5 per cent made application for divorce before they had been married ten years, as compared with 55.9 in 1934, 57.2 in 1933, 55.5 in 1932, 56.4 in 1931, and 55.1 for the twenty-five-year period 1911 to 1935.

Table 54

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1935

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
The State.	**4,727**[1]	**1,637**	**2,605**	**173**	**145**	**141**	**7**	**19**	**94**
Husband	1,243	650	453	113	20	–	5	2	42
Wife	3,484	987	2,152	60	125	141	2	17	52
Granted	4,081	1,527	2,149	133	122	126	5	19	70
Husband	955	580	273	82	14	–	4	2	26
Wife	3,126	947	1,876	51	108	126	1	17	44
Refused	3	1	2	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	1	1	–	–	–	–	–	–
Dismissed	643	109	454	40	23	15	2	–	24
Husband	287	70	179	31	6	–	1	–	16
Wife	356	39	275	9	17	15	1	–	8
Contested	1,317	242	953	65	34	20	1	2	18
Husband	401	126	217	49	7	–	1	1	9
Wife	916	116	736	16	27	20	–	1	9
Not contested	3,410	1,395	1,652	108	111	121	6	17	76
Husband	842	524	236	64	13	–	4	1	33
Wife	2,568	871	1,416	44	98	121	2	16	43
DURATION OF MARRIAGE.									
Less than 6 months	52	1	47	–	–	3	1	–	23
Husband	8	–	7	–	–	–	1	–	13
Wife	44	1	40	–	–	3	–	–	10
6 to 11 months	81	1	74	4	–	2	–	–	10
Husband	21	1	18	2	–	–	–	–	2
Wife	60	–	56	2	–	2	–	–	8
1 to 4 years	1,054	188	743	43	23	53	1	3	35
Husband	247	72	136	35	4	–	–	–	17
Wife	807	116	607	8	19	53	1	3	18
5 to 9 years	1,436	521	772	57	40	35	2	9	15
Husband	386	226	121	32	4	–	2	1	3
Wife	1,050	295	651	25	36	35	–	8	12
10 to 19 years	1,517	656	712	56	52	34	2	5	10
Husband	426	255	125	37	8	–	1	–	6
Wife	1,091	401	587	19	44	34	1	5	4
20 to 29 years	478	203	225	9	27	11	1	2	–
Husband	119	72	37	4	4	–	1	1	–
Wife	359	131	188	5	23	11	–	1	–
30 years and over	108	67	32	3	3	3	–	–	–
Husband	35	24	9	2	–	–	–	–	–
Wife	73	43	23	1	3	3	–	–	–
Unknown	1	–	–	1	–	–	–	–	1
Husband	1	–	–	1	–	–	–	–	1
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.6	12.8	9.2	9.6	12.7	8.6	10.8	10.1	3.6

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	13,515
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	1,831
Number of libels for divorce filed during the year 1935	5,367
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	4,198
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	3,953
Number of cases finally determined in 1935	4,730
Number of petitions for annulment in 1935	94

[1] Sixty-seven libels were received from the Superior Court; four thousand, six hundred and sixty-three from the Probate Court. Two libels transferred. One libel removed.

Table 54a

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1935.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Barnstable County.	49[1]	17	28	2	1	1	–	–	–
Husband	18	8	7	2	1	–	–	–	–
Wife	31	9	21	–	–	1	–	–	–
Granted	44	17	24	2	–	1	–	–	–
Husband	15	8	5	2	–	–	–	–	–
Wife	29	9	19	–	–	1	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	5	–	4	–	1	–	–	–	–
Husband	3	–	2	–	1	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Contested	20	5	14	1	–	–	–	–	–
Husband	7	4	2	1	–	–	–	–	–
Wife	13	1	12	–	–	–	–	–	–
Not contested	29	12	14	1	1	1	–	–	–
Husband	11	4	5	1	1	–	–	–	–
Wife	18	8	9	–	–	1	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	1	–	1	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	9	1	7	–	1	–	–	–	–
Husband	6	1	4	–	1	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
5 to 9 years	19	6	11	2	–	–	–	–	–
Husband	6	3	1	2	–	–	–	–	–
Wife	13	3	10	–	–	–	–	–	–
10 to 19 years	13	7	5	–	–	1	–	–	–
Husband	3	3	–	–	–	–	–	–	–
Wife	10	4	5	–	–	1	–	–	–
20 to 29 years	3	–	3	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
30 years and over	4	3	1	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	3	2	1	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.3	14.4	9.8	8.1	3.3	10.5	–	–	–

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	145
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	29
Number of libels for divorce filed during the year 1935	66
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	60
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	44
Number of cases finally determined in 1935	49
Number of petitions for annulment in 1935	–

[1] No libels were received from the Superior Court; forty-nine from the Probate Court.

Table 54b

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1935.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Berkshire County.	172[1]	56	95	2	2	17	–	–	7
Husband	52	30	21	1	–	–	–	–	1
Wife	120	26	74	1	2	17	–	–	6
Granted	157	53	83	2	2	17	–	–	7
Husband	43	27	15	1	–	–	–	–	1
Wife	114	26	68	1	2	17	–	–	6
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	15	3	12	–	–	–	–	–	–
Husband	9	3	6	–	–	–	–	–	–
Wife	6	–	6	–	–	–	–	–	–
Contested	14	5	8	–	–	1	–	–	1
Husband	7	4	3	–	–	–	–	–	1
Wife	7	1	5	–	–	1	–	–	–
Not contested	158	51	87	2	2	16	–	–	6
Husband	45	26	18	1	–	–	–	–	–
Wife	113	25	69	1	2	16	–	–	6
DURATION OF MARRIAGE.									
Less than 6 months	4	–	3	–	–	1	–	–	2
Husband	–	–	–	–	–	–	–	–	1
Wife	4	–	3	–	–	1	–	–	1
6 to 11 months	3	–	3	–	–	–	–	–	2
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	2
1 to 4 years	48	9	27	1	1	10	–	–	1
Husband	16	4	11	1	–	–	–	–	–
Wife	32	5	16	–	1	10	–	–	1
5 to 9 years	46	16	28	–	–	2	–	–	2
Husband	12	8	4	–	–	–	–	–	–
Wife	34	8	24	–	–	2	–	–	2
10 to 19 years	51	19	29	–	1	2	–	–	–
Husband	18	13	5	–	–	–	–	–	–
Wife	33	6	24	–	1	2	–	–	–
20 to 29 years	16	9	4	1	–	2	–	–	–
Husband	4	4	–	–	–	–	–	–	–
Wife	12	5	4	1	–	2	–	–	–
30 years and over	4	3	1	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	3	2	1	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.0	13.0	8.6	15.3	10.7	6.9	–	–	2.2

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	326
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	70
Number of libels for divorce filed during the year 1935	206
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	150
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	158
Number of cases finally determined in 1935	173
Number of petitions for annulment in 1935	7

[1] No libels were received from the Superior Court; one hundred and seventy-three from the Probate Court. One libel transferred.

Table 54c

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1935.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Bristol County.	357[1]	123	157	19	14	40	2	2	–
Husband	93	52	26	12	1	–	2	–	–
Wife	264	71	131	7	13	40	–	2	–
Granted	312	120	122	15	13	38	2	2	–
Husband	71	50	11	8	–	–	2	–	–
Wife	241	70	111	7	13	38	–	2	–
Refused	2	–	2	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Dismissed	43	3	33	4	1	2	–	–	–
Husband	21	2	14	4	1	–	–	–	–
Wife	22	1	19	–	–	2	–	–	–
Contested	30	3	19	5	1	2	–	–	–
Husband	18	3	10	5	–	–	–	–	–
Wife	12	–	9	–	1	2	–	–	–
Not contested	327	120	138	14	13	38	2	2	–
Husband	75	49	16	7	1	–	2	–	–
Wife	252	71	122	7	12	38	–	2	–
DURATION OF MARRIAGE.									
Less than 6 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
6 to 11 months	5	–	4	–	–	1	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	5	–	4	–	–	1	–	–	–
1 to 4 years	71	10	42	3	–	16	–	–	–
Husband	8	1	4	3	–	–	–	–	–
Wife	63	9	38	–	–	16	–	–	–
5 to 9 years	108	44	42	9	4	8	1	–	–
Husband	39	23	10	5	–	–	1	–	–
Wife	69	21	32	4	4	8	–	–	–
10 to 19 years	125	56	48	6	4	9	1	1	–
Husband	36	23	8	3	1	–	1	–	–
Wife	89	33	40	3	3	9	–	1	–
20 to 29 years	39	11	18	–	5	4	–	1	–
Husband	9	5	4	–	–	–	–	–	–
Wife	30	6	14	–	5	4	–	1	–
30 years and over	8	2	2	1	1	2	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	7	2	2	–	1	2	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.0	11.8	10.2	10.3	16.7	9.4	10.9	17.5	–

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	847
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	148
Number of libels for divorce filed during the year 1935	384
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	295
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	312
Number of cases finally determined in 1935	357
Number of petitions for annulment in 1935	–

[1] No libels were received from the Superior Court; three hundred and fifty-seven from the Probate Court.

Table 54d

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT ALSO ANNULMENTS: 1935.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Dukes County.	15[1]	5	8	1	1	–	–	–	–
Husband	5	3	1	1	–	–	–	–	–
Wife	10	2	7	–	1	–	–	–	–
Granted	15	5	8	1	1	–	–	–	–
Husband	5	3	1	1	–	–	–	–	–
Wife	10	2	7	–	1	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Contested	1	1	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Not contested	14	4	8	1	1	–	–	–	–
Husband	4	2	1	1	–	–	–	–	–
Wife	10	2	7	–	1	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	3	–	2	–	1	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	3	–	2	–	1	–	–	–	–
5 to 9 years	8	3	4	1	–	–	–	–	–
Husband	4	3	–	1	–	–	–	–	–
Wife	4	–	4	–	–	–	–	–	–
10 to 19 years	4	2	2	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	3	2	1	–	–	–	–	–	–
20 to 29 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	8.2	10.8	7.5	8.3	1.5	–	–	–	–

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	19
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	10
Number of libels for divorce filed during the year 1935	5
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	7
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	15
Number of cases finally determined in 1935	15
Number of petitions for annulment in 1935	–

[1] No libels were received from the Superior Court; fifteen from the Probate Court.

Table 54e

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1935

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Nonsupport.	Impotency.	Imprisonment.	
Essex County.	536[1]	225	255	27	18	7	2	2	–
Husband	127	79	24	20	2	–	2	–	–
Wife	409	146	231	7	16	7	–	2	–
Granted	444	204	198	20	15	4	1	2	–
Husband	92	65	11	13	2	–	1	–	–
Wife	352	139	187	7	13	4	–	2	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	92	21	57	7	3	3	1	–	–
Husband	35	14	13	7	–	–	1	–	–
Wife	57	7	44	–	3	3	–	–	–
Contested	98	24	61	12	–	–	1	–	–
Husband	36	14	11	10	–	–	1	–	–
Wife	62	10	50	2	–	–	–	–	–
Not contested	438	201	194	15	18	7	1	2	–
Husband	91	65	13	10	2	–	1	–	–
Wife	347	136	181	5	16	7	–	2	–
DURATION OF MARRIAGE.									
Less than 6 months	1	–	–	–	–	–	1	–	–
Husband	1	–	–	–	–	–	1	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	3	–	3	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
1 to 4 years	118	20	82	8	4	3	–	1	–
Husband	20	6	7	6	1	–	–	–	–
Wife	98	14	75	2	3	3	–	1	–
5 to 9 years	158	72	74	5	3	2	1	1	–
Husband	36	24	8	3	–	–	1	–	–
Wife	122	48	66	2	3	2	–	1	–
10 to 19 years	188	94	74	10	9	1	–	–	–
Husband	54	36	8	9	1	–	–	–	–
Wife	134	58	66	1	8	1	–	–	–
20 to 29 years	55	28	21	3	2	1	–	–	–
Husband	10	7	1	2	–	–	–	–	–
Wife	45	21	20	1	2	1	–	–	–
30 years and over	13	11	1	1	–	–	–	–	–
Husband	6	6	–	–	–	–	–	–	–
Wife	7	5	1	1	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.7	13.1	8.7	11.3	11.4	7.4	2.6	3.5	–

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	1,497
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	209
Number of libels for divorce filed during the year 1935	569
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	448
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	434
Number of cases finally determined in 1935	536
Number of petitions for annulment in 1935	–

[1] No libels were received from the Superior Court; five hundred and thirty-six from the Probate Court.

Table 54f

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1935.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Franklin County.	46[1]	12	24	6	3	1	–	–	–
Husband	10	5	1	3	1	–	–	–	–
Wife	36	7	23	3	2	1	–	–	–
Granted	38	10	21	4	2	1	–	–	–
Husband	5	3	1	1	–	–	–	–	–
Wife	33	7	20	3	2	1	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	8	2	3	2	1	–	–	–	–
Husband	5	2	–	2	1	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
Contested	4	1	1	2	–	–	–	–	–
Husband	3	1	–	2	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
Not contested	42	11	23	4	3	1	–	–	–
Husband	7	4	1	1	1	–	–	–	–
Wife	35	7	22	3	2	1	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	1	–	1	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	3	–	2	1	–	–	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
1 to 4 years	7	1	5	1	–	–	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	6	1	5	–	–	–	–	–	–
5 to 9 years	15	5	6	2	1	1	–	–	–
Husband	3	2	–	–	1	–	–	–	–
Wife	12	3	6	2	–	1	–	–	–
10 to 19 years	14	4	8	1	1	–	–	–	–
Husband	3	2	–	1	–	–	–	–	–
Wife	11	2	8	–	1	–	–	–	–
20 to 29 years	5	1	2	1	1	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	4	–	2	1	1	–	–	–	–
30 years and over	1	1	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.0	12.3	8.6	9.0	14.2	6.5	–	–	–

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	84
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	12
Number of libels for divorce filed during the year 1935	60
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	41
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	38
Number of cases finally determined in 1935	46
Number of petitions for annulment in 1935	–

[1] No libels were received from the Superior Court; forty-six from the Probate Court.

Table 54g

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1935.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampden County.	348[1]	149	173	10	10	5	–	1	11
Husband	99	64	29	5	1	–	–	–	4
Wife	249	85	144	5	9	5	–	1	7
Granted	315	141	154	9	8	2	–	1	11
Husband	84	60	19	4	1	–	–	–	4
Wife	231	81	135	5	7	2	–	1	7
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	33	8	19	1	2	3	–	–	–
Husband	15	4	10	1	–	–	–	–	–
Wife	18	4	9	–	2	3	–	–	–
Contested	102	25	67	5	3	2	–	–	–
Husband	33	15	15	3	–	–	–	–	–
Wife	69	10	52	2	3	2	–	–	–
Not contested	246	124	106	5	7	3	–	1	11
Husband	66	49	14	2	1	–	–	–	4
Wife	180	75	92	3	6	3	–	1	7
DURATION OF MARRIAGE.									
Less than 6 months	6	1	5	–	–	–	–	–	1
Husband	1	–	1	–	–	–	–	–	–
Wife	5	1	4	–	–	–	–	–	1
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	45	6	33	2	1	3	–	–	8
Husband	9	1	7	1	–	–	–	–	3
Wife	36	5	26	1	1	3	–	–	5
5 to 9 years	104	48	45	5	4	1	–	1	2
Husband	34	22	8	3	1	–	–	–	1
Wife	70	26	37	2	3	1	–	1	1
10 to 19 years	132	66	58	2	5	1	–	–	–
Husband	37	27	9	1	–	–	–	–	–
Wife	95	39	49	1	5	1	–	–	–
20 to 29 years	51	23	27	1	–	–	–	–	–
Husband	13	11	2	–	–	–	–	–	–
Wife	38	12	25	1	–	–	–	–	–
30 years and over	10	5	5	–	–	–	–	–	–
Husband	5	3	2	–	–	–	–	–	–
Wife	5	2	3	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	12.1	13.5	11.5	9.1	10.0	5.0	–	8.0	2.8

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	892
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	175
Number of libels for divorce filed during the year 1935	460
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	329
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	184
Number of cases finally determined in 1935	348
Number of petitions for annulment in 1935	11

[1] Seven libels were received from the Superior Court; three hundred and forty-one from the Probate Court.

Table 54h

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1935

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampshire County.	61[1]	24	24	4	8	1	–	–	1
Husband	15	9	4	2	–	–	–	–	1
Wife	46	15	20	2	8	1	–	–	–
Granted	51	20	19	3	8	1	–	–	1
Husband	11	9	1	1	–	–	–	–	1
Wife	40	11	18	2	8	1	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	10	4	5	1	–	–	–	–	–
Husband	4	–	3	1	–	–	–	–	–
Wife	6	4	2	–	–	–	–	–	–
Contested	27	7	14	3	2	1	–	–	–
Husband	4	2	1	1	–	–	–	–	–
Wife	23	5	13	2	2	1	–	–	–
Not contested	34	17	10	1	6	–	–	–	1
Husband	11	7	3	1	–	–	–	–	1
Wife	23	10	7	–	6	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	1
Husband	–	–	–	–	–	–	–	–	1
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	11	6	4	1	–	–	–	–	–
Husband	4	2	2	–	–	–	–	–	–
Wife	7	4	2	1	–	–	–	–	–
5 to 9 years	26	8	13	1	4	–	–	–	–
Husband	6	5	1	–	–	–	–	–	–
Wife	20	3	12	1	4	–	–	–	–
10 to 19 years	16	4	7	1	3	1	–	–	–
Husband	3	1	1	1	–	–	–	–	–
Wife	13	3	6	–	3	1	–	–	–
20 to 29 years	4	4	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	3	3	–	–	–	–	–	–	–
30 years and over	3	2	–	–	1	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	3	2	–	–	1	–	–	–	–
Unknown	1	–	–	1	–	–	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.3	12.1	8.4	7.6	12.0	16.0	–	–	–

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	126
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	30
Number of libels for divorce filed during the year 1935	56
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	45
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	51
Number of cases finally determined in 1935	61
Number of petitions for annulment in 1935	1

[1] No libels were received from the Superior Court; sixty-one from the Probate Court.

Table 54i

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1935.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Middlesex County.	998[1]	301	622	34	24	11	2	4	24
Husband	259	117	112	23	5	–	1	1	7
Wife	739	184	510	11	19	11	1	3	17
Granted	828	281	490	23	17	11	2	4	16
Husband	184	104	59	15	4	–	1	1	2
Wife	644	177	431	8	13	11	1	3	14
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	170	20	132	11	7	–	–	–	8
Husband	75	13	53	8	1	–	–	–	5
Wife	95	7	79	3	6	–	–	–	3
Contested	347	48	277	15	4	2	–	1	3
Husband	103	27	61	12	2	–	–	1	1
Wife	244	21	216	3	2	2	–	–	2
Not contested	651	253	345	19	20	9	2	3	21
Husband	156	90	51	11	3	–	1	–	6
Wife	495	163	294	8	17	9	1	3	15
DURATION OF MARRIAGE.									
Less than 6 months	10	–	9	–	–	1	–	–	7
Husband	–	–	–	–	–	–	–	–	2
Wife	10	–	9	–	–	1	–	–	5
6 to 11 months	23	–	22	1	–	–	–	–	1
Husband	6	–	6	–	–	–	–	–	–
Wife	17	–	16	1	–	–	–	–	1
1 to 4 years	216	33	165	9	6	2	1	–	12
Husband	48	14	24	8	2	–	–	–	5
Wife	168	19	141	1	4	2	1	–	7
5 to 9 years	326	98	200	12	8	5	–	3	3
Husband	81	37	34	8	1	–	–	1	–
Wife	245	61	166	4	7	5	–	2	3
10 to 19 years	301	118	165	11	5	1	–	1	1
Husband	85	47	31	6	1	–	–	–	–
Wife	216	71	134	5	4	1	–	1	1
20 to 29 years	97	39	51	1	4	1	1	–	–
Husband	30	15	12	1	1	–	1	–	–
Wife	67	24	39	–	3	1	–	–	–
30 years and over	25	13	10	–	1	1	–	–	–
Husband	9	4	5	–	–	–	–	–	–
Wife	16	9	5	–	1	1	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.5	13.1	9.4	8.6	11.7	10.7	15.3	11.2	2.9

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	2,388
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	324
Number of libels for divorce filed during the year 1935	1,114
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	850
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	828
Number of cases finally determined in 1935	999
Number of petitions for annulment in 1935	24

[1] Two libels were received from the Superior Court; nine hundred and ninety-seven from the Probate Court. One libel transferred.

Table 54j

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1935

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Nantucket County.	9[1]	–	8	–	1	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	8	–	7	–	1	–	–	–	–
Granted	6	–	5	–	1	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	6	–	5	–	1	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	3	–	3	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Contested	3	–	3	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Not contested	6	–	5	–	1	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	6	–	5	–	1	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	5	–	5	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	4	–	4	–	–	–	–	–	–
5 to 9 years	3	–	3	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	3	–	3	–	–	–	–	–	–
10 to 19 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
20 to 29 years	1	–	–	–	1	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	–	–	1	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	6.6	–	4.3	–	25.0	–	–	–	–

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	9
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	4
Number of libels for divorce filed during the year 1935	5
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	3
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	10
Number of cases finally determined in 1935	10
Number of petitions for annulment in 1935	–

[1] No libels were received from the Superior Court; ten from the Probate Court. One libel removed.

Table 54k

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1935.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Norfolk County.	**384**[1]	**112**	**241**	**12**	**10**	**8**	**–**	**1**	**10**
Husband	103	44	50	7	1	–	–	1	5
Wife	281	68	191	5	9	8	–	–	5
Granted.	303	98	184	6	7	7	–	1	4
Husband	70	35	30	4	–	–	–	1	1
Wife	233	63	154	2	7	7	–	–	3
Refused.	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	81	14	57	6	3	1	–	–	6
Husband	33	9	20	3	1	–	–	–	4
Wife	48	5	37	3	2	1	–	–	2
Contested	160	32	117	6	4	1	–	–	6
Husband	43	12	28	3	–	–	–	–	2
Wife	117	20	89	3	4	1	–	–	4
Not contested	224	80	124	6	6	7	–	1	4
Husband	60	32	22	4	1	–	–	1	3
Wife	164	48	102	2	5	7	–	–	1
DURATION OF MARRIAGE.									
Less than 6 months	7	–	7	–	–	–	–	–	4
Husband	1	–	1	–	–	–	–	–	2
Wife	6	–	6	–	–	–	–	–	2
6 to 11 months	9	–	8	1	–	–	–	–	1
Husband	3	–	3	–	–	–	–	–	1
Wife	6	–	5	1	–	–	–	–	–
1 to 4 years	78	14	59	2	–	3	–	–	3
Husband	27	7	18	2	–	–	–	–	1
Wife	51	7	41	–	–	3	–	–	2
5 to 9 years	119	33	78	2	4	2	–	–	2
Husband	27	16	11	–	–	–	–	–	1
Wife	92	17	67	2	4	2	–	–	1
10 to 19 years	124	47	62	7	5	3	–	–	–
Husband	33	15	12	5	1	–	–	–	–
Wife	91	32	50	2	4	3	–	–	–
20 to 29 years	34	10	22	–	1	–	–	1	–
Husband	8	3	4	–	–	–	–	1	–
Wife	26	7	18	–	1	–	–	–	–
30 years and over	13	8	5	–	–	–	–	–	–
Husband	4	3	1	–	–	–	–	–	–
Wife	9	5	4	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years.	10.9	13.3	9.8	10.5	13.7	7.7	–	23.6	2.4

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	741
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	135
Number of libels for divorce filed during the year 1935	359
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	372
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	309
Number of cases finally determined in 1935	384
Number of petitions for annulment in 1935	10

[1] Three libels were received from the Superior Court; three hundred and eighty-one from the Probate Court.

Table 541

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1935.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Plymouth County.	**165**[1]	**53**	**90**	**5**	**9**	**7**	–	**1**	**2**
Husband	43	26	12	4	1	–	–	–	2
Wife	122	27	78	1	8	7	–	1	–
Granted	146	51	74	5	8	7	–	1	2
Husband	36	24	7	4	1	–	–	–	2
Wife	110	27	67	1	7	7	–	1	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	19	2	16	–	1	–	–	–	–
Husband	7	2	5	–	–	–	–	–	–
Wife	12	–	11	–	1	–	–	–	–
Contested	49	7	37	–	1	4	–	–	–
Husband	15	6	9	–	–	–	–	–	–
Wife	34	1	28	–	1	4	–	–	–
Not contested	116	46	53	5	8	3	–	1	2
Husband	28	20	3	4	1	–	–	–	2
Wife	88	26	50	1	7	3	–	1	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	2
Husband	–	–	–	–	–	–	–	–	2
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	3	1	2	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
1 to 4 years	32	1	24	3	2	2	–	–	–
Husband	6	1	3	2	–	–	–	–	–
Wife	26	–	21	1	2	2	–	–	–
5 to 9 years	46	15	25	–	2	3	–	1	–
Husband	14	10	4	–	–	–	–	–	–
Wife	32	5	21	–	2	3	–	1	–
10 to 19 years	57	24	25	2	4	2	–	–	–
Husband	17	11	3	2	1	–	–	–	–
Wife	40	13	22	–	3	2	–	–	–
20 to 29 years	24	10	13	–	1	–	–	–	–
Husband	4	2	2	–	–	–	–	–	–
Wife	20	8	11	–	1	–	–	–	–
30 years and over	3	2	1	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	2	1	1	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.7	14.9	10.5	7.9	10.5	7.3	–	5.0	–

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	393
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	78
Number of libels for divorce filed during the year 1935	189
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	159
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	146
Number of cases finally determined in 1935	165
Number of petitions for annulment in 1935	2

[1] Fifty-five libels were received from the Superior Court; one hundred and ten from the Probate Court.

Table 54m

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1935.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Suffolk County.	1,158[1]	387	668	35	26	35	1	6	36
Husband	307	144	133	23	7	–	–	–	21
Wife	851	243	535	12	19	35	1	6	15
Granted	1,041	363	590	28	22	32	–	6	28
Husband	244	129	91	18	6	–	–	–	14
Wife	797	234	499	10	16	32	–	6	14
Refused	1	1	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
Dismissed	116	23	78	7	4	3	1	–	8
Husband	63	15	42	5	1	–	–	–	7
Wife	53	8	36	2	3	3	1	–	1
Contested	298	45	223	12	11	7	–	–	7
Husband	95	22	59	9	5	–	–	–	5
Wife	203	23	164	3	6	7	–	–	2
Not contested	860	342	445	23	15	28	1	6	29
Husband	212	122	74	14	2	–	–	–	16
Wife	648	220	371	9	13	28	1	6	13
DURATION OF MARRIAGE.									
Less than 6 months	16	–	15	–	–	1	–	–	6
Husband	3	–	3	–	–	–	–	–	5
Wife	13	–	12	–	–	1	–	–	1
6 to 11 months	26	–	24	1	–	1	–	–	6
Husband	8	–	7	1	–	–	–	–	1
Wife	18	–	17	–	–	1	–	–	5
1 to 4 years	322	60	233	11	4	13	–	1	11
Husband	80	23	48	9	–	–	–	–	8
Wife	242	37	185	2	4	13	–	1	3
5 to 9 years	325	116	181	11	6	9	–	2	5
Husband	83	48	29	5	1	–	–	–	1
Wife	242	68	152	6	5	9	–	2	4
10 to 19 years	343	147	165	9	10	8	1	3	7
Husband	98	51	38	6	3	–	–	–	5
Wife	245	96	127	3	7	8	1	3	2
20 to 29 years	108	51	46	2	6	3	–	–	–
Husband	30	19	7	1	3	–	–	–	–
Wife	78	32	39	1	3	3	–	–	–
30 years and over	18	13	4	1	–	–	–	–	–
Husband	5	3	1	1	–	–	–	–	–
Wife	13	10	3	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	1
Husband	–	–	–	–	–	–	–	–	1
Wife	–	–	–	–	–	–	–	–	–
Average number of years	9.9	12.7	8.2	9.2	13.7	8.2	18.3	9.8	4.4

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	3,834
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	439
Number of libels for divorce filed during the year 1935	1,351
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	1,022
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	1,042
Number of cases finally determined in 1935	1,158
Number of petitions for annulment in 1935	36

[1] No libels were received from the Superior Court; one thousand, one hundred and fifty-eight from the Probate Court.

Table 54n

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1935.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Worcester County.	429[1]	173	212	16	18	8	–	2	3
Husband	111	69	32	10	–	–	–	–	1
Wife	318	104	180	6	18	8	–	2	2
Granted	381	164	177	15	18	5	–	2	1
Husband	95	63	22	10	–	–	–	–	1
Wife	286	101	155	5	18	5	–	2	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	48	9	35	1	–	3	–	–	2
Husband	16	6	10	–	–	–	–	–	–
Wife	32	3	25	1	–	3	–	–	2
Contested	164	39	112	4	8	–	–	1	1
Husband	35	15	17	3	–	–	–	–	–
Wife	129	24	95	1	8	–	–	1	1
Not contested	265	134	100	12	10	8	–	1	2
Husband	76	54	15	7	–	–	–	–	1
Wife	189	80	85	5	10	8	–	1	1
DURATION OF MARRIAGE.									
Less than 6 months	5	–	5	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	5	–	5	–	–	–	–	–	–
6 to 11 months	6	–	6	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	5	–	5	–	–	–	–	–	–
1 to 4 years	89	27	55	2	3	1	–	1	–
Husband	21	12	7	2	–	–	–	–	–
Wife	68	15	48	–	3	1	–	1	–
5 to 9 years	133	57	62	7	4	2	–	1	1
Husband	41	25	11	5	–	–	–	–	–
Wife	92	32	51	2	4	2	–	1	1
10 to 19 years	149	68	64	7	5	5	–	–	2
Husband	38	26	9	3	–	–	–	–	1
Wife	111	42	55	4	5	5	–	–	1
20 to 29 years	41	17	18	–	6	–	–	–	–
Husband	8	4	4	–	–	–	–	–	–
Wife	33	13	14	–	6	–	–	–	–
30 years and over	6	4	2	–	–	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	4	2	2	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.5	11.4	9.5	10.3	13.5	10.3	–	4.4	13.2

Number of libels for divorce pending January 1, 1935 (including all cases, whether decrees *nisi* had been entered or not)	1,214
Number of libels for divorce pending January 1, 1935, in which decrees *nisi* had been entered at that date	168
Number of libels for divorce filed during the year 1935	543
Number of libels for divorce in which decrees *nisi* were entered during the year 1935	417
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1935	382
Number of cases finally determined in 1935	429
Number of petitions for annulment in 1935	3

[1] No libels were received from the Superior Court; four hundred and twenty-nine from the Probate Court.

Table 55

Years.	Divorces Granted: 1911 to 1935.				
	Total number.	Granted to husband.		Granted to wife.	
		Number.	Per cent.	Number.	Per cent.
1911 to 1935	77,968	20,977	26.9	56,991	73.1
1911	2,137	597	27.9	1,540	72.1
1912	1,927	557	28.9	1,370	71.1
1913	2,126	653	30.7	1,473	69.3
1914	2,200	591	26.9	1,609	73.1
1915	2,252	632	28.1	1,620	71.9
1916	2,301	650	28.2	1,651	71.8
1917	2,635	771	29.3	1,864	70.7
1918	2,351	704	29.9	1,647	70.1
1919	2,536	754	29.7	1,782	70.3
1920	3,647	1,061	29.1	2,586	70.9
1921	3,803	1,081	28.4	2,722	71.6
1922	3,277	869	26.5	2,408	73.5
1923	3,593	972	27.1	2,621	72.9
1924	3,845	1,074	27.9	2,771	72.1
1925	3,395	910	26.8	2,485	73.2
1926	3,363	908	27.0	2,455	73.0
1927	3,493	895	25.6	2,598	74.4
1928	3,663	939	25.6	2,724	74.4
1929	3,574	925	25.9	2,649	74.1
1930	3,746	988	26.4	2,758	73.6
1931	3,625	894	24.7	2,731	75.3
1932	3,543	938	26.5	2,605	73.5
1933	3,210	801	25.0	2,409	75.0
1934	3,645	858	23.5	2,787	76.5
1935	4,081	955	23.4	3,126	76.6

Table 56

Period of Years.	Divorces Granted: 1910 to 1934.			Per cent increase in total population over preceding census.
	Total number.	Increase over preceding period.		
		Number.	Per cent.	
1910 to 1914	10,319	1,576	18.0	8.2
1915 to 1919	12,075	1,756	17.0	3.9
1920 to 1924	18,165	6,090	50.4	3.9
1925 to 1929	17,488	677[1]	3.7[1]	.2[1]
1930 to 1934	17,769	281	1.6	.1

[1] Decrease.

Table 57

Census Years.	Comparison of Increase in Divorce with Increase in Population: 1910 to 1935.							
	Divorces.			Population.			Population to one divorce.	Divorces per 100,000 population.
	Total number.	Increase over preceding census year.		Total.	Increase over preceding census year.			
		Number.	Per cent.		Number.	Per cent.		
1910	1,929	375	24.1	3,366,416	362,736	12.1	1,745	57.3
1915	2,252	323	16.7	3,693,310	326,894	9.7	1,640	61.0
1920	3,647	1,395	61.9	3,852,356	159,046	4.3	1,056	94.7
1925	3,395	252[1]	6.9[1]	4,144,205	291,849	7.6	1,221	81.9
1930	3,746	351	10.3	4,249.614	105,409	2.5	1,134	88.1
1935	4,081	335	8.9	4,350,910	101,296	2.4	1,066	93.8

[1] Decrease.

Table 58

Census Years.	Divorce Rates based on Total Population and on Married Population: Census Years, 1905 to 1930.					
	Population.		Divorce: annual average.[1]		Married population to one divorce.	Divorces per 100,000 married population.
	Total.	Married.[2]	Number.	Per 100,000 population.		
1905	3,003,680	1,134,320	1,731	58	655	153
1910	3,366,416	1,300,271	1,900	56	684	146
1915	3,693,310	1,474,590	2,303	62	640	156
1920	3,852,356	1,534,584	3,123	81	491	204
1925	4,144,205	–	3,538	83	–	–
1930	4,249,614	1,740,235	3,630	85	479	209

[1] For the five-year period of which the census year is the median year.
[2] Married population for 1925 not available.

Table 59

Counties.	Annual Average[1] Number of Divorces in the State and in Each County: Census Years 1910 to 1930. Number. 1930.	1925.	1920.	1915.	1910.
The State.	**4,433**	**4,064**	**3,123**	**2,303**	**1,900**
Barnstable	44	36	22	22	16
Berkshire	128	141	84	65	57
Bristol	348	321	262	184	140
Dukes	7	4	5	3	2
Essex	511	496	416	304	268
Franklin	40	42	39	28	27
Hampden	360	332	247	172	130
Hampshire	44	34	29	22	22
Middlesex	909	761	491	388	311
Nantucket	3	5	2	1	1
Norfolk	260	186	118	86	75
Plymouth	167	160	150	122	108
Suffolk	1,163	1,129	974	696	544
Worcester	449	417	284	209	200

[1] For the five-year period of which the census year is the median year.

Table 60

Statutory Causes.	Divorces Granted for Specified Causes for 25 Years: 1911 to 1935. Total			Granted to husband			Granted to wife.		
	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.
All Causes.	**77,352**[1]	**100.0**	**100.0**	**20,731**	**26.8**	**100.0**	**56,621**	**73.2**	**100.0**
Desertion	35,361	100.0	45.7	13,715	38.8	66.2	21,646	61.2	38.2
Adultery	5,987	100.0	7.7	3,704	61.9	17.9	2,283	38.1	4.0
Cruel and abusive treatment	29,291	100.0	37.9	2,662	9.1	12.8	26,629	90.9	47.0
Intoxication	4,045	100.0	5.2	599	14.8	2.9	3,446	85.2	6.1
Non-support	2,289	100.0	3.0	–	–	–	2,289	100.0	4.1
Imprisonment	210	100.0	.3	4	1.9	–[2]	206	98.1	.4
Impotency	169	100.0	.2	47	27.8	.2	122	72.2	.2

[1] 861 Annulments not included.

[2] Less than one-tenth of one per cent.

Table 61

Years Divorces were granted.	Statutory Causes of Divorce: 1911 to 1935. All causes.	Desertion.	Adultery.	Cruel and abusive treatment.	Intoxication.	Non-support.	Imprisonment.	Impotency.	Annulments.
1911	2,137	964	323	478	282	74	3	5	8
1912	1,927	946	219	474	214	44	6	4	20
1913	2,126	1,002	259	501	260	79	4	4	17
1914	2,200	1,095	224	525	244	83	5	4	20
1915	2,252	1,124	235	571	214	72	4	11	21
1916	2,301	1,157	234	644	193	43	9	5	16
1917	2,635	1,345	268	687	236	68	5	5	21
1918	2,351	1,191	249	619	195	65	2	7	23
1919	2,536	1,328	228	748	158	45	3	5	21
1920	3,647	1,887	394	1,093	156	68	5	11	33
1921	3,803	1,970	356	1,242	117	71	4	11	32
1922	3,277	1,574	280	1,229	90	64	5	7	28
1923	3,593	1,622	271	1,442	123	87	9	9	30
1924	3,845	1,776	271	1,424	171	157	6	8	32
1925	3,395	1,558	240	1,272	146	111	11	9	48
1926	3,363	1,539	232	1,220	164	154	4	6	44
1927	3,493	1,580	254	1,363	123	119	9	5	40
1928	3,663	1,625	254	1,463	146	112	17	3	43
1929	3,574	1,482	222	1,555	138	114	11	12	40
1930	3,746	1,581	235	1,647	126	100	6	10	41
1931	3,625	1,488	183	1,675	112	114	8	7	38
1932	3,543	1,421	172	1,686	131	104	19	10	56
1933	3,210	1,212	146	1,632	91	110	14	5	61
1934	3,645	1,367	105	1,952	93	105	22	1	58
1935	4,081	1,527	133	2,149	122	126	19	5	70

Table 62

Years of Application.	Applications for Divorce: 1911 to 1935.										
	Total.	Granted.		Refused.		Dismissed.		Contested.		Not contested.	
		Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.
1911 to 1935	93,875	77,968	83.1	566	.6	15,341	16.3	17,545	18.7	76,330	81.3
1911	2,909	2,137	73.5	–	–	772	26.5	290	10.0	2,619	90.0
1912	2,532	1,927	76.1	12	.5	593	23.4	259	10.2	2,273	90.0
1913	2,640	2,126	80.5	30	1.1	484	18.3	237	9.0	2,403	91.0
1914	2,964	2,200	74.2	25	.8	739	24.9	267	9.0	2,697	91.0
1915	2,728	2,252	82.6	–	–	476	17.4	203	7.4	2,525	92.6
1916	2,789	2,301	82.5	23	.8	465	16.7	193	6.9	2,596	93.1
1917	3,221	2,635	81.8	24	.7	562	17.5	258	8.0	2,963	92.0
1918	3,077	2,351	76.4	31	1.0	695	22.6	366	11.9	2,711	88.1
1919	3,121	2,536	81.2	33	1.1	552	17.7	388	12.4	2,733	87.6
1920	4,376	3,647	83.3	33	.8	696	15.9	392	9.0	3,984	91.0
1921	4,556	3,803	83.5	38	.8	715	15.7	402	8.8	4,154	91.2
1922	3,733	3,277	87.8	28	.7	428	11.5	328	8.8	3,405	91.2
1923	4,116	3,593	87.3	42	1.0	481	11.7	508	12.3	3,608	87.7
1924	4,294	3,845	89.5	32	.7	417	9.7	895	20.8	3,399	79.1
1925	3,887	3,395	87.4	33	.8	459	11.8	923	23.7	2,964	76.3
1926	4,044	3,363	83.2	23	.6	658	16.2	919	22.7	3,125	77.3
1927	4,026	3,493	86.7	34	.8	499	12.5	1,044	26.0	2,982	74.0
1928	4,180	3,663	87.6	55	1.3	462	11.1	1,048	25.1	3,132	74.9
1929	5,028	3,574	71.1	40	.8	1,414	28.1	1,308	26.0	3,720	74.0
1930	4,560	3,746	82.1	12	.3	802	17.6	1,209	26.5	3,351	73.5
1931	4,303	3,625	84.2	4	.1	674	15.7	1,282	29.8	3,021	70.2
1932	4,095	3,543	86.5	7	.2	545	13.3	1,179	28.8	2,916	71.2
1933	3,731	3,210	86.0	3	.1	518	13.9	1,093	29.3	2,638	70.7
1934	4,238	3,645	86.0	1	–[1]	592	14.0	1,237	29.2	3,001	70.8
1935	4,727	4,081	86.3	3	.1	643	13.6	1,317	27.9	3,410	72.1

[1] Less than one-tenth of one per cent.

Table 63

Statutory Cause and Party to which Granted.	Divorces Granted classified by Statutory Cause and Party to which Granted: 1935.				
	Total Number.	Cases Contested.		Cases not Contested.	
		Number.	Per cent.	Number.	Per cent.
All Causes.	**4,081**	**962**	**23.6**	**3,119**	**76.4**
Husband	955	200	20.9	755	79.1
Wife	3,126	762	24.4	2,364	75.6
Desertion	1,527	184	12.0	1,343	88.0
Husband	580	80	13.8	500	86.2
Wife	947	104	11.0	843	89.0
Cruel and abusive treatment	2,149	694	32.3	1,455	67.7
Husband	273	90	33.0	183	67.0
Wife	1,876	604	32.2	1,272	67.8
Adultery	133	37	27.8	96	72.2
Husband	82	24	29.3	58	70.7
Wife	51	13	25.5	38	74.5
Intoxication	122	28	23.0	94	77.0
Husband	14	5	35.7	9	64.3
Wife	108	23	21.3	85	78.7
Non-support	126	17	13.5	109	86.5
Husband	–	–	–[1]	–	–[1]
Wife	126	17	13.5	109	86.5
Impotency	5	–	–[1]	5	–[1]
Husband	4	–	–[1]	4	–[1]
Wife	1	–	–[1]	1	–[1]
Imprisonment	19	2	–[1]	17	–[1]
Husband	2	1	–[1]	1	–[1]
Wife	17	1	–[1]	16	–[1]
Annulments	70	8	–[1]	62	–[1]
Husband	26	2	–[1]	24	–[1]
Wife	44	6	–[1]	38	–[1]

[1] Per cent not shown where the base is less than 100.

Table 64

Party to which Granted.	Libels for Divorce Granted and Not Granted, Contested and Not Contested, classified by Party to which Granted: 1935.							
	Total.		Granted.		Refused.		Dismissed.	
	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.
Total.	**1,317**	**3,410**	**962**	**3,119**	**1**	**2**	**354**	**289**
Husband	401	842	200	755	1	–	200	87
Wife.	916	2,568	762	2,364	–	2	154	202

Table 65

Years of Application.	Number of Years Libellants were Married at Time of Application for Divorce: 1911 to 1935.								
	Total.[1]	Under 6 months.	6 to 11 months.	1 to 4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 years and over.	Average.
1911 . . .	2,909	20	29	543	880	974	406	57	11.2
1912 . . .	2,532	3	21	501	820	823	304	60	10.5
1913 . . .	2,640	23	23	479	835	891	318	71	11.2
1914 . . .	2,963	20	1	809	910	850	307	66	10.9
1915 . . .	2,728	20	23	437	946	940	280	82	10.7
1916 . . .	2,789	20	32	548	917	887	316	69	10.6
1917 . . .	3,220	13	49	585	1,026	1,079	375	93	10.9
1918 . . .	3,077	26	41	567	937	1,035	382	89	11.1
1919 . . .	3,117	35	37	551	925	1,104	374	91	10.9
1920 . . .	4,373	43	48	939	1,370	1,431	430	112	10.7
1921 . . .	4,555	39	79	968	1,392	1,425	511	141	10.9
1922 . . .	3,727	40	57	841	1,073	1,190	405	121	10.9
1923 . . .	4,116	45	80	1,027	1,166	1,276	418	102	10.4
1924 . . .	4,286	41	71	990	1,287	1,351	456	90	10.6
1925 . . .	3,883	45	72	919	1,181	1,154	391	121	10.7
1926 . . .	4,044	44	67	979	1,225	1,195	430	104	10.6
1927 . . .	4,026	41	63	900	1,305	1,213	402	99	10.7
1928 . . .	4,180	40	79	975	1,371	1,232	385	98	10.2
1929 . . .	5,028	56	86	1,139	1,531	1,549	509	153	10.7
1930 . . .	4,560	55	75	1,070	1,403	1,346	493	116	10.6
1931 . . .	4,301	51	78	1,026	1,270	1,313	444	119	10.6
1932 . . .	4,094	43	76	941	1,214	1,306	433	81	10.5
1933 . . .	3,731	25	66	881	1,162	1,135	383	79	10.4
1934 . . .	4,238	32	74	960	1,280	1,336	456	100	10.6
1935 . . .	4,726	52	81	1,054	1,436	1,517	478	108	10.6

[1] Exclusive of those for which duration of marriage was unknown.

PART II. D.

POPULATION STATISTICS

	PAGE
Introductory	225
Estimated population	225
Statistical table	226

Introductory. — All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The statistics for 1935 in this report are based on the State census taken as of January 1, 1935.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

Estimated Population. — The method of calculating estimates of population for the intercensal years is shown in the following example:

Massachusetts had a population of 4,249,614 at the Federal census of 1930 (April 1), and of 4,144,205 at the State census of 1925 (March 31). The increase during the intercensal period (60 months) was 105,409, and the monthly increase according to the arithmetical method of estimating population, was —

$$\frac{4{,}249{,}614 - 4{,}144{,}205}{60} = 1{,}757$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for June 30, 1934, is estimated by adding to the population as it existed at the preceding census (April 1, 1930), 1,757 for each month intervening between the date of enumeration and the date for which the estimate is desired (June 30, 1934). There being 51 months between these dates, the calculation would be

$$4{,}249{,}614 + (51 \times 1757) = 4{,}339{,}221.$$

The census population for each municipality in the Commonwealth having over 15,000 inhabitants in 1935 is shown on page 226.

Table 66

Municipalities.	Census Population of Municipalities having over 15,000 Inhabitants in 1935: 1910 to 1935.					
	January 1, 1935.	April 1, 1930.	March 31, 1925.	January 1, 1920.	April 1, 1915.	April 15, 1910.
The State	**4,350,910**	**4,249,614**	**4,144,205**	**3,852,356**	**3,693,310**	**3,366,416**
Cities over 100,000 .						
Boston[1]	817,713	781,188	779,620	748,060	745,439	670,585
Worcester	190,471	195,311	190,757	179,754	162,697	145,986
Springfield	149,642	149,900	142,065	129,614	102,971	88,926
Cambridge	118,075	113,643	119,669	109,694	108,822	104,839
Fall River	117,414	115,274	128,993	120,485	124,791	119,295
New Bedford	110,022	112,597	119,539	121,217	109,568	96,652
Lynn	100,909	102,320	103,081	99,148	95,803	89,336
Somerville	100,773	103,908	99,032	93,091	86,854	77,236
Lowell	100,114	100,234	110,296	112,759	107,978	106,294
50,000 to 100,000.						
Lawrence	86,785	85,068	93,527	94,270	90,259	85,892
Quincy	76,909	71,983	60,055	47,876	40,674	32,642
Newton	66,144	65,276	53,003	46,054	43,113	39,806
Brockton	62,407	63,797	65,343	66,254	62,288	56,878
Medford	61,444	59,714	47,627	39,038	30,509	23,150
Malden	57,277	58,036	51,789	49,103	48,907	44,404
Holyoke	56,139	56,537	60,335	60,203	60,816	57,730
Brookline (town)	50,319	47,490	42,681	37,748	33,490	27,792
25,000 to 50,000.						
Haverhill	49,516	48,710	49,232	53,884	49,450	44,115
Pittsfield	47,516	49,677	46,877	41,763	39,607	32,121
Everett	47,228	48,424	42,072	40,120	37,718	33,484
Salem[2]	43,472	43,353	42,821	42,529	37,200	43,697
Chelsea	42,673	45,816	47,247	43,184	43,426	32,452
Chicopee	41,952	43,930	41,882	36,214	30,138	25,401
Fitchburg	41,700	40,692	43,609	41,029	39,656	37,826
Waltham	40,557	39,247	34,746	30,915	30,154	27,834
Arlington (town)	38,539	36,094	24,943	18,665	14,889	11,187
Taunton	37,431	37,355	39,255	37,137	36,161	34,259
Watertown (town)	35,827	34,913	25,480	21,457	16,515	12,875
Revere	35,319	35,680	33,261	28,823	25,178	18,219
Beverly	25,871	25,086	22,685	22,561	22,959	18,650
15,000 to 25,000.						
Belmont (town)	24,831	21,748	15,256	10,749	8,081	5,542
Northampton	24,525	24,381	24,145	21,951	21,654	19,431
Melrose	24,256	23,170	20,165	18,204	16,880	15,715
Gloucester	24,164	24,204	23,375	22,947	24,478	24,398
Framingham (town)	22,651	22,210	21,078	17,033	15,860	12,948
North Adams	22,085	21,621	22,717	22,282	22,035	22,019
Peabody	22,082	21,345	19,870	19,552	18,625	15,721
Leominster	21,894	21,810	22,120	19,744	17,646	17,580
Attleboro	21,835	21,769	20,623	19,731	18,480	16,215
Weymouth (town)	21,748	20,882	17,253	15,057	13,969	12,895
Methuen (town)	21,073	21,069	20,606	15,189	14,007	11,448
Gardner	20,397	19,399	18,730	16,971	16,376	14,699
Woburn	19,695	19,434	18,370	16,574	16,410	15,308
Westfield	18,788	19,775	19,342	18,604	18,411	16,044
Milton (town)	18,147	16,434	12,861	9,382	8,600	7,924
Braintree (town)	17,122	15,712	13,193	10,580	9,343	8,066
West Springfield (town)	17,118	16,684	15,326	13,443	11,339	9,224
Winthrop (town)	17,001	16,852	16,158	15,455	12,758	10,132
Wakefield (town)	16,494	16,318	15,611	13,025	12,781	11,404
Greenfield (town)	15,903	15,500	15,246	15,462	12,618	10,427
Southbridge (town)	15,786	14,264	15,489	14,245	14,217	12,592
Marlborough	15,781	15,587	16,236	15,028	15,250	14,579
Norwood (town)	15,574	15,049	14,151	12,627	10,977	8,014
Dedham (town)	15,371	15,136	13,918	10,792	11,043	9,284
Saugus (town)	15,076	14,700	12,743	10,874	10,226	8,047
Milford (town)	15,008	14,741	14,781	13,471	13,684	13,055

[1]Hyde Park (in Norfolk County), annexed to Boston (in Suffolk County) in 1911, contained 15,507 inhabitants in 1910. No other counties have had their boundaries changed since 1874.

[2]Abnormal decrease between 1910 and 1915 due to conflagration of June 25, 1914.

APPENDIX

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH
1. DETAILED INTERNATIONAL LIST
2. ABRIDGED INTERNATIONAL LIST

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH.[1]

There are two separate and distinct classifications of causes of death embodied in the International List of Causes of Death: these are the detailed and abridged International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter; that is, it shows separately certain diseases which in the abridged list are grouped together for presentation. The majority of the titles of the abridged list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in this volume for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The distinction between these lists should always be considered when using the tables of these reports. There are several cases in which the title headings in the two lists are identical, but the causes included are widely at variance. As an example of this, the title "Other infectious and parasitic diseases" of the detailed list (title No. 44) includes only such epidemic maladies as are not classified separately in titles 1 to 44 of that list; but "Other infectious and parasitic diseases" of the abridged list includes titles 4, 5, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 33, 35, 36, 37, 39, 40, 41, 42, 43, and 44 of the detailed list.

An asterisk (*) denotes that, in the opinion of the committee appointed by the Section on Vital Statistics of the American Public Health Association, the titles are acceptable statements of causes of death without autopsy.

The following table shows each title of the Detailed International List:—

1. DETAILED INTERNATIONAL LIST.

I. INFECTIOUS AND PARASITIC DISEASES.

1. Typhoid fever.*
2. Paratyphoid fever.*
3. Typhus fever.*
4. Relapsing fever.[2]
5. Undulant fever.
6. Smallpox.*
7. Measles.*
8. Scarlet fever.*
9. Whooping cough.*
10. Diphtheria.*
11. Influenza.
    (a) With respiratory complications specified.
    (b) Without respiratory complications specified.
12. Cholera.

I. INFECTIOUS AND PARASITIC DISEASES. —*Cont.*

13. Dysentery.[3]
    (a) Amebic.
    (b) Bacillary.
    (c) Unspecified or due to other causes.
14. Plague.*
    (a) Bubonic.
    (b) Pneumonic.
    (c) Septicemic.
    (d) Unspecified.
15. Erysipelas.*
16. Acute poliomyelitis and acute polioencephalitis.*
17. Lethargic or epidemic encephalitis.
18. Epidemic cerebrospinal meningitis.
19. Glanders.[4]

[1] The second decennial revision of the International Classification of Causes of Death was made at Paris, July 1 to 3, 1909. The next revision was also made at Paris, Oct. 11 to 14, 1920, and was used beginning with 1921. The causes of death as given in the third revision number 205, compared with 179 in the first, and 189 in the second classification. The fourth revision of the International List of Causes of Death is largely a revision of the previous edition and is based upon the translation of the official French version of the proceedings of the International Commission of 1929.

[2] This statement is a reliable one, without autopsy, only when the statement of the cause of death is accompanied or supported by a record of the finding of the etiological factor, that is, the *Spirillum (Spirochætal) obermeieri*, before death.

[3] Not a reliable statement of cause of death unless the specific cause of infection has been identified.

[4] Not a reliable statement of cause of death, without autopsy, unless there is an accompanying record of the finding of the etiological factor; *i.e.*, the *bacillus mallei*.

Detailed International List — *Continued.*

I. Infectious and Parasitic Diseases. —*Cont.*

20. Anthrax (bacillus anthracis) malignant pustule.[1]
21. Rabies.[2]
22. Tetanus.[3]
23. Tuberculosis of the respiratory system.*
24. Tuberculosis of the meninges and central nervous system.[4]
25. Tuberculosis of the intestines and peritoneum.[5]
26. Tuberculosis of the vertebral column.*
27. Tuberculosis of the bones and joints (vertebral column excepted).*[6]
    (*a*) Tuberculosis of the bones.
    (*b*) Tuberculosis of the joints.
28. Tuberculosis of the skin and subcutaneous cellular tissues.[6]
29. Tuberculosis of the lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted).[6]
30. Tuberculosis of the genitourinary system.[6]
31. Tuberculosis of the other organs.[6]
32. Disseminated tuberculosis.*
    (*a*) Acute.
    (*b*) Chronic.
    (*c*) Unspecified.
33. Leprosy.*
34. Syphilis.[7]
35. Gonococcus infection and other venereal diseases.[8]
36. Purulent infection, septicemia (nonpuerperal).
37. Yellow fever.*
38. Malaria.[9]
39. Other diseases due to protozoal parasites.
40. Ankylostomiasis.[10]
41. Hydatid cysts.
    (*a*) Of the liver.
    (*b*) Of other organs.
42. Other diseases caused by helminths.[11]
43. Mycoses.[12]
44. Other infectious and parasitic diseases.
    (*a*) Chicken-pox.
    (*b*) German measles.
    (*c*) Others under this title.

II. Cancers and other Tumors.

45. Cancer and other malignant tumors of the buccal cavity and pharynx.*
    (*a*) Cancer of the lip.
    (*b*) Cancer of the tongue.
    (*c*) Cancer of the mouth.
    (*d*) Cancer of the jaw.
    (*e*) Cancer of other and unspecified parts of the buccal cavity.
    (*f*) Cancer of the pharynx.

II. Cancers and other Tumors.—*Cont.*

46. Cancer of the digestive tract and peritoneum.[13]
    (*a*) Cancer of the esophagus.
    (*b*) Cancer of the stomach and duodenum.
    (*c*) Cancer of the intestines (except duodenum, rectum and anus).
    (*d*) Cancer of the rectum and anus.
    (*e*) Cancer of the liver and biliary passages.
    (*f*) Cancer of the pancreas.
    (*g*) Cancer of the mesentery and peritoneum.
    (*h*) Cancer of others under this title.
47. Cancer of the respiratory system.[13]
    (*a*) Cancer of the larynx.
    (*b*) Cancer of the lungs and pleura.
    (*c*) Cancer of other respiratory organs.
48. Cancer of the uterus.[13]
49. Cancer of other female genital organs.[13]
    (*a*) Cancer of the ovary and Fallopian tube.
    (*b*) Cancer of the vagina and vulva.
    (*c*) Cancer of other female genital organs.
50. Cancer of the breast.*
51. Cancer of the male genitourinary organs.[13]
    (*a*) Cancer of the kidneys and suprarenals (male).
    (*b*) Cancer of the bladder (male).
    (*c*) Cancer of the prostate.
    (*d*) Cancer of the testes.
    (*e*) Cancer of the scrotum.
    (*f*) Cancer of other male genitourinary organs.
52. Cancer of the skin.*
53. Cancer of other or unspecified organs.[13]
    (*a*) Cancer of the kidneys and suprarenals (female).
    (*b*) Cancer of the bladder (female).
    (*c*) Cancer of the brain.
    (*d*) Cancer of the bones (except jaw).
    (*e*) Cancer of other or unspecified organs.
54. Nonmalignant tumors.*[13]
    (*a*) Tumors of the ovary.
    (*b*) Tumors of the uterus.
    (*c*) Tumors of other female genital organs.
    (*d*) Tumors of the brain.
    (*e*) Tumors of other organs.
55. Tumors of which the nature is not specified.*[13]
    (*a*) Tumors of the ovary (nature unspecified).
    (*b*) Tumors of the uterus (nature unspecified).
    (*c*) Tumors of other female genital organs (nature unspecified).
    (*d*) Tumors of the brain (nature unspecified).
    (*e*) Tumors of other organs (nature unspecified).

---

[1] Not a reliable statement of cause of death, without autopsy, or without determination of the etiological factor; *i.e.*, the *bacillus anthracis*.

[2] Not a reliable statement of cause of death unless verified by autopsy, or proof that the infecting bite was by a proved rabid animal.

[3] A reliable statement of cause of death, without autopsy, when it is accompanied by information as to date, site, nature, and means of injury.

[4] A reliable statement of cause of death, without autopsy, for children under 10 years of age, but not for decedents of older groups, unless there is confirmatory bacteriological proof of the presence of the tubercle bacillus in the spinal fluid.

[5] An unreliable statement of cause of death, without autopsy, unless proof of an abdominal operation or recovery of tubercle bacillus from the abdominal fluid is presented.

[6] Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

[7] Not reliable as a statement of cause of death, without autopsy, unless diagnosis was based on lesions superficially situated or visible through body orifices, or confirmed by unquestioned specific test. A statement of the site, extent, and character of the lesion should be given.

[8] An unreliable statement of cause of death, without autopsy, unless a gonococcic lesion has been demonstrated by the recovery of the gonococcus from the site of the lesion, or by a specific serum reaction, and unless the lesion was an adequate cause of death.

[9] Not a reliable statement of cause of death without the supporting statement that the etiological factor, the *Plasmodium malariæ*, was found in the blood before death or at autopsy.

[10] A reliable statement of cause of death, without autopsy, *provided* the infectious parasite *ankylostoma duodenale* or its ova have been demonstrated.

[11] A reliable statement of cause of death, without autopsy, *only* with the demonstration of the parasite or its ova in the tissues or discharges.

[12] A reliable statement of cause of death, without autopsy, *only* when lesion is accessible to direct examination, or the etiological factor has been identified in the discharges before death.

[13] An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

Detailed International List — *Continued.*

III. Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and other General Diseases.

56. Acute rheumatic fever.*
57. Chronic rheumatism, osteoarthritis.
58. Gout.
59. Diabetes mellitus.*
60. Scurvy.*
61. Beriberi.*
62. Pellagra.*
63. Rickets.*
64. Osteomalacia.
65. Diseases of the pituitary body.
66. Diseases of the thyroid and parathyroid glands.
    (*a*) Simple goiter.
    (*b*) Exophthalmic goiter.
    (*c*) Myxedema and cretinism.
    (*d*) Tetany.
    (*e*) Other diseases of the thyroid and parathyroid glands.
67. Diseases of the thymus gland.
68. Diseases of the adrenals (Addison's disease not specified as tuberculous).*
69. Other general diseases.

IV. Diseases of the Blood and Blood-making Organs.

70. Hemorrhagic conditions.
    (*a*) Primary purpuras.
    (*b*) Hemophilia.
71. Anemias.[1]
    (*a*) Pernicious anemia.
    (*b*) Other anemias.
72. Leukemias and pseudoleukemias.[2]
    (*a*) True leukemias.
    (*b*) Pseudoleukemias (Hodgkin's disease).
73. Diseases of the spleen.
74. Other diseases of the blood and blood-making organs

V. Chronic Poisonings and Intoxications.

75. Alcoholism (acute or chronic).*
76. Chronic poisoning by other organic substances.[3]
    (*a*) Occupational.
    (*b*) Other chronic poisoning by organic substances
77. Chronic poisoning by mineral substances.
    (*a*) Lead.[4]
    (*b*) Occupational (except lead).[5]
    (*c*) Other chronic poisoning by mineral substances.[5]

VI. Diseases of the Nervous System and of The Organs of Special Sense.

78. Encephalitis (nonepidemic).
79. Meningitis.
    (*a*) Simple meningitis.
    (*b*) Nonepidemic cerebrospinal meningitis.
80. Progressive locomotor ataxia (tabes dorsalis).*
81. Other diseases of the spinal cord.

VI. Diseases of the Nervous System and of the Organs of Special Sense.—*Cont.*

82. Cerebral hemorrhage, cerebral embolism and thrombosis.
    (*a*) Cerebral hemorrhage.
    (*b*) Cerebral embolism and thrombosis.
    (*c*) Softening of the brain.
    (*d*) Hemiplegia and other paralysis, cause unspecified.
83. General paralysis of the insane.*
84. Dementia praecox and other psychoses.
85. Epilepsy.[6]
86. Convulsions (under 5 years of age).
87. Other diseases of the nervous sytem.*
    (*a*) Neuralgia and neuritis.
    (*b*) Other diseases of the nervous system.
88. Diseases of the organs of vision.*
89. Diseases of the ear and mastoid process.*
    (*a*) Diseases of the ear.
    (*b*) Diseases of the mastoid process.

VII. Diseases of the Circulatory System.

90. Pericarditis.[7]
91. Acute endocarditis.*
    (*a*) Specified as acute.
    (*b*) Unspecified (under 45 years of age).
92. Chronic endocarditis, valvular diseases.*
    (*a*) Endocarditis, specified as chronic, and other valvular diseases.
    (*b*) Endocarditis, unspecified (45 years and over).
93. Diseases of the myocardium.*
    (*a*) Acute myocarditis.
    (*b*) Myocarditis, unspecified (under 45 years).
    (*c*) Chronic myocarditis and myocardial degeneration.
    (*d*) Unspecified.
94. Diseases of the coronary arteries and angina pectoris.*
    (*a*) Angina pectoris.
    (*b*) Diseases of the coronary arteries.
95. Other diseases of the heart.*
    (*a*) Functional diseases of the heart.
    (*b*) Other and unspecified.
96. Aneurysm (except of the heart).
97. Arteriosclerosis (diseases of the coronary arteries excepted).
98. Gangrene.
99. Other diseases of the arteries.*
100. Diseases of the veins (varices, hemorrhoids phlebitis, etc.).[8]
101. Diseases of the lymphatic system (lymphangitis, etc.).*
102. Idiopathic anomalies of the blood-pressure.
103. Other diseases of the circulatory system.*

VIII. Diseases of the Respiratory System.

104. Diseases of the nasal fossæ and annexæ.*
105. Diseases of the larynx.*
106. Bronchitis.
    (*a*) Acute.
    (*b*) Chronic.*
    (*c*) Unspecified (under 5 years of age).
    (*d*) Unspecified (5 years and over).

---

[1] An unreliable statement of cause of death, without autopsy, unless an operation was performed.

[2] Not a reliable statement of cause of death unless verified by confirmatory blood examination.

[3] A reliable statement of cause of death, without autopsy, *only* when the source of the poison is specified, or when there is chemical or microscopic proof of the presence of the poison within the body.

[4] A reliable statement of cause of death, without autopsy, *if* there appears a statement of an occupation in which decedent would be subject to lead poisoning, or if the source of the poisoning is specified and complications accompanying, sufficient to cause death, are described.

[5] A reliable statement of cause of death, without autopsy, *only* in cases where the occupation or source of poison is specified and it is indicated that the poison was absorbed as a result of occupation; or the characteristic lesions are superficially located or accessible to direct inspection; or there is chemical or microscopic proof of the presence of poison within the body.

[6] An unreliable statement of cause of death, without autopsy, unless death occurred in an epileptic attack and was witnessed, and there was a previous history of epilepsy.

[7] An unreliable statement of cause of death, without autopsy, unless accompanied by a statement of primary cause or of the character of exudate obtained by paracentesis.

[8] A reliable statement of cause of death, without autopsy, if there is an accompanying statement of the site of the lesion or name of the vessel or vessels involved.

Detailed International List — *Continued.*

VIII. Diseases of the Respiratory System — *Cont.*

107. Bronchopneumonia (including capillary bronchitis).*
    (*a*) Bronchopneumonia.
    (*b*) Capillary bronchitis.
108. Lobar Pneumonia.
109. Pneumonia, unspecified.
110. Pleurisy.*
111. Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lung.[1]
    (*a*) Pulmonary embolism and thrombosis.
    (*b*) Others under this title.
112. Asthma.
113. Pulmonary emphysema.*
114. Other diseases of the respiratory system (tuberculosis excepted).*
    (*a*) Chronic interstitial pneumonia, including occupational diseases of the respiratory system.
    (*b*) Others, including gangrene of the lung.

IX. Diseases of the Digestive System.

115. Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations).*
    (*a*) Diseases of the pharynx and tonsils.
    (*b*) Others under this title.
116. Diseases of the esophagus.*
117. Ulcer of the stomach and duodenum.
    (*a*) Ulcer of the stomach.
    (*b*) Ulcer of the duodenum.
118. Other diseases of the stomach (cancer excepted).
119. Diarrhea and enteritis (under 2 years of age.)*
120. Diarrhea and enteritis (2 years and over).
121. Appendicitis.
122. Hernia, intestinal obstruction.
    (*a*) Hernia.[2]
    (*b*) Intestinal obstruction.[3]
123. Other diseases of the intestines.
124. Cirrhosis of the liver.*
    (*a*) Specified as alcoholic.
    (*b*) Not specified as alcoholic.
125. Other diseases of the liver (including yellow atrophy of liver).*
    (*a*) Yellow atrophy of liver.
    (*b*) Others under this title.
126. Biliary calculi.*
127. Other diseases of the gall-bladder and biliary passages.
128. Diseases of the pancreas.
129. Peritonitis, cause not specified.

X. Diseases of the Genitourinary System.

130. Acute nephritis (including unspecified under 10 years of age).
131. Chronic nephritis.*
132. Nephritis, unspecified (10 years and over).*
133. Other diseases of the kidneys and ureters (puerperal diseases excepted).
134. Calculi of the urinary passages.*
135. Diseases of the bladder (tumors excepted).*
136. Diseases of the urethra, urinary abscess, etc.*
    (*a*) Stricture of the urethra..
    (*b*) Others under this title.
137. Diseases of the prostate.*
138. Diseases of the male genital organs, not specified as venereal.*

X. Diseases of the Genitourinary System — *Cont.*

139. Diseases of the female genital organs, not specified as venereal.*
    (*a*) Cysts of the ovary.
    (*b*) Other diseases of the ovaries and diseases of the tubes and parametrium.
    (*c*) Diseases of the uterus.
    (*d*) Nonpuerperal diseases of the breast (cancer excepted).
    (*e*) Other diseases of the female genital organs.

XI. Diseases of Pregnancy, Childbirth and the Puerperal State.

140. Abortion with septic conditions.*
141. Abortion without mention of septic conditions (to include hemorrhages).*
142. Ectopic gestation.*
    (*a*) Septic conditions specified.
    (*b*) Septic conditions not mentioned.
143. Other accidents of pregnancy (not to include hemorrhages).*
144. Puerperal hemorrhage.*
    (*a*) Placenta praevia.
    (*b*) Other puerperal hemorrhages.
145. Puerperal septicemia (not specified as due to abortion).*
    (*a*) Puerperal septicemia and pyemia.
    (*b*) Puerperal tetanus.
146. Puerperal albuminuria and eclampsia.*
147. Other toxemias of pregnancy.*
148. Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic).*
149. Other accidents of childbirth.*
    (*a*) Cesarean operation.
    (*b*) Others under this title.
150. Other and unspecified conditions of the puerperal state.*

XII. Diseases of the Skin and Cellular Tissue.

151. Furuncle, carbuncle.[4]
152. Phlegmon, acute abscess.[4]
153. Other diseases of the skin and annexa, and of the cellular tissue.*

XIII. Diseases of the Bones and Organs of Locomotion.

154. Osteomyelitis.*
155. Other diseases of the bones (tuberculosis excepted).*
156. Diseases of the joints and other organs of locomotion.*
    (*a*) Diseases of the joints (tuberculosis and rheumatism excepted).
    (*b*) Diseases of other organs of locomotion.

XIV. Congenital Malformations.

157. Congenital malformations.*
    (*a*) Congenital hydrocephalus.
    (*b*) Spina bifida and meningocele.
    (*c*) Congenital malformations of the heart.
    (*d*) Other congenital malformations.

---

[1] Pulmonary congestion is considered a reliable statement of cause of death, without autopsy, only when the cause is specified; as, for example, *accidental inhalation of irritating fumes*, or accompanying lesions which are known to lead to congestion of the lungs.

[2] A reliable statement of cause of death if the hernia is external, or is exposed on operation or autopsy, when internal; also, when conditions adequate to cause of death, together with type and location of hernia, are specified.

[3] An unreliable statement of cause of death unless the obstruction is demonstrated on autopsy or operation, or is accessible by examination through the body orifices.

[4] A reliable statement of cause of death, without autopsy, *if* there is an accompanying statement of the site and nature of the original infection.

Detailed International List — *Continued.*

XV. Diseases of Early Infancy.

158. Congenital debility.
159. Premature birth.*
160. Injury at birth.*
    (a) Cesarean operation.
    (b) Without Cesarean operation.
161. Other diseases peculiar to early infancy.
    (a) Atelectasis.
    (b) Icterus of the new-born.
    (c) Sclerema.
    (d) Others under this title.

XVI. Senility.

162. Senility.

XVII. Violent and Accidental Deaths.

163. Suicide by solid or liquid poisons or by absorption of corrosive substances.[1]
    (a) Suicide by arsenic.
    (b) Suicide by hydrocyanic acid.
    (c) Suicide by opium, morphine, laudanum.
    (d) Suicide by strychnine.
    (e) Suicide by corrosive sublimate.*
    (f) Suicide by carbolic acid.*
    (g) Suicide by lysol.
    (h) Suicide by other poisons or kind not stated.
164. Suicide by poisonous gas.[2]
165. Suicide by hanging or strangulation.*
166. Suicide by drowning.*
167. Suicide by firearms.*
168. Suicide by cutting or piercing instruments.*
169. Suicide by jumping from high places.*
170. Suicide by crushing.*
171. Suicide by other means.*
172. Homicide (Infanticide, murder of infants less than one year of age).*
173. Homicide by firearms.*
174. Homicide by cutting or piercing instruments.*
175. Homicide by other means.*
176. Attack by venomous animals.*
177. Poisoning by food.[3]
178. Accidental absorption of poisonous gas.
179. Other acute accidental poisonings (gas excepted).
    (a) Wood alcohol.
    (b) Denatured alcohol.
    (c) Carbolic acid.*
    (d) Opium, morphine, laudanum.
    (e) Strychnine.
    (f) Other poisons or kind not stated.
180. Conflagration.*
181. Accidental burns (conflagration excepted).*
182. Accidental mechanical suffocation.*
183. Accidental drowning.*
184. Accidental traumatism by firearms (wounds of war excepted).
185. Accidental traumatism by cutting or piercing instruments (wounds of war excepted).[4]
186. Accidental traumatism by fall, crushing, landslide.*
    (a) Fall.
    (b) Crushing, landslide.
187. Cataclysm.
188. Injuries by animals.*
189. Hunger and thirst.*
190. Excessive cold.*
191. Excessive heat.*
192. Lightning.*
193. Accidents due to electric currents.
194. Other accidents.
    (a) Foreign bodies.
    (b) Others under this title.
195. Violent deaths of unknown nature.
196. Wounds of war.
197. Execution of civilians by belligerent armies.
198. Legal executions.*

XVIII. Ill-defined Causes of Death.

199. Sudden death.
200. Cause of death not specified or ill-defined.
    (a) Ill-defined.
    (b) Not specified or unknown.
201. Accidents in mines and quarries.*
    (a) Accidental absorption of poisonous gas.
    (b) Accidental burns (conflagration excepted).
    (c) Accidental mechanical suffocation.
    (d) Accidental drowning.
    (e) Accidental traumatism by cutting or piercing instruments.
    (f) Accidental traumatism by fall.
    (g) Accidental traumatism by crushing, landslide.
    (h) Accidents due to electric currents.
    (k) Foreign bodies.
    (m) Other accidents.
202. Accidents from agricultural machinery.*
    (a) Accidental absorption of poisonous gas.
    (b) Accidental burns (conflagration excepted).
    (c) Accidental mechanical suffocation.
    (d) Accidental drowning.
    (e) Accidental traumatism by cutting or piercing instruments.
    (f) Accidental traumatism by fall.
    (g) Accidental traumatism by crushing, landslide.
    (h) Accidents due to electric currents.
    (k) Foreign bodies.
    (m) Other accidents.
203. Elevator accidents.*
    (a) Accidental absorption of poisonous gas.
    (b) Accidental burns (conflagration excepted).
    (c) Accidental mechanical suffocation.
    (d) Accidental drowning.
    (e) Accidental traumatism by cutting or piercing instruments.
    (f) Accidental traumatism by fall.
    (g) Accidental traumatism by crushing, landslide.
    (h) Accidents due to electric currents.
    (k) Foreign bodies.
    (m) Other accidents.
204. Accidents from machinery used for recreation.*
    (a) Accidental absorption of poisonous gas.
    (b) Accidental burns (conflagration excepted).
    (c) Accidental mechanical suffocation.
    (d) Accidental drowning.
    (e) Accidental traumatism by cutting or piercing instruments.
    (f) Accidental traumatism by fall.
    (g) Accidental traumatism by crushing, landslide.
    (h) Accidents due to electric currents.
    (k) Foreign bodies.
    (m) Other accidents.
205. Other machinery accidents.*
    (a) Accidental absorption of poisonous gas.
    (b) Accidental burns (conflagration excepted).
    (c) Accidental mechanical suffocation.
    (d) Accidental drowning.
    (e) Accidental traumatism by cutting or piercing instruments.
    (f) Accidental traumatism by fall.
    (g) Accidental traumatism by crushing, landslide.
    (h) Accidents due to electric currents.
    (k) Foreign bodies.
    (m) Other accidents.

---

[1] A reliable statement of cause of death, without autopsy, if the character of the solid or liquid is specified.
[2] A reliable statement of cause of death, without autopsy, if the character of the gas is specified.
[3] An unreliable statement of cause of death without supporting data as to a group of accompanying cases or the ingestion of the particular poisonous substances.
[4] An unreliable statement of cause of death without supporting data, such as site and extent of injury.

Detailed International List — *Continued.*

XVIII. Ill-Defined Causes of Death— *Cont.*

206. Railroad and automobile collisions.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
207. Other railroad accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
208. Street car and automobile collisions.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
209. Other street car accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
210. Automobile accidents (primary).*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.

XVIII. Ill-Defined Causes of Death—*Cont.*

211. Motorcycle accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
212. Other land transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
213. Water transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
214. Air transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.

2. Abridged International List.

The following table shows each title of the Abridged International List. The numbers of the titles of the Detailed International List included in each title of the abridged list appear in parentheses.

Abridged Int. List Number.	Cause of Death.
1.	Typhoid and paratyphoid fever (1, 2).*
2.	Typhus fever (3).*
3.	Smallpox (6).*
4.	Measles (7).*
5.	Scarlet fever (8).*
6.	Whooping cough (9).*
7.	Diphtheria (10).*
8.	Influenza (11).
9.	Plague (14).*
10.	Tuberculosis of the respiratory system (23).*
11.	Other forms of tuberculosis (24, 25, 26, 27, 28, 29, 30, 31, 32).
12.	Syphilis (34).
13.	Malaria (38).
14.	Other infectious and parasitic diseases (4, 5, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 33, 35, 36, 37, 39, 40, 41, 42, 43, 44).
15.	Cancer and other malignant tumors (45, 46, 47, 48, 49, 50, 51, 52, 53).
16.	Tumors, nonmalignant, or of which the nature is not specified (54, 55).*
17.	Chronic rheumatism and gout (57, 58).
18.	Diabetes mellitus (59).
19.	Alcoholism (acute or chronic) (75).
20.	Other general diseases and chronic poisonings (56, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73 74, 76, 77).
21.	Progressive locomotor ataxia and general paralysis of the insane (80, 83).
22.	Cerebral hemorrhage, cerebral embolism and thrombosis (82).
23.	Other diseases of the nervous system and of the organs of special sense (78, 79, 81, 84, 85 86, 87, 88, 89).
24.	Diseases of the heart (90, 91, 92, 93, 94, 95).*
25.	Other diseases of the circulatory system (96, 97, 98, 99, 100, 101, 102, 103).
26.	Bronchitis (106).
27.	Pneumonias (107, 108, 109).
28.	Other diseases of the respiratory system (tuberculosis excepted) (104, 105, 110, 111, 112, 113, 114).
29.	Diarrhea and enteritis (119, 120).
30.	Appendicitis (121).
31.	Diseases of the liver and biliary passages (124, 125, 126, 127).
32.	Other diseases of the digestive system (115, 116, 117, 118, 122, 123, 128, 129).
33.	Nephritis (130, 131, 132).
34.	Other diseases of the genitourinary system (133, 134, 135, 136, 137, 138, 139).
35.	Puerperal septicemia (140, 145).*
36.	Other diseases of pregnancy, childbirth and the puerperal state (141, 142, 143, 144, 146, 147, 148 149, 150).*
37.	Diseases of the skin and cellular tissue, and of the bones and organs of locomotion (151, 152, 153, 154, 155, 156).
38.	Congenital debility and malformations, premature birth and other diseases of early infancy (157, 158, 159, 160, 161).
39.	Senility (162).
40.	Suicide (163, 164, 165, 166, 167, 168, 169, 170, 171).*
41.	Homicide (172, 173, 174, 175).
42.	Violent and accidental deaths (suicide and homicide excepted) (176, 177, 178, 179, 180, 181, 182, 183 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198).
43.	Cause of death not specified or ill-defined (199, 200).

BOSTON PUBLIC LIBRARY
3 9999 06351 653 6